Aalborg Universitet

On Propagation Graph Model for Industrial UWB Channels

Adeogun, Ramoni Ojekunle

On Propagation Graph Model for Industrial UWB Channels

Ramoni Adeogun

Wireless Communication Networks Section, *Aalborg University*, Aalborg, Denmark

E-mail:ra@es.aau.dk

Abstract—This paper investigates the suitability of a propagation graph (PG) model for ultra wideband (UWB) industrial wireless channels. Based on short range UWB channel sounding measurements in typical industrial scenarios, we estimate parameters of the model using a method of moments approach. The measurements are then compared with approximate expressions for the power delay spectrum (PDS) derived based on PG formalism. Results show reasonable agreement between the measured and approximate PDS.

Index Terms—Propagation graph, industrial channel, UWB, wireless channels

I. INTRODUCTION

Propagation graphs (PGs) offer a flexible structure for modelling reverberant propagation with account for infinite scattering [1]. Within the last few years, the PG model have attracted significant research interest resulting in its application to different propagation scenarios including: millimetre wave [2], high speed railway, indoor to outdoor, multi-room [3] and polarized [4] channel. Hybrid models combining the PG with other modelling frameworks have also been studied.

The growing interest in the propagation graph model may not be unconnected to its relative benefits compared to classical modelling approaches such as ray-tracing and geometry based spatial channel model. These benefits include analytical computation of the channel transfer function based on the physics of electromagnetic wave propagation, low computational complexity, easy generalization to multi-user scenarios and applicability over different frequency bands [4].

Models for industrial propagation are crucial to the design and performance evaluation of communication systems as an enabler for the current industrial revolution. In this paper, we present the first study on propagation graph modeling for industrial ultra-wideband (UWB) channels.

II. MODEL, MEASUREMENT AND PARAMETER ESTIMATION

A. Propagation Graph Model

In this section, we introduce the propagation graph based model presented in [1]. We consider a simple directed graph $\mathcal{G} = (\mathcal{V}, \mathcal{E})$ with vertex set $\mathcal{V} = \mathcal{V}_t \cup \mathcal{V}_s \cup \mathcal{V}_r$ which is a union of three disjoint sets: a set of transmitters, $\mathcal{V}_t$, a set of scatterers, $\mathcal{V}_s$ and a set of receivers, $\mathcal{V}_r$. Wave propagation between the vertices is modelled by edges in $\mathcal{E}$. An edge, $e = (v, w)$, exists if and only if a wave can propagate directly from v to w.

Wave propagation in the graph is defined by the actions of the scatterers and edges. A scatterer re-emits weighted version of the sum of signals arriving via the incoming edges

to the outgoing edges. An edge $(v, w) \in \mathcal{E}$ transfers a signal from v to w according to its transfer function, $A_{(v,w)}$. We set $A_e(f) = 0$ for $e \notin \mathcal{E}$. The edge transfer functions are collected into sub-matrices: $\mathbf{D}(f)$: transmitters $\rightarrow$ receivers, $\mathbf{T}(f)$: transmitters $\rightarrow$ scatterers, $\mathbf{R}(f)$: scatterers $\rightarrow$ receivers, $\mathbf{B}(f)$: scatterers $\rightarrow$ scatterers.

Assuming that the channel is time-invariant, the transfer matrix, $\mathbf{H}(f)$ of the propagation graph can be expressed in closed form as [1]

$$\mathbf{H}(f) = \mathbf{D}(f) + \mathbf{R}(f)[\mathbf{I} - \mathbf{B}(f)]^{-1}\mathbf{T}(f), \quad (1)$$

provided that the spectral radius of $\mathbf{B}(f)$ is less than unity. As in [5], the edge transfer functions are defined as

$$A_e(f) = \begin{cases} g_e(f) \exp(j2\pi f\tau_e + \phi_e); & e \in \mathcal{E} \\ 0; & e \notin \mathcal{E}, \end{cases} \quad (2)$$

with where τ_e is the edge delay, ϕ_e is the random initial phase of and $g_e(f)$ denotes the edge gain which can be calculated from [1]

$$g_e(f) = \begin{cases} \frac{G_r G_t}{(4\pi f\tau_e)}; & e \in \mathcal{E}_d \\ \frac{G_t}{\sqrt{4\pi \tau_e^2 f\mu(\mathcal{E}_t)\mathcal{S}(\mathcal{E}_t)}}; & e \in \mathcal{E}_t \\ \frac{g}{\mathrm{odi}(e)}; & e \in \mathcal{E}_s \\ \frac{G_t}{\sqrt{4\pi \tau_e^2 f\mu(\mathcal{E}_r)\mathcal{S}(\mathcal{E}_r)}}; & e \in \mathcal{E}_r, \end{cases} \quad (3)$$

Here, g denotes the reflection gain, $\mathrm{odi}(e)$ denotes the number of outgoing edges from the nth scatterer,

$$\mu(\mathcal{E}_a) = \frac{1}{|\mathcal{E}_a|} \sum_{e \subset \mathcal{E}_a} \tau_e, \quad \mathcal{S}(\mathcal{E}_a) = \sum_{e \subset \mathcal{E}_a} \tau_e^{-2}, \quad \mathcal{E}_a \subset \mathcal{E}, \quad (4)$$

where $|\cdot|$ denotes set cardinality. A method for stochastically generating transfer function and impulse response from the PG is presented in [1].

B. Method of Moment

As in [4], [6], we approximate the full propagation graph by the simple graph shown in Fig. 1. On average, each edge in the PG is connected to $P_{\mathrm{vis}}(N_s - 1)$ vertices, i.e., $\mathbb{E}[|\mathcal{E}_a|] = P_{\mathrm{vis}}(N_s - 1)$, where P_{vis} and N_s are the probability of visibility and number of scatterers, respectively. Using (3) and Fig. 1, the power delay spectrum (PDS) for the non-polarized graph can be obtained following [4], [6] as

$$P(\tau) = \frac{g^{(2\tau/\mu_\tau)}}{P_{\mathrm{vis}}(N_s - 1)(4\pi\mu_\tau)^2} + \sigma_{\mathrm{floor}} \quad (5)$$

Fig. 1: Simplified model for the power transfer in a non-polarized graph.

TABLE I: Estimated Model Parameters.

Measurement	Room Size	Model Parameters		
		g	N_s	σ_{floor}
LCD	$41 \times 14 \times 6\,\text{m}^3$	0.73	9	6.31×10^{-13}
HCD	$33 \times 14 \times 6\,\text{m}^3$	0.67	60	1.00×10^{-13}

where σ_{floor} denotes the noise floor and μ_τ is the mean path delay defined in terms of the room volume, V and total surface area, S as $\mu_\tau = 4V/cS$, where c is the speed of light. The method of moment (MoM) [4] estimates the model parameters g and the effective number of scaterrers $P_{vis}N_s$ via a non-linear least square fit of the empirical power delay profile to the PDS in (5). The noise floor σ_{floor} is obtained from the measured PDS in this paper. Note that σ_{floor} can also be estimated as a model parameter using the methods in [7]

C. Measurements

The measurement data are from a recent short-range UWB measurement campaigns conducted in a $33 \times 14 \times 6$ m³ high cluster density (HCD) and a $41 \times 14 \times 6$ m³ low cluter density (LCD) environment at the Smart Production Lab, Aalborg University (AAU), Denmark. The HCD was a factory hall with large metallic machinery including hydraulic press, welding machines, and material processing machines. On the other hand, the LCD contained robots, laboratory machinery, and a production line, surrounded by large empty areas. In both cases, measurements were collected using a Rhode & Schwarz ZND 8.5 GHz VNA with omnidirectional broadband biconical antennas at the transceivers over a 5 GHz bandwidth from 3 GHz to 8 GHz. During the campaigns, the transmitter's location was fixed while that of the receiver was varied between 1 m and 9 m horizontal distances. A total of 95 and 98 channel transfer functions were obtained for the HCD and LCD, respectively. Measurements were performed with a resolution of 1 MHz corresponding to a total of 5001 samples over the entire bandwidth. Further description of the measurements can be found in [8].

III. SIMULATION AND RESULTS

As in [4], we set the probability of visibility, $P_{\text{vis}} = 0.9$ and estimate the reflection gain, g and number of scatterers, N_s for each environment using the MoM described in Section II. The estimated parameters for both environments are shown in Table I. As expected, N_s is much larger for the factory hall with high cluster density. In contrast, a lower reflection gain


Fig. 2: Measured averaged power delay profile and approximate expression for the two industrial environments.

is obtained for the low clutter environment indicating a faster decay of the PDP with low number of scatterers.

In Fig. 2, we show the approximate PDS obtained using (5) with the estimated parameters and the measured PDS. The figures show a very good fit between the approximate PDS and the empirical PDP from both measurements indicating the suitability of the PG for industrial UWB channels.

IV. CONCLUSION

An investigation on the suitability of a propagation graph model for characterizing short-range industrial UWB channels is presented in this paper. An approximate expression for the power delay spectrum based on propagation graph formalism is used to estimate the model parameters via a method of moment. Results showed a good match between the measured PDP and the PG approximation.

REFERENCES

[1] T. Pedersen, G. Steinböck, and B. H. Fleury, "Modeling of reverberant radio channels using propagation graphs," *IEEE Trans. Antennas Propag.*, vol. 60, no. 12, pp. 5978–5988, Dec 2012.

[2] T. Zhou, C. Tao, S. Salous, Z. Tan, L. Liu, and L. Tian, "Graph-based stochastic model for high-speed railway cutting scenarios," *IET Microwaves, Antennas Propagation*, vol. 9, no. 15, pp. 1691–1697, 2015.

[3] R. Adeogun, T. Pedersen, and A. Bharti, "Transfer Function Computation for Complex Indoor Channels Using Propagation Graphs," in *IEEE International Symposium on Personal, Indoor and Mobile Radio Communications*, Sept. 2018, pp. 566–567.

[4] R. Adeogun, T. Pedersen, C. Gustafson, and F. Tufvesson, "Polarimetric Wireless Indoor Channel Modelling Based on Propagation Graph," *IEEE Transactions on Antennas and Propagation*, vol. 67, no. 10, 2019.

[5] T. Pedersen, G. Steinböck, and B. H. Fleury, "Modeling of outdoor-to-indoor radio channels via propagation graphs," in *URSI General Assembly and Scientific Symposium*, Aug 2014, pp. 1–4.

[6] R. Adeogun and T. Pedersen, "Modelling polarimetric power delay spectrum for indoor wireless channels via propagation graph formalism," in *2nd URSI Atlantic Radio Science Meeting*, May 2018.

[7] A. Bharti, R. Adeogun, and T. Pedersen, "Learning parameters of stochastic radio channel models from summaries," *IEEE Open Journal of Antennas and Propagation*, vol. 1, pp. 175–188, 2020.

[8] M. Razzaghpour, R. Adeogun, I. Rodriguez, G. Berardinelli, R. S. Mogensen, T. Pedersen, P. Mogensen, and T. B. Srensen, "Short-range uwb wireless channel measurement in industrial environments," in *2019 International Conference on Wireless and Mobile Computing, Networking and Communications (WiMob)*, 2019, pp. 1–6.