



AALBORG UNIVERSITY
DENMARK

Aalborg Universitet

Disorder-Order Transition in Melt-Quenched MOF Glass

Insight from ZIF-4

Zhang, Jiayan; Bennett, T.D.; Yue, Yuanzheng

Creative Commons License
Unspecified

Publication date:
2017

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Zhang, J., Bennett, T. D., & Yue, Y. (2017). *Disorder-Order Transition in Melt-Quenched MOF Glass: Insight from ZIF-4*. Poster presented at Materials for Energy Applications through Neutron and X-Ray Eyes, Göteborg, Sweden.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.



Disorder-Order Transition in Melt-Quenched MOF Glass: Insight from ZIF-4

Jiayan Zhang,^{1,2} Thomas D. Bennett,³ Yuanzheng Yue^{1,2,*}

¹ State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China

² Department of Chemistry and Bioscience, Aalborg University, Aalborg 9000, Denmark


³ Department of Materials Science and Metallurgy, University of Cambridge, Cambridge CB3 0FS, UK

E-mail: jz@bio.aau.dk; jia_yan_zhang@126.com




Introduction

- Metal-organic frameworks (MOFs) are a new family of glass-formers that adopt networked structures of metal ions connected by organic ligands via coordination bond¹⁻³.
- Zeolitic imidazolate frameworks (ZIFs), a subclass of MOFs that possess high chemical and thermal stability, have attracted increasing attention..



Similarity in structural bonding units between ZIF-4 and SiO₂.


- The majority of MOFs decompose directly upon heating, instead of melting. But a few of MOFs can be vitrified, e.g., ZIF-4, if it can be melted before decomposition¹.




- ❑ Does ZIF-4 glass recrystallize like most of inorganic glasses?
- ❑ How do the structure or topology vary in ZIF-4 glass upon heat-treatment above T_g ?

1. T. D. Bennett, J.-C. Tan, Y. Z. Yue, et al., Nat. Commun., 6, 8079 (2015).
2. T. D. Bennett, Y. Z. Yue, P. Li, et al., J. Am. Chem. Soc., 138, 3484 (2016).
3. H. Tao, T. D. Bennett and Y. Z. Yue, Adv. Mater., 1601705 (2017)

Thermal response of ZIF-4 glass





- A distinct exothermic peak appears around T_p prior to decomposition (see mass drop).
- How does the structure of ZIF-4 glass change during exothermic response?
- At which length scale do the "crystals" form?



- T_g increases with annealing temperature, indicating the enhanced connectivity of the network in heat-treated ZIF-4 glass.
- T_p decreases with annealing time, indicating the ordered domains occur, which make nucleation easier.

Disorder-order transition in ZIF-4 glass

Powder XRD




No Bragg peaks occur, hence there is no long-range order, but nano-ordered domains might appear.


- The FWHM decrease with annealing temperature.
- This implies an increase of the degree of order and the ordered domain size.

Raman

- There are no peaks for ZIF-4 glass.
- Raman peaks occur for the heat-treated ZIF-4 glass.
- These confirm that the crystals appear at nano-scale, which are larger than medium-range order structure.



Liquid-state NMR



- Local environment around the ¹³C is almost the same.
- ¹H resonances of crystal, glass and "recrystallized" sample appear at different chemical shifts.
- These indicate that heat-treatment causes the structural change.

Conclusion

- ◆ Disorder-order transition in ZIF-4 glass is discovered.
- ◆ After heat treatment, some ordered domains are formed. However, ZIF-4 glass is still in amorphous state.
- ◆ The mechanism of this disorder-order transition remains elusive.
- ◆ New techniques should be applied to characterize structural features during the transition, such as neutron scattering.

Why neutron scattering?

Disorder-order transition in ZIF-4 glass has been studied by performing heat-treatments and structural analyses. Neutron techniques are expected to help to answer these questions :

- At which length scale the order-disorder transition occur in ZIF-4 glass?
- Does the heat treatment induce change of coordination bonds (Zn-N) in terms of bonding length and angle, and recovery of the distorted network?