



Aalborg Universitet

AALBORG UNIVERSITY  
DENMARK

## Management of Diabetes during School Hours

*A Cross-Sectional Questionnaire Study in Denmark*

Nannsen, Anne Østergaard; Kristensen, Kurt; Johansen, Lise Bro; Iken, Mia Kastrup; Madsen, Mette; Pilgaard, Kasper Ascanius; Grabowski, Dan; Hangaard, Stine; Schou, Anders Jørgen; Andersen, Anette

*Published in:*  
Healthcare

*DOI (link to publication from Publisher):*  
[10.3390/healthcare11020251](https://doi.org/10.3390/healthcare11020251)

*Creative Commons License*  
CC BY 4.0

*Publication date:*  
2023

*Document Version*  
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*

Nannsen, A. Ø., Kristensen, K., Johansen, L. B., Iken, M. K., Madsen, M., Pilgaard, K. A., Grabowski, D., Hangaard, S., Schou, A. J., & Andersen, A. (2023). Management of Diabetes during School Hours: A Cross-Sectional Questionnaire Study in Denmark. *Healthcare*, 11(2), Article 251. <https://doi.org/10.3390/healthcare11020251>

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

### Take down policy

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

## Article

# Management of Diabetes during School Hours: A Cross-Sectional Questionnaire Study in Denmark

Anne Østergaard Nannsen <sup>1,\*</sup>, Kurt Kristensen <sup>1,2</sup>, Lise Bro Johansen <sup>3</sup>, Mia Kastrup Iken <sup>4</sup>,  
Mette Madsen <sup>5,6</sup>, Kasper Ascanius Pilgaard <sup>3,7</sup>, Dan Grabowski <sup>3</sup>, Stine Hangaard <sup>5</sup>, Anders Jørgen Schou <sup>8,9</sup>  
and Anette Andersen <sup>1</sup>

- <sup>1</sup> Steno Diabetes Center Aarhus (SDCA), Aarhus University Hospital, 8200 Aarhus N, Denmark  
<sup>2</sup> Department of Pediatrics, Aarhus University Hospital, 8200 Aarhus N, Denmark  
<sup>3</sup> Steno Diabetes Center Copenhagen (SDCC), Department of Research, Copenhagen University Hospital, 2730 Herlev, Denmark  
<sup>4</sup> Danish Diabetes Association, 2600 Glostrup, Denmark  
<sup>5</sup> Steno Diabetes Center North Denmark (SDCN), 9000 Aalborg, Denmark  
<sup>6</sup> Department of Pediatrics and Adolescent Medicine, Aalborg University Hospital, 9000 Aalborg, Denmark  
<sup>7</sup> Department of Pediatrics, Copenhagen University Hospital, 2730 Herlev, Denmark  
<sup>8</sup> Steno Diabetes Center Odense (SDCO), 5000 Odense, Denmark  
<sup>9</sup> Pediatric Research Unit, Odense University Hospital, 5000 Odense, Denmark  
\* Correspondence: annann@rm.dk

**Abstract:** Managing diabetes is complicated for many children. It often requires support from an adult during the school day. In Denmark, most children spend 30–35 h a week at school. Nevertheless, diabetes management in schools remains largely uninvestigated. This study aimed to examine the characteristics and organization of diabetes management in Danish primary schools from the personnel’s perspective. All primary schools in Denmark were invited to participate in the study ( $n = 2129$ ), and 525 schools were included. A questionnaire was constructed and sent by email. Questionnaire data are presented in the descriptive statistics and compared with the ISPAD guidelines. According to 77.2% of respondents, school personnel had received training in diabetes management, and 78.5% of the schools had at least one person available for diabetes support every day. Respondents felt prepared to help the students with counting carbohydrates (38.9%), dosing insulin (39.1%), and helping the students during high (52.1%) or low (60.3%) blood sugar levels, insulin chock (35.2%), or during activities (36.3%). Yet, diabetes management was a challenging task. Only 61.7% had an action plan for diabetes management, 37.4% had face-to-face information meetings with the parents, and 55.1% of respondents reported having sufficient time to cooperate with the parents.

**Keywords:** diabetes management; school setting; pediatric diabetes; children with diabetes



**Citation:** Nannsen, A.Ø.; Kristensen, K.; Johansen, L.B.; Iken, M.K.; Madsen, M.; Pilgaard, K.A.; Grabowski, D.; Hangaard, S.; Schou, A.J.; Andersen, A. Management of Diabetes during School Hours: A Cross-Sectional Questionnaire Study in Denmark. *Healthcare* **2023**, *11*, 251. <https://doi.org/10.3390/healthcare11020251>

Academic Editor: Pedram Sendi

Received: 9 December 2022

Revised: 6 January 2023

Accepted: 11 January 2023

Published: 13 January 2023



**Copyright:** © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

## 1. Introduction

Type 1 diabetes is one of the most frequent chronic conditions in children, with an estimated prevalence of 1.2 million cases worldwide [1]. The European region has the highest number of children and adolescents with type 1 diabetes ( $n = 295,000$ ) and the highest numbers of incident cases in 2021 ( $n = 31,000$ ) [1]. In Denmark, 3100 children and adolescents (0–19 years) are diagnosed with type 1 diabetes [1]. Having diabetes may complicate everyday life for the child as diabetes management requires support from an adult [2–5].

Most children spend many hours at school. In Denmark, children spend an average of 30–35 h a week at school [6]. This transfers the responsibility for diabetes management to the school personnel, and it may be a demanding task to help the children manage diabetes during the school day. A Swedish survey investigating the parents’ perspective of school management of diabetes found that many children did not have a contact person or an

action plan in case of hypoglycemia, and the parents regularly gave less insulin in the morning due to fear of hypoglycemia during school hours [7,8].

The Convention on the Rights of the Child from 1989 is the backbone of many national laws on children's rights around the world [9]. It states that governments should remove all obstacles for children with disabilities to make them independent and able to enjoy the best possible life in their community [9]. Therefore, Danish national law requires all schools to provide a school day on equal terms with peers for all children [10,11]. Nevertheless, Denmark has no national guidelines on what defines good diabetes care in a school setting. Diabetes management during school hours relies on the pediatric diabetes departments, schools, and parents to accommodate the individual needs of the child.

The International Society for Pediatric and Adolescent Diabetes (ISPAD) issued the latest Clinical Practice Consensus Guidelines (ISPAD guidelines) in 2018 [12]. Whereas the guidelines of the American Diabetes Association include recommendations that are context specific to the US [13], the ISPAD guidelines are applicable worldwide [12].

It remains uninvestigated how Danish schools accommodate children with diabetes during school hours. Therefore, the aim of the study was to examine the characteristics and the organization of diabetes management in Danish primary schools as seen from the school personnel's perspective. We used the ISPAD guidelines for diabetes management in school settings to compare the Danish level with the international recommendations.

## 2. Materials and Methods


### 2.1. Design and Study Population

The Kids with Diabetes in School (KIDS) study is a multicenter project, which is conducted in collaboration between the Danish Diabetes Association and the five Danish Steno diabetes centers.

A questionnaire (KIDS questionnaire) was sent to all primary schools in Denmark, including all elementary schools (0th grade, 1st–9th grade and the optional 10th grade), private primary schools (0th–9th grade), boarding schools (9th and 10th grade), and day schools (9th and 10th grade). Our survey required one respondent per school to fill in the questionnaire, and the school was instructed to hand over the questionnaire to the employee with the best knowledge on diabetes management at the given school.

### 2.2. Data Collection

The schools were identified from the list of schools under the Danish Ministry of Children and Education. This list comprised 2129 eligible schools at the time of inclusion [14]. The questionnaire was sent to the publicly listed email address of the school. After a reminder by e-mail and then by telephone, 921 schools responded to the initial questions, 841 schools responded to the questions on diabetes status (of which 524 had children with diabetes enrolled) and were ultimately included in the study. See details in Figure 1.



**Figure 1.** Flowchart of the inclusion into the study.

### 2.3. Development of the Questionnaire

We conducted a literature search to gain insight into questionnaires on diabetes management in school settings from the personnel's perspective. The search yielded limited results [15]. Therefore, a questionnaire was developed specifically for this study. A thorough development process preceded the final questionnaire. The purpose of the questionnaire was to explore the organization of diabetes management in Danish primary schools. We used a bottom-up approach to construct a questionnaire specifically for the Danish context based on the literature [15] and the professional expertise from multiple professions, such as medical doctors, anthropologists, and public health researchers with experience in survey studies.

The questionnaire was divided into three themes: (1) general demographic information about the school (6 items), (2) specific questions about diabetes management at the school (29 items), and (3) perceived competences and perceptions of the respondent regarding diabetes management (7 items) (Appendix A, Table A1). The questionnaire was developed and distributed in Danish and translated to English only for the purpose of this publication.

### 2.4. Analysis

Characteristics on participating schools are presented in percent and absolute numbers (% ,  $n$ ) in Table 1. Values for less than 5 respondents are concealed and displayed as  $n \leq 5$ . Data from the questionnaires were based on self-reports, except for e-mail, school name, municipality, and regional placement. First, we constructed 10 domains based on the content of the ISPAD guidelines. Second, we grouped the specific recommendations from the ISPAD guidelines under these domains. Third, we compared the questions in our questionnaire to the guidelines. The specific guideline and related questionnaire questions were then placed under a domain. This was done to ensure that the questionnaire covered the ISPAD guidelines sufficiently before we analyzed the responses from the schools. Each domain must be covered with a satisfactory response from the schools to indicate whether

or not the schools meet the international standards for diabetes management in schools. Criteria for satisfactory responses from participating schools were determined a priori. For example, the school had to respond with a “yes” to give a satisfactory response to questions regarding individualized diabetes plans. We used the ISPAD guidelines to compare diabetes management in Danish primary schools with international recommendations. An overview of the ISPAD guidelines, the corresponding questions from the KIDS questionnaire, and consensus on satisfactory responses can be seen in detail in Table A1.

**Table 1.** Characteristics of participating schools stratified on regional location,  $n = 524$ .

	Capital Region of Denmark	Central Denmark Region	North Denmark Region	Region Zealand	Region of Southern Denmark
Participants, % ( $n$ )	19% (101)	29% (150)	13% (66)	12% (65)	27% (142)
Institution, % ( $n$ )					
Primary school (public)	63% (64)	67% (100)	65% (43)	58% (38)	49% (69)
Primary school (private)	34% (34)	19% (29)	24% (16)	35% (23)	35% (49)
Boarding school	$n \leq 5$	13% (19)	11% (7)	$n \leq 5$	15% (21)
Day school	$n \leq 5$	$n \leq 5$	0% (0)	0% (0)	$n \leq 5$
Number of students per school, % ( $n$ )					
<199 students	15% (15)	31% (46)	45% (28)	31% (20)	34% (48)
200–399 students	19% (19)	23% (35)	26% (17)	31% (20)	31% (44)
400–599 students	21% (21)	21% (21)	18% (27)	25% (16)	19% (27)
600–799 students	24% (24)	19% (29)	11% (7)	12% (8)	11% (16)
800–999 students	13% (13)	7% (10)	$n \leq 5$	$n \leq 5$	$n \leq 5$
>1000 students	9% (9)	$n \leq 5$	0% (0)	0% (0)	$n \leq 5$
Respondents’ occupation, % ( $n$ )					
Administrative personnel	14% (14)	15% (23)	$n \leq 5$	15% (10)	12% (17)
Teacher	14% (14)	19% (29)	17% (11)	14% (9)	27% (38)
Social worker	7% (7)	6% (9)	9% (6)	8% (5)	6% (8)
Principal	53% (53)	49% (74)	67% (44)	45% (29)	46% (65)
Other manager than principal	11% (11)	5% (7)	$n \leq 5$	8% (5)	7% (10)
Other, non-manager	$n \leq 5$	5% (8)	0% (0)	11% (7)	$n \leq 5$
Area (wealth), % ( $n$ )					
Not so wealthy	13% (13)	16% (23)	35% (23)	24% (15)	19% (26)
Very wealthy	8% (8)	3% (5)	0% (0)	0% (0)	$n \leq 5$
Some wealth	33% (33)	17% (25)	11% (7)	19% (12)	18% (25)
Not at all wealthy	$n \leq 5$	4% (6)	9% (6)	$n \leq 5$	5% (7)
Average	44% (44)	60% (89)	45% (30)	51% (32)	57% (80)

The analysis of non-respondents showed that a higher proportion of non-respondents (compared to respondents) were located in the Capital Region of Denmark and Region Zealand, whereas a higher proportion of respondents (compared to non-respondents) were located in the Central Denmark Region (Table 2). Stratification on municipality [16] showed no significant differences between respondents and non-respondents (Table 2). The proportion of primary schools was higher among non-respondents (compared to respondents), and the proportion of private schools were higher among respondents (compared to non-respondents).

**Table 2.** Analysis of non-respondents stratified on region, municipality, and institution,  $n = 2129$ .

	Non-Respondents	Respondents
<i>n</i> (%)	1052 (66.8%)	524 (33.2%)
Region, <i>n</i> (%)		
Capital Region of Denmark	275 (26.1%)	101 (19.3%)
Central Denmark Region	184 (17.5%)	150 (28.6%)
North Denmark Region	103 (9.8%)	66 (12.6%)
Region Zealand	213 (20.2%)	65 (12.4%)
Region of Southern Denmark	277 (26.3%)	142 (27.1%)
Municipalities, <i>n</i> (%)		
Capital municipalities	216 (20.5%)	99 (18.9%)
Metropolitan Municipalities	51 (4.8%)	46 (8.8%)
Provincial municipalities	238 (22.6%)	95 (18.1%)
Commuter Municipalities	227 (21.6%)	112 (21.4%)
Rural Municipalities	320 (30.4%)	172 (32.8%)
Institution, <i>n</i> (%)		
Boarding school, live in	95 (9.0%)	53 (10.1%)
Primary schools	673 (64.0%)	314 (59.9%)
Private primary school	225 (21.4%)	151 (28.8%)
Boarding schools	59 (5.6%)	6 (1.1%)

### 3. Results

Most participating schools were located in the Central Denmark Region ( $n = 150$ ). Across the regional location of the schools, the majority of respondents were school principals from primary schools in areas of average wealth. Across regions, the schools were fairly evenly distributed, with <199 to 800 enrolled students (Table 1).

#### 3.1. Law and Equal Opportunity

In total, 21.7% of schools had guidelines on chronic illness in general, and 25.9% had specific guidelines on diabetes. A proportion of the schools allocated extra hours for support of students with diabetes in 0th grade (19.5%), 1st–3rd grade (25.0%), 4th–6th grade (23.7%), 7th–9th grade (24.0%), and 10th grade (21.0%). The majority of the respondents experienced the school as being able to include students with diabetes on equal terms with their peers in terms of academic subjects (86.9%), physical education (80.1%), daytime excursions (84.5%), and overnight excursions (74.6%) (Table 3, Figures 2 and 3 and Table A1).

**Table 3.** Overview of single-item questions and subsequent proportion of satisfactory responses.

	Proportion of Satisfactory Response
Does the school have a guideline/policy for handling chronic illness among students?	21.7%
Does the school have a guideline/policy for handling diabetes among students?	25.9%
Does the school have an action plan, in case a students with diabetes experiences low blood sugar/insulin chock (hypoglycemic reaction)?	61.7%
Does the school have one or more persons able to help students with diabetes administer insulin/adjust insulin pump if necessary?	78.5%

Table 3. Cont.

	Proportion of Satisfactory Response
Did teachers and other personnel receive teaching regarding supporting students with diabetes?	77.2%
What do you think is the biggest challenge for the school, in regards to management and support to students with diabetes?	54.3%
Are there any rules for where and when students with diabetes are allowed to eat/drink?	72.9%
Are there activities at school where students with diabetes are limited/restricted?	95.3%
It is possible for the school to have extra personnel on hand in some situations, for example excursions?	69.7%
Are the students able to measure blood sugar levels at the school?	97.4%
Are there any rules for where and when students with diabetes are allowed to use their phones?	53.0%
Are there any rules for when and where students with diabetes are allowed to use the restroom?	96.2%
Are students able to manage their diabetes, for example eat/drink, measure blood sugar without losing considerable time during class?	85.7%
Are students able to manage their diabetes, for example eat/drink, measure blood sugar without losing considerable time during recess?	84.9%
How is information from the parents delivered?	37.4%





Figure 2. Proportion of schools allocating extra hours to students with diabetes, stratified by grade.



**Figure 3.** Proportion of participants feeling able to include students with diabetes during a school day.

### 3.2. Individualized Diabetes Plan

The respondents indicated that 61.7% of schools had an action plan in case of hypoglycemia, and 78.5% of schools had one or more personnel present at the school to support the students in diabetes management (Tables 3 and A1).

### 3.3. Education and Knowledge

The respondents indicated that the school personnel had received diabetes specific training at 77.2% of the schools. However, the respondents reported to have inadequate knowledge on acute situations (49.0%), blood sugar levels (57.7%), impact of physical activity (56.0%), administration of glucagon (22.4%), when to call the emergency services (61.5%), and the influence of diet and carbohydrate on blood sugar levels (39.3%). In total, 54.3% of the respondents did not consider it a major challenge to have students with diabetes (Table A1). The respondents reported having adequate time to study or familiarize with diabetes in general (38.4%); to help a specific student with challenges of diabetes (44.2%); to support students with diabetes during school hours (45.5%); and to support students during physical activity (37.9%), during recess (37.6%), or during school excursions (43.7%) (Table 3, Figures 4 and 5 and Table A1).

Regarding daily communication at school, 59.5% felt well prepared to transfer information about diabetes during the day to colleagues, and 44.4% felt well prepared to transfer information to substitute teachers. Less than half of the respondents reported to have adequate time during the day to transfer information to colleagues (42.5%) or substitute teachers (34.5%). Additionally, respondents reported on the ability to confer with colleagues about the student's diabetes (Figure 6) (42.6%).






Figure 4. Proportion of participants with adequate knowledge on multiple subjects.




Figure 5. Proportion of participants with adequate time to support.

If the person with the primary responsibility of the child’s diabetes care was absent from the school, 51.0% stated having colleagues who could take on the responsibilities for diabetes care if planned in advance, and 48.4% stated having colleagues on standby who could take on the responsibilities if the absence was more acute (Table A1). The respondents stated feeling prepared to help the students with counting carbohydrates (38.9%), dosing

insulin (39.1%), helping during high (52.1%) or low (60.3%) blood sugar levels, insulin chock (35.2%), or activities (36.3%) (Figure 7 and Table A1).




Figure 6. Participants' reports on experiences with colleagues.




Figure 7. Proportion of participants prepared to help the student.

### 3.4. Food (Access)


In total, 72.9% of schools did not have rules regarding eating or drinking during the day (Tables 3 and A1). Those who did have rules allowed the students with diabetes to eat or drink as needed if they consulted an adult first (data not shown).

### 3.5. Physical Activity

The majority of schools reported having no diabetes-related limitations in school activities, including physical activity (95.0%). In some situations, for example excursions, 69.7% of schools were able to bring in extra personnel (Tables 3 and A1).

### 3.6. Self-Management


At 85.7% of the schools, the respondents estimated that students with diabetes did not lose considerable time during class due to diabetes management, and 84.9% of respondents found that these children did not lose time during recess. The majority of schools made it possible for students to have blood sugar levels measured during the day (97.4%). Most schools had no rules regarding use of restroom (96.2%) or use of mobile phones at all times (53.0%). The respondents reported on the extent to which they felt unsafe in performing tasks related to diabetes management, (1 or 2 on a five-point scale) for supporting a student with diabetes (63.0%), supporting a student with low blood sugar level (58.7%), supervising a student on diet (59.9%), or going on school excursions with a student with diabetes (61.4%) (Table 3, Figure 8 and Table A1).



**Figure 8.** Proportion of participants not feeling unsafe.

### 3.7. School/Home Cooperation

In total, 37.4% of the schools had information delivered face-to-face to the parents. The respondents reported that 81.4% of parents gave relevant information on diabetes management and that 84.6% gave the necessary supplies for diabetes management. The parents were perceived to be neither too much involved (15.3%) nor too little involved (13.7%). In addition, 55.1% of the respondents reported having adequate time to cooperate with the parents, and 77.4% found it easy to contact parents during the school day (Table 3, Figure 9 and Table A1).



**Figure 9.** Proportion of schools with parent involvement .

#### 4. Discussion

A large proportion of the Danish primary schools were found to have organized their diabetes management in accordance with the ISPAD guidelines. The results indicate that the majority of the schools are capable of including children with diabetes on equal terms with their peers as stipulated in the Danish national law. The majority of schools had at least one person available to support diabetes management during the day, but the results also suggest several areas for improvement of diabetes management in Danish schools.

Only a quarter of the schools have adopted specific guidelines for diabetes management, and only around 60% had an action plan in case of hypoglycemia, which can be life-threatening if not treated promptly. At many of the schools, the personnel had received diabetes specific training. Nonetheless, they still felt inadequate and unprepared in several key aspects of diabetes management, such as managing blood sugar levels, diet, and acute situations. These results are supported by a German study from 2020 investigating teachers' perceptions of diabetes management, which found low confidence among teachers when doing daily diabetes management and low institutional support, such as written instructions and diabetes specific policies [17]. A Swedish study from 2017 investigating school management in diabetes from a parental perspective found similar proportions of schools with a written action plan [18].

Most respondents saw no limitations for children with diabetes in school activities, including physical activity. Still, in half of schools, the respondents reported feeling underprepared in supporting the children during physical activity. Less than 25% of the schools allocate extra hours to support students with diabetes, which indicates that many schools do not allocate extra hours for support. This might place a huge burden on the teachers who support the child as they must do so along with their regular teaching hours. It may also place greater demands on the parents to support the child during the day. Kingod et al. reported that some parents receive several phone calls during the day from the school to get help in diabetes management, and the advice is thus very dependent on the parents receiving diabetes management training [4]. Haslund Thomsen et al. found that lower levels of confidence and knowledge of diabetes management among school personnel greatly affect how much parents have to be a part of the school day [19].

Approximately 80% of schools have one or more personnel present every day. This means that 20% of the schools may lack experienced support for children with diabetes. Additionally, only about half of the schools explicitly stated that diabetes management is not considered a challenge, but a considerable proportion of personnel reported to feel unprepared in performing specific diabetes management tasks. This may place heavy demands on the personnel, both professionally and personally. Our data showed that the

respondents in 40% of schools felt less safe when supporting students with diabetes. A Swedish study from 2017 also found limited personnel to support the child with diabetes management during the school day [18]. Lack of training and little knowledge of diabetes management was also reported in a Spanish study, which found that 43.2% of survey respondents did not have enough knowledge about type 1 diabetes although they had previously had or currently had children or adolescents with type 1 diabetes [20]. Our results are similar to a German study, which also found limited communication between teachers and parents about medical needs and a lack of written policies and plans on diabetes management [17].

These results indicate that a discrepancy exists between what the schools convey to provide for the children and the more personal experiences of navigating diabetes management among the school personnel. The results also suggest a lack of structural support in diabetes management, such as appropriate guidelines, action plans, face-to-face meeting with parents, and insufficient time to cooperate with the parents.

#### *4.1. Strengths and Limitations*

To the best of our knowledge, this study is the first to explore school personnel's perspectives on and perceptions of diabetes management in a nationwide Danish school setting. The study is also the first to provide insight into the organization and daily management of diabetes in schools in Denmark.

Knowledge on the subject is scarce. We were inspired to use the ISPAD guidelines as it was important to use a questionnaire encompassing a wide range of many aspects of diabetes management in a school setting. Using the ISPAD guidelines ensured that all key themes were considered. The questionnaire in this study included questions related to all aspects of the ISPAD guidelines, except for psychosocial environment. We wanted to explore treatment aspects of diabetes management, knowledge and feelings of safety in diabetes management for school personnel, but we were not able to fairly evaluate the efforts of the school to accommodate the psychosocial aspects of school life for children with diabetes. The student's psychosocial environment is important and should be explored in future studies. Currently, there are no official guidelines on this topic in Denmark or in the Nordic countries. Therefore, we deemed the internationally applicable ISPAD guidelines suitable for comparison for two reasons. First, they present a set of broad recommendations to schools worldwide. Second, they provide caregivers (at home and in school) with standards to guide diabetes management [12,13]. The guidelines encompass many key aspects of diabetes management, but they may not address the Danish school system in all aspects. For example, primary schools in Denmark are not obligated to provide lunch for the children. Therefore, when we evaluate food access in primary schools according to the ISPAD guidelines, we are evaluating whether the food is accessible in general (as provided by the parents), but not whether the school provides food. Schools are only obligated to provide lunch in boarding schools, where the children live at the premises. Further, our survey included multiple questions on inclusion of children with diabetes during a school day, rather than just asking about inclusion in physical education classes as in the ISPAD guidelines. This provided us with a broader insight into all aspects of a school day.

The present study was further strengthened by the pilot-testing of the questionnaire among several groups of potential respondents prior to the actual survey. A large proportion of the ISPAD guidelines are contained in the Danish national law, such as the legal obligation to provide a school day on equal terms (see Table A1, section "Law and equal opportunity") [12]. This requires schools to support the child with diabetes management on a daily basis, e.g., measurement of blood sugar level. The ISPAD guidelines state that personnel should be legally authorized to support the child. The Danish law states that schools are legally obligated to support the child. This discrepancy between the ISPAD guidelines and Danish national law makes it difficult to fulfil this part of the ISPAD guidelines. Therefore, tailoring the ISPAD guidelines to a Danish context would be appropriate.

Our study also has some limitations. As it was not possible to identify where children with diabetes go to school, it was not possible to target the survey at only schools with children with diabetes enrolled. Therefore, we were able to examine only non-respondents for demographic data, but we could not calculate response rates for schools with children with diabetes. There was a risk of misclassifying the respondents based on their reports on students with diabetes enrolled, as it is currently not possible to verify these reports. The self-reported data in this study hold a risk of underreporting or overreporting among respondents. The respondents were school personnel with knowledge on children with diabetes. In many cases ( $n = 265$ ), the respondent was the school principal and not the child's closest teacher. Thus, we cannot rule out that this could have influenced the answers and thereby have underestimated or overestimated certain aspects of diabetes management.

We invited all primary schools in Denmark to participate in the study. In total, 524 schools were eligible for the study based on the enrolment of children with diabetes. Several factors could have influenced the selection into the study. The data collection was conducted during the COVID-19 pandemic, where restrictions burdened the daily management in schools, and new teaching situations could have affected the school's willingness to participate. Still, primary schools tend to be busy in general, and similar participation rates have been found in other Danish studies [21,22]. Our analysis of non-respondents showed there were more non-respondents in the regions close to the capital. The reasons for this are unclear. One explanation could be that the eastern part of the country was battling higher numbers of COVID-19 cases for an extended period during the data collection for this study and may not have prioritized participation, or it could be a management decision not to participate. More private primary schools participated than public primary schools. We hypothesize that this might be related to variations in available resources during school days between public and private primary schools. Several schools might only have one child with diabetes and may not consider participation as relevant. Lastly, the person receiving the questionnaire initially may not have known whether or not the school had children with diabetes, but this person still had to decide whether or not to participate. Therefore, the study population might underrepresent the true population, which holds a risk of underestimating or overestimating the results.

Future research using this data should include hypotheses testing, for example concerning how the characteristics of diabetes management and the perceptions of the school personnel are associated.

#### *4.2. Perspectives to Future Work in the Field*

Only a third of the respondents reported having enough time to prepare for and get acquainted with diabetes management. Some schools had appointed a contact person (other than the teacher) for the child. Schools with experience in diabetes management could also serve as advisors for schools without such experience. The situation could be less vulnerable if the school had a small team of teachers and other personnel who could help the child if the assigned contact person was absent (as there would be someone else to cover the diabetes management for a short period of time). Several respondents felt inadequate and unprepared when supporting a student with diabetes. It is essential that school personnel feel capable of caring for the students. One option to strengthen this capability could be setting up different types of learning options to help the personnel, such as e-learning modules, revisiting the training program for diabetes management, apps for managing diabetes, and tele-support from diabetes clinics and other schools with similar experience. Another option could be to organize visits from diabetes clinics at the schools as part of the training of teachers (instead of making the teachers go to the clinics) as this is likely to enhance accessibility and participation, including repeat sessions and brush-up courses. Working with the personnel's qualifications and feelings of safety in managing daily diabetes tasks could alleviate the burden on both school personnel and parents. A third option could be to organize network meetings with various stakeholders that are relevant for children with diabetes to explore new ideas for diabetes management and to

keep up with new developments in diabetes management. National guidelines need to be developed in Denmark to accommodate the difficulties experienced by school personnel and to ensure that the necessary resources are available for the personnel to feel capable of providing diabetes management support. National guidelines are important because they consider the context and the circumstances that are specific for Denmark.

Future studies should also focus on validating the KIDS questionnaire, which has not yet been validated. This is likely because no similar questionnaires seem to exist in Danish to validate against. Validating the questionnaire would make us able to verify the results and conduct follow-up studies with repeated measures.

## 5. Conclusions

In this study, diabetes management was found to be a challenging task for the staff in primary schools, as some personnel felt inadequate and unprepared in several key aspects of diabetes management. Our results indicate a lack of structural support in diabetes management. The respondents pointed to the absence of guidelines and action plans, few face-to-face meetings with parents, and little time to cooperate with the parents.

**Author Contributions:** Conceptualization, A.Ø.N. and A.A.; methodology, A.Ø.N. and A.A.; formal analysis, A.Ø.N.; investigation, A.Ø.N.; writing (original draft), A.Ø.N.; writing (revisions), A.Ø.N, A.A., K.K., L.B.J., M.K.I., M.M., K.A.P., D.G., S.H. and A.J.S.; supervision, A.A.; project administration, A.A. and D.G. All authors have read and agreed to the published version of the manuscript.

**Funding:** This study was indirectly funded by the five Steno diabetes centers in Denmark. These are partly funded by an unrestricted grant from the Novo Nordisk Foundation and the five Danish regions. The Danish regions and the Novo Nordisk Foundation did not have any part in designing or conducting the study or writing the article.

**Institutional Review Board Statement:** The study was reported to the Danish Data Protection Agency, Central Denmark Region.

**Informed Consent Statement:** There is no formal agency to approve questionnaire-based surveys in Denmark. The participants received written information stating that participation was voluntary and that data were treated confidentially. The study complies with national standards for data protection.

**Data Availability Statement:** Data can be made available upon request.

**Acknowledgments:** We would like to thank all participating schools for taking the time to contribute to the study.

**Conflicts of Interest:** The authors declare no conflict of interest.

## Appendix A

**Table A1.** Overview of the ISPAD guidelines, KIDS questionnaire and satisfactory responses, ( $n = 524$ ).

Domain: Law and Equal Opportunity				
ISPAD Guidelines	KIDS Questionnaire Items	Questionnaire Response Categories	Criteria for Satisfactory Response	Proportion of Schools with Satisfactory Response
<ul style="list-style-type: none"> <li>Irrespective of age and ability, all students with diabetes at school must receive the support, encouragement, and supervision of school personnel</li> </ul>	Does the school have a guideline/policy for handling chronic illness among students?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Yes	21.7%
<ul style="list-style-type: none"> <li>Optimal management of diabetes at school is a prerequisite for optimal school performance, including learning, and for the avoidance of diabetes-related complications</li> </ul>	Does the school have a guideline/policy for handling diabetes among students?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Yes	25.9%
<ul style="list-style-type: none"> <li>Maintaining normo-glycemia during school hours is important and day-to-day glycemic targets should not differ from any other setting</li> <li>Diabetes is classified by “common law” as a disability and legal frameworks exist in many nations to ensure the child has equal opportunity to participate in all aspects of school life</li> <li>Many children with diabetes worldwide do not have ready access to insulin, diabetes supplies, or education. They should be given the same opportunity as other children to obtain an education</li> </ul>	Does the school allocate extra hours to students with diabetes? State approximate amount of time for each age group: 1. Students in 0th grade 2. Students in 1st–3rd grade 3. Students in 4th–6th grade 4. Students in 7th–9th grade 5. Students in 10th grade	Text box	>1 h	1. 19.5% 2. 25% 3. 23.7% 4. 24% 5. 21%
<ul style="list-style-type: none"> <li>School exams or other assessment situations are associated with stress and increased risk of acute transient episodes of hypoglycemia or hyperglycemia that can affect performance</li> <li>Administration, or careful supervision, of insulin administration requires school personnel to be legally authorized with informed parental consent</li> <li>Schools should make “reasonable adjustments” to facilitate prescribed medical care to allow for children with type 1 diabetes (T1D) to participate in education on the same basis as their peers.</li> <li>Schools have a non-delegable duty of care to their students, and school personnel should take reasonable care to protect them from harm that is reasonably foreseeable.</li> </ul>	On a scale from 1 to 5 (5 being the highest), to what extent do you experience being able to include students with diabetes in a school day on equal terms with students without diabetes during . . . . 1. Academic subjects 2. Physical education classes 3. Day time excursions 4. Overnight excursions	Likert scale: 1–5	For all: 4–5	1. 86.9% 2. 80.1% 3. 84.5% 4. 74.6%



Table A1. Cont.

Domain: Individualized diabetes plan				
ISPAD guidelines	KIDS questionnaire items	Questionnaire response categories	Criteria for satisfactory response	Proportion of schools with satisfactory response
<ul style="list-style-type: none"> <li>All young people with diabetes at school should have an individualized diabetes management plan (DMP) in place which must be developed and agreed with parents in advance.</li> </ul>	Does the school have an action plan, in case a students with diabetes experiences low blood sugar/insulin chock (hypoglycemic reaction)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Don't know	Yes	61.7%
<ul style="list-style-type: none"> <li>The DMP should be reviewed and amended as and when necessary, according to the needs of the young person with diabetes, and/or at least annually.</li> <li>The type of insulin regimen used at school should be tailored to the needs, ability, and wishes of the child/family and should not be dictated by the school resources.</li> <li>Whether children can self-manage certain aspects of their diabetes and/or self-administer insulin is not necessarily age dependent and can only be determined by the parent and health care team.</li> <li>Specific arrangements may need to be put in place (including access to BG testing equipment; hypoglycemia first-aid pack) for exams</li> </ul>	Does the school have one or more persons able to help students with diabetes administer insulin/adjust insulin pump if necessary?	<input type="checkbox"/> Yes, there is one person at the school <input type="checkbox"/> Yes, there are more than one person at the school <input type="checkbox"/> No <input type="checkbox"/> Don't know	Yes	78.5%

**Table A1.** *Cont.*

Domain: Education and knowledge				
ISPAD guidelines	KIDS questionnaire items	Questionnaire response categories	Criteria for satisfactory response	Proportion of schools with satisfactory response
<ul style="list-style-type: none"> <li>Schools are responsible for adequately training their personnel about diabetes, but the content of the training is the responsibility of the health care team and parent.</li> <li>School personnel should be aware of the signs/symptoms of hypoglycemia, and a “first-aid hypoglycemia” management pack should be available at all times. Clear instructions for managing hypoglycemia should be provided.</li> <li>Blood glucose (BG) monitoring is central to achieving optimal glycemic control at school and must be familiar to school personnel.</li> <li>“Reasonable adjustments” include school personnel support with insulin administration, as well as understanding and knowledge of diabetes technologies (including continuous glucose monitoring [CGM] devices and insulin pump settings).</li> <li>School personnel should be able to manage appropriately the effects of low and high BG levels according to parent and health care team instructions.</li> </ul>	Did teachers and other personnel receive teaching regarding supporting students with diabetes?	<input type="checkbox"/> Yes, all personnel have received teaching <input type="checkbox"/> Yes, personnel, involved with students with diabetes have received teaching <input type="checkbox"/> No <input type="checkbox"/> Don’t know <input type="checkbox"/> Feel free to elaborate:_____	Yes	77.2%
	What do you think is the biggest challenge for the school, in regards to management and support to students with diabetes?	<input type="checkbox"/> It is not considered a challenge to have students with diabetes at the school <input type="checkbox"/> Lack of teaching/instruction in management of diabetes among students <input type="checkbox"/> Teachers cannot/will not take on the responsibility for students with diabetes <input type="checkbox"/> There is not a teacher or pedagogue with knowledge of diabetes present at school every day <input type="checkbox"/> The school nurse is not present every day <input type="checkbox"/> The school has a lot of students with chronic illnesses/health challenges <input type="checkbox"/> The school needs guidelines in this area <input type="checkbox"/> Other:_____	It is not considered a challenge to have students with diabetes at the school	54.3%

Table A1. Cont.

Domain: Education and knowledge				
ISPAD guidelines	KIDS questionnaire items	Questionnaire response categories	Criteria for satisfactory response	Proportion of schools with satisfactory response
<ul style="list-style-type: none"> <li>Schools are responsible for adequately training their personnel about diabetes, but the content of the training is the responsibility of the health care team and parent.</li> <li>School personnel should be aware of the signs/symptoms of hypoglycemia, and a “first-aid hypoglycemia” management pack should be available at all times. Clear instructions for managing hypoglycemia should be provided.</li> <li>Blood glucose (BG) monitoring is central to achieving optimal glycemic control at school and must be familiar to school personnel.</li> <li>“Reasonable adjustments” include school personnel support with insulin administration, as well as understanding and knowledge of diabetes technologies (including continuous glucose monitoring [CGM] devices and insulin pump settings).</li> <li>School personnel should be able to manage appropriately the effects of low and high BG levels according to parent and health care team instructions.</li> </ul>	<p>On a scale from 1–5 (5 being the highest), to what extent do you feel like you have adequate knowledge about . . .</p> <ol style="list-style-type: none"> <li>Acute situations</li> <li>Blood sugar levels</li> <li>Physical activity</li> <li>Administering glucagon</li> <li>When to call 112</li> <li>Diet and carbohydrate counting</li> <li>Dosing insulin</li> <li>The students diabetes equipment</li> </ol>	Likert scale: 1–5	For all: 4–5	<ol style="list-style-type: none"> <li>49.0%</li> <li>57.1%</li> <li>56.0%</li> <li>22.4%</li> <li>61.5%</li> <li>43.8%</li> <li>34.1%</li> <li>39.3%</li> </ol>
	<p>On a scale from 1–5 (5 being the highest), to what extent do you feel you have adequate time to . . .</p> <ol style="list-style-type: none"> <li>Familiarize yourself with diabetes in general</li> <li>Familiarizing yourself with supporting a specific student with diabetes</li> <li>Supporting students with diabetes during school hours</li> <li>Support during physical activity</li> <li>Support during recess</li> <li>Support during excursions</li> </ol>	Likert scale: 1–5	For all: 4–5	<ol style="list-style-type: none"> <li>38.4%</li> <li>44.2%</li> <li>45.5%</li> <li>37.9%</li> <li>37.6%</li> <li>43.7%</li> </ol>

Table A1. Cont.

Domain: Education and knowledge				
ISPAD guidelines	KIDS questionnaire items	Questionnaire response categories	Criteria for satisfactory response	Proportion of schools with satisfactory response
<ul style="list-style-type: none"> <li>Schools are responsible for adequately training their personnel about diabetes, but the content of the training is the responsibility of the health care team and parent.</li> <li>School personnel should be aware of the signs/symptoms of hypoglycemia, and a “first-aid hypoglycemia” management pack should be available at all times. Clear instructions for managing hypoglycemia should be provided.</li> <li>Blood glucose (BG) monitoring is central to achieving optimal glycemic control at school and must be familiar to school personnel.</li> <li>“Reasonable adjustments” include school personnel support with insulin administration, as well as understanding and knowledge of diabetes technologies (including continuous glucose monitoring [CGM] devices and insulin pump settings).</li> </ul>	<p>On a scale from 1–5 (5 being the highest), to what extent do you experience . . .</p> <ol style="list-style-type: none"> <li>Being well prepared to deliver information to colleagues</li> <li>Being well prepared to deliver information to substitutes teachers</li> <li>You have adequate time to deliver information to colleagues</li> <li>You have adequate time to deliver information to substitute teachers</li> <li>You are able to discuss/confer with colleagues about the students’ diabetes</li> <li>There are other colleagues to take over, if you intentionally are not at school</li> <li>There are other colleagues to take over, if you unplanned are not at school</li> </ol>	Likert scale: 1–5	For all: 4–5	<ol style="list-style-type: none"> <li>59.5%</li> <li>44.4%</li> <li>42.6%</li> <li>34.5%</li> <li>42.6%</li> <li>51.0%</li> <li>48.4%</li> </ol>
	<ul style="list-style-type: none"> <li>School personnel should be able to manage appropriately the effects of low and high BG levels according to parent and health care team instructions.</li> </ul>	<p>On a scale from 1–5 (5 being the highest), to what extent do you feel you are prepared to . . .</p> <ol style="list-style-type: none"> <li>Help the student with counting carbohydrates</li> <li>Help the student with dosing insulin</li> <li>Help the student during high blood sugar</li> <li>Help the student during low blood sugar</li> <li>Help the student during insulin chock/hypoglycemic reaction</li> <li>Help the student dosing insulin during activities</li> </ol>	Likert scale: 1–5	For all 4–5

**Table A1.** *Cont.*

Domain: Food (Access)				
ISPAD guidelines	KIDS questionnaire items	Questionnaire response categories	Criteria for satisfactory response	Proportion of schools with satisfactory response
<ul style="list-style-type: none"> <li>• Access to food in schools is an integral part of enabling children to grow normally and balance their insulin and food intake</li> <li>• Use of food pictures may help school personnel assess food servings and their estimated carbohydrate content</li> </ul>	Are there any rules for where and when students with diabetes are allowed to eat/drink?	<input type="checkbox"/> Yes, they are only allowed to eat/drink in consultation with personnel	No, we do not have any rules	72.9%
		<input type="checkbox"/> No, we do not have any rules for		
		<input type="checkbox"/> Don't know		
Domain: Psychical activity				
ISPAD guidelines	KIDS questionnaire items	Responsecategories in the questionnaire	Criteria for satisfactory response	Proportion of schools with satisfactory response
<ul style="list-style-type: none"> <li>• All young people with T1D should be given the same opportunities as their peers to participate safely in all sports and physical activity</li> </ul>	Are there activities at school where students with diabetes are limited/restricted?	<input type="checkbox"/> No, there are no limitation/restrictions	No, there are no limitations/restrictions	95.3%
		<input type="checkbox"/> Yes, daytime excursions with the school <input type="checkbox"/> Yes, overnight excursions <input type="checkbox"/> Yes, physical education (PE) class <input type="checkbox"/> Yes, swimming lessons <input type="checkbox"/> Yes, bigger sports events <input type="checkbox"/> Yes, at after school programs for older students <input type="checkbox"/> Yes, at after school programs for younger students <input type="checkbox"/> Other activities:_____		
	It is possible for the school to have extra personnel on hand in some situations, for example excursions?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Yes	69.7%
		Feel free to elaborate:_____		

Table A1. Cont.

Domain: Self-management				
ISPAD guidelines	KIDS questionnaire items	Questionnaire response categories	Criteria for satisfactory response	Proportion of schools with satisfactory response
	Are the students able to measure blood sugar levels at the school?	<input type="checkbox"/> Yes, at all places at school <input type="checkbox"/> No, the student is not able to measure blood sugar at school <input type="checkbox"/> Yes, in the classroom <input type="checkbox"/> Yes, in the office area <input type="checkbox"/> Yes, at the school nurse office <input type="checkbox"/> Other places: _____	Yes	97.4%
	Are there any rules for where and when students with diabetes are allowed to use their phones?	<input type="checkbox"/> No, they are allowed to use their phones in class and recess <input type="checkbox"/> Yes, some rules <input type="checkbox"/> Feel free to elaborate on any rules: ____	No, they are allowed to use their phones in class and recess	53.0%
<ul style="list-style-type: none"> <li>Young people with diabetes must be allowed to monitor their BG levels, administer insulin, and to treat low/high BG values at any time during the school day, with adult supervision if needed</li> </ul>	Are there any rules for when and where students with diabetes are allowed to use the restroom?	<input type="checkbox"/> No <input type="checkbox"/> Don't know <input type="checkbox"/> Yes, these rules apply: ____	No	96.2%
	Are students able to manage their diabetes, for example eat/drink, measure blood sugar without losing considerable time; 1. During class? 2. During recess?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Don't know	Yes	1. 85.7% 2. 84.9%
	On a scale from 1–5 (5 being the highest), to what extent do you feel unsafe if... 1. You have to support a student with diabetes 2. A student has low blood sugar 3. You have to advise a student on diet 4. You have to go on an excursion with a class outside the school, where there is a student with diabetes	Likert scale: 1–5	For all: 1–2	1. 63.0% 2. 58.7% 3. 59.9% 4. 61.4%

Table A1. Cont.

Domain: School/home cooperation				
ISPAD guidelines	KIDS questionnaire items	Questionnaire response categories	Criteria for satisfactory response	Proportion of schools with satisfactory response
<ul style="list-style-type: none"> <li>With a mutually supportive, collaborative approach between parents and the child's health care team and schools, and with advancements in communication technology, for example, providing sensor glucose data in real time to parents, there is a real opportunity for a truly cooperative approach.</li> <li>Parents cannot be expected to "fill the gap" of school resources and attend to their child's medical management during the school day.</li> <li>Successful diabetes management at school heavily depends on effective communication and problem-solving with the family and schools should clarify expectations and coordinate communication</li> </ul>	How is information from the parents delivered?	<input type="checkbox"/> In a meeting between parents and school <input type="checkbox"/> As written materials <input type="checkbox"/> In AULA or other online platforms <input type="checkbox"/> Don't know <input type="checkbox"/> Anything else: _____	In a meeting between parents and school	37.4%
	Do parents of students with diabetes hand out; 1. Relevant information about management of diabetes? 2. The necessary supplies (glucagon, strips for blood glucose measurements, snacks, juice/dextrose)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Some parents do not <input type="checkbox"/> Don't know	Yes	1. 81.4% 2. 84.6%
	On a scale from 1–5 (5 being the highest), to what extent do you experience ...  1. Having adequate time to cooperate with the parents 2. Parents being too involved 3. Parent being too little involved 4. It easy to get in contact with the parents during a school day	Likert scale: 1–5	For all: 4–5	1. 55.1% 2. 15.3% 3. 13.7% 4. 77.4%

Table A1. Cont.

Domain: Psychosocial environment				
ISPAD guidelines	KIDS questionnaire items	Questionnaire response categories	Criteria for satisfactory response	Proportion of schools with satisfactory response
<ul style="list-style-type: none"> <li>Peer relations, local social stigma, racial and religious perspectives can be a burden to patients and families with T1D.</li> <li>Young people with diabetes have a significantly increased risk of being exposed to issues of discrimination, which may impact on self-esteem and cause feelings of stigmatization.</li> <li>Schools provide a unique opportunity to identify and treat psychological problems in young people with diabetes and close liaison between school personnel and health care professionals is recommended.</li> <li>Some studies report higher rates of psychological problems such as depression and eating disorders in young people with diabetes.</li> </ul>				



## References

1. The International Diabetes Federation. *IDF Diabetes Atlas*, 10th ed.; The International Diabetes Federation: Brussels, Belgium, 2021. Available online: <https://idf.org/aboutdiabetes/what-is-diabetes/facts-figures.html> (accessed on 12 January 2022).
2. Commissariat, P.V.; Harrington, K.R.; Bs, A.L.W.; Miller, K.M.; Hilliard, M.E.; Van Name, M.; DeSalvo, D.J.; Tamborlane, W.V.; Anderson, B.J.; DiMeglio, L.A.; et al. “I’m essentially his pancreas”: Parent perceptions of diabetes burden and opportunities to reduce burden in the care of children <8 years old with type 1 diabetes. *Pediatr. Diabetes* **2020**, *21*, 377–383. [PubMed]
3. Iturralde, E.; Rausch, J.R.; Weissberg-Benchell, J.; Hood, K.K. Diabetes-Related Emotional Distress over Time. *Pediatrics* **2019**, *143*, e20183011. [CrossRef] [PubMed]
4. Kingod, N.; Grabowski, D. In a vigilant state of chronic disruption: How parents with a young child with type 1 diabetes negotiate events and moments of uncertainty. *Sociol. Health Illn.* **2020**, *42*, 1473–1487. [CrossRef]
5. Toh, Z.Q.; Koh, S.S.L.; Lim, P.K.; Lim, J.S.T.; Tam, W.; Shorey, S. Diabetes-Related Emotional Distress among Children/Adolescents and Their Parents: A Descriptive Cross-Sectional Study. *Clin. Nurs. Res.* **2021**, *30*, 311–321. [CrossRef] [PubMed]
6. Ministry of Children and Education. *Executive Order on Danish Primary School*; Ministry of Children and Education: København, Denmark, 2022; § 14b, Section 1.
7. Junco, L.A.; Fernández-Hawrylak, M. Teachers and Parents’ Perceptions of Care for Students with Type 1 Diabetes Mellitus and Their Needs in the School Setting. *Children* **2022**, *9*, 143. [CrossRef] [PubMed]
8. Särnblad, S.; Berg, L.; Detlofsson, I.; Jönsson, A.; Forsander, G. Diabetes management in Swedish schools: A national survey of attitudes of parents, children, and diabetes teams. *Pediatr. Diabetes* **2014**, *15*, 550–556. [CrossRef] [PubMed]
9. United Nations. *Convention on the Rights of the Child*; United Nations: New York, NY, USA, 1989; General assembly resolution 44/25 of 20 November 1989; Available online: <https://www.unicef.org/child-rights-convention/convention-text> (accessed on 4 January 2023).
10. Ministry of Children and Education. *Executive Order on Danish Primary School*; Ministry of Children and Education: København, Denmark, 2022; § 3a.
11. Ministry of Children and Education. *Executive Order on Danish Primary School*; Ministry of Children and Education: København, Denmark, 2022; §5, section 5.
12. Bratina, N.; Forsander, G.; Annan, F.; Wysocki, T.; Pierce, J.; Calliari, L.E.; Pacaud, D.; Adolfsson, P.; Dovč, K.; Middlehurst, A.; et al. ISPAD Clinical Practice Consensus Guidelines 2018: Management and support of children and adolescents with type 1 diabetes in school. *Pediatr. Diabetes* **2018**, *19*, 287–301. [CrossRef] [PubMed]
13. Codner, E.; Acerini, C.L.; Craig, M.E.; Hofer, S.E.; Maahs, D.M. ISPAD Clinical Practice Consensus Guidelines 2018: What is new in diabetes care? *Pediatr. Diabetes* **2018**, *19*, 5–6. [CrossRef] [PubMed]
14. Denmark Statistics. Inventory of Primary Schools in Denmark 2021; Denmark Statistics. Available online: <https://www.uvm.dk/statistik/grundskolen/personale-og-skoler/antal-grundskoler> (accessed on 12 January 2022).
15. Lewis, D.W.; Powers, P.A.; Goodenough, M.F.; Poth, M.A. Inadequacy of In-School Support for Diabetic Children. *Diabetes Technol. Ther.* **2003**, *5*, 45–56. [CrossRef] [PubMed]
16. Denmark Statistics. Municipality Groups v1:2018–2022; Denmark Statistics. Available online: <https://www.dst.dk/en/Statistik/dokumentation/nomenklaturer/kommunegrupper> (accessed on 12 January 2022).
17. Gutzweiler, R.F.; Neese, M.; In-Albon, T. Teachers’ Perspectives on Children with Type 1 Diabetes in German Kindergartens and Schools. *Diabetes Spectr.* **2020**, *33*, 201–209. [CrossRef] [PubMed]
18. Särnblad, S.; Åkesson, K.; Rn, L.F.; Rn, R.I.; Forsander, G. Improved diabetes management in Swedish schools: Results from two national surveys. *Pediatr. Diabetes* **2017**, *18*, 463–469. [CrossRef] [PubMed]
19. Haslund-Thomsen, H.; Hasselbalch, L.A.; Laugesen, B. Parental Experiences of Continuous Glucose Monitoring in Danish Children with Type 1 Diabetes Mellitus. *J. Pediatr. Nurs.* **2020**, *53*, e149–e155. [CrossRef] [PubMed]
20. Gutiérrez-Manzanedo, J.V.; Laureano, F.C.-S.; Moreno-Vides, P.; de Castro-Maqueda, G.; Fernández-Santosa, J.R.; Ponce-González, J.G. Teachers’ knowledge about type 1 diabetes in south of Spain public schools. *Diabetes Res. Clin. Pract.* **2018**, *143*, 140–145. [CrossRef] [PubMed]
21. Bast, L.S.; Andersen, H.B.; Andersen, A.; Lauemøller, S.G.; Bonnesen, C.T.; Krølner, R.F. School Coordinators’ Perceptions of Organizational Readiness Is Associated with Implementation Fidelity in a Smoking Prevention Program: Findings from the X:IT II Study. *Prev. Sci.* **2021**, *22*, 312–323.
22. Bonnesen, C.T.; Toftager, M.; Madsen, K.R.; Wehner, S.K.; Jensen, M.P.; Rosing, J.A.; Laursen, B.; Rod, N.H.; Due, P.; Krølner, R.F. Study protocol of the Healthy High School study: A school-based intervention to improve well-being among high school students in Denmark. *BMC Public Health* **2020**, *20*, 95. [CrossRef] [PubMed]

**Disclaimer/Publisher’s Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.