

Aalborg Universitet

Dilution in Transition Zone between Rising Plumes and Surface Plumes

Larsen, Torben

Published in:

Proceedings of the 3rd International Conference on Marine Waste Water Discharges and on Marine Environment / 1st International Exhibition on Materials Equipment and Services for Coastal WWTP Outfalls and Sealines: MWWD / IEMES 2004

Publication date: 2004

Document Version Early version, also known as pre-print

Link to publication from Aalborg University

Citation for published version (APA):

Larsen, T. (2004). Dilution in Transition Zone between Rising Plumes and Surface Plumes. In Proceedings of the 3rd International Conference on Marine Waste Water Discharges and on Marine Environment / 1st International Exhibition on Materials Equipment and Services for Coastal WWTP Outfalls and Sealines: MWWD / IEMES 2004: Catania, Italy, 27 September - 2 October 2004

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
 You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal -

Take down policy
If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

DILUTION IN TRANSITION ZONE BETWEEN RISING PLUMES AND SURFACE PLUMES

TORBEN LARSEN 1

Keywords: sea outfalls, initial dilution

ABSTRACT

When sewage is discharged from sea outfall diffusers in shallow water the plume rises towards the water surface in the so-called initial dilution zone because of density difference between the sewage and the seawater. This difference will on most coasts be in the order of $15-25~{\rm kg/m^3}$. When the plume hits the surface it forms a so-called "bowl" or transition zone where the plume transforms to a co-flowing surface plume. Depending on the current in the ambient sea an upstream wedge can be formed.

A free rising plume can hydraulically seen be understood as a super critical flow with a densimetric Froude number equal to infinity, whereas the coflowing rising plume is a sub critical flow. Accordingly the transition zone could be understood as a kind of internal hydraulic jump where a significant entrainment and dilution takes place.

In the engineering design of outfall diffusers the dilution in the transition zone where the plume turns from the rising phase to establish a buoyant co-flowing surface plume is most often neglected. The aim of this paper is to present experimental results on the dilution in this transition zone.

The experiments took place in a recirculating laboratory plume with a length of 15 m, width of 1.5 m and a water depth of 0.40 m. A number of experiments have been carried out covering various combinations of plume velocities, ambient velocities and density differences. Numerical experiments with a 3-dimensional turbulence model were carried out as well.

The author has recently argued that the need for initial dilution seems reduced because of the high demands for sewage treatment for example in Europe. A reduction in the initial dilution demands will lead to more simple and reliable design of the diffusers both in respect to proper functioning of the diffuser and to the environmental performance. The findings in this study are discussed in relation to the initial dilution demands.



AALBORG UNIVERSITY

- Established in 1974
- Situated in Denmark's 4th largest city, Aalborg
- Number of students was 13.000 in 2003
- More information on www.aau.dk

¹ Torben Larsen (Mr.) Professor, Dr.techn., <u>torben.larsen@civil.auc.dk</u> – Aalborg University, Denmark – www.aau.dk