



AALBORG UNIVERSITY
DENMARK

Aalborg Universitet

Optimized Synthesis of Foam Glass from Recycled CRT Panel Glass

Petersen, Rasmus Rosenlund; König, Jakob; Yue, Yuanzheng

Publication date:
2012

Document Version
Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Petersen, R. R., König, J., & Yue, Y. (2012). Optimized Synthesis of Foam Glass from Recycled CRT Panel Glass. Abstract from Nordic Conference on Ceramic and Glass Technology, Roskilde, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- ? Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- ? You may not further distribute the material or use it for any profit-making activity or commercial gain
- ? You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Optimized Synthesis of Foam Glass from Recycled CRT Panel Glass

R. R. Petersen, J. König, Y. Z. Yue

*Section of Chemistry, Aalborg University, DK-9000 Aalborg, Denmark
rp@bio.aau.dk*

Most of the panel glass from cathode ray tubes (CRTs) is landfilled today. Instead of landfilling, the panel glass can be turned into new environment-friendly foam glass. Low density foam glass is an effective heat insulating material and can be produced just by using recycle glass and foaming additives. In this work we recycle the CRT panel glass to synthesize the foam glass as a crucial component of building and insulating materials. The synthesis conditions such as foaming temperature, duration, glass particle size, type and concentrations of foaming agents, and so on are optimized by performing systematic experiments. In particular, the concentration of foaming agents is an important parameter that influences the size of bubbles and the distribution of bubbles throughout the sample. The foam glasses are characterised regarding density and open/closed porosity. Differential scanning calorimetric data show that panel glass possesses good stability against crystallisation. X-ray diffraction data show that the foaming agents enhance the surface crystallisation of the panel glass. We find that the crystallisation impedes the formation of low density foam glass.