Aalborg Universitet



Sub-Tg enthalpy relaxation in an unstable oxide glass former: insights into the structural heterogeneity

- An Invited Talk

Yue, Yuanzheng; Zhang, Yanfei

Publication date: 2013

Document Version Early version, also known as pre-print

Link to publication from Aalborg University

Citation for published version (APA): Yue, Y., & Zhang, Y. (2013). Sub-Tg enthalpy relaxation in an unstable oxide glass former: insights into the structural heterogeneity: - An Invited Talk. Abstract from 10th Pacific Rim Conference on Ceramic and Glass Technology, San Diego, United States. http://ceramics.org/meetings/10th-pacific-rim-conference-on-ceramicand-glass-technology

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal -

Take down policy If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Sub- T_g enthalpy relaxation in an unstable oxide glass former: insights into the structural heterogeneity

Yuanzheng Yue^{1,2} and Yanfei Zhang^{1,2}

¹Section of Chemistry, Aalborg University, Aalborg DK-9000, Denmark ²Key Laboratory of Glass and Ceramics, Shandong Polytechnic University, Jinan 250353, China

Structural heterogeneity plays a crucial role in determining functionality of glasses. In this work we have found that the sub- T_g enthalpy relaxation pattern in a hyperquenched glass is highly sensitive to structural heterogeneity. As a consequence, the former can be used as an effective approach to detect and quantify the structural heterogeneity in glass-forming liquids. However, the chemical nature of structural heterogeneity should be revealed by other means such as high resolution microscopic and spectroscopic methods. To study the impact of the structural heterogeneity on the sub- T_g relaxation we chose the glass compositions with very different glass stabilities to crystallization. By using hyperquenching-annealing-calorimetry approach, we have observed that the pattern of calorimetric response below T_g dramatically varies with glass composition. The variations are attributed to different chemical features and degrees of structural heterogeneity in glassforming liquids. This finding contributes to the microscopic origin of both the primary and secondary relaxation in terms of structural heterogeneity. Finally the results provide insights into the relation between structural heterogeneity and nucleation in glass.