



## Using GSI Techniques to Improve Modeling Results on a River Valley Scale

Integrated Water Management in an EU WFD Context Jensen, Jacob Birk; Wahl, Niels Arne; Grønvald, P.

Published in: **Geophysical Research Abstracts** 

Publication date: 2007

Document Version Publisher's PDF, also known as Version of record

Link to publication from Aalborg University

*Citation for published version (APA):* Jensen, J. B., Wahl, N. A., & Grønvald, P. (2007). Using GSI Techniques to Improve Modeling Results on a River Valley Scale: Integrated Water Management in an EU WFD Context. In *Geophysical Research Abstracts* European Geosciences Union.

## **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
  You may not further distribute the material or use it for any profit-making activity or commercial gain
  You may freely distribute the URL identifying the publication in the public portal -

## Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.



## Using GSI techniques to improve modeling results on a river valley scale: integrated water management in an EU WFD context

J.B. Jensen (1), N.A. Wahl (2), P. Grønvald (3)

(1) NIRAS Consulting Engineers and Planners A/S, Aalborg, Denmark, (2) Aalborg University, Department of Civil Engineering (wahl@civil.aau.dk/Fax +45 98 14 25 55), (3) Aalborg Utility Company, Aalborg, Denmark

Due to the ongoing exploitation of the Danish groundwater resources for drinking water purposes, new sites for the development of well sites are continously investigated. Volsted plantation, situated approx. 20 km to the south of Aalborg, is one such site. At this site, several limitations apply with respect to groundwater abstraction.

Groundwater surface water interaction (GSI) has been investigated as part of a plan for establishing a new battery of wells with an anticipated abstraction of 1 mill. cubic m/y. While the aquifer conditions at the investigated site are favorable for abstraction, there are a number of minor streams and springs in a nearby river valley that are potentially vulnerable to changes in groundwater level. In addition, the area holds a variety of nature and commercial interests down gradient e.g. an EU habitat area and a fish farm as well as recreational and other nature and public interests that could be affected by significant water abstraction. Therefore, a detailed groundwater model has been set-up for the area to investigate the effect of water abstraction on stream flow, habitat areas etc. The detailed studies address the requirements of the EU Water Framework Directive not least with regard to the critical issue of GSI. The investigations are subdivided into two phases on two different scales. In the first phase the objective is to simulate effects on stream flow on a river valley scale ( $^{100}$  m). At this scale the traditional geological and morphological data are sparse and an intensive data collection programme was initiated. The results show that improved accuracy in model configuration enables a far more detailed simulation of the local flow system at river valley scale. Moreover, the results of the model show excellent agreement between observed and simulated

groundwater heads. In the up-coming second phase, the intent is to simulate GSI on a flow pattern scale ( $\tilde{1}$  10 m). These investigations will be finalized in the summer and autumn of 2007.