



**AALBORG UNIVERSITY**  
DENMARK

**Aalborg Universitet**

## **Formation of Nano-crystals on the Surface of Glass Fibers**

*an invited lecture*

Yue, Yuanzheng

*Published in:*  
PacRim 7 Abstract Book

*Publication date:*  
2007

*Document Version*  
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*  
Yue, Y. (2007). Formation of Nano-crystals on the Surface of Glass Fibers: an invited lecture. In *PacRim 7 Abstract Book* (pp. 187-188). Chinese Ceramic Society.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

### **Take down policy**

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

## **Formation of Nano-crystals on the Surface of Glass Fibers**

Yuanzheng Yue

Section of Chemistry, Aalborg University, Aalborg, Denmark  
e-mail: yy@bio.aau.dk

### **ABSTRACT**

In this presentation I describe how to create nano-structured crystalline layer on the surface of micron glass fibers, and how to control the concentration profile of the layer. The glass fibers studied here are made from an iron aluminosilicate system. I demonstrate how significantly the resulting layer enhances the high temperature stability of those fibers acting as fire-safe insulation materials. To obtain the nano-layer, systematic heat-treatments on the fibers are carried out under atmospheric conditions near the glass transition temperature for different durations. The oxidation process leads to oxidation of ferrous to ferric ions, and thereby to migration of  $\text{Ca}^{2+}$ ,  $\text{Mg}^{2+}$  and  $\text{Fe}^{3+}$  ions from the interior to the surface of the fibers. It is found that the diffusion of the  $\text{Mg}^{2+}$  ions is predominant in the overall cationic diffusion. The  $\text{Mg}^{2+}$  ions react with oxygen on the fiber surface, and consequently a nanocrystalline MgO layer forms, which is identified using the X-ray diffraction (XRD) and Secondary Neutral Mass Spectroscopy (SNMS). The MgO is the main crystalline phase of the nano-layer, whereas the interior of the fibers remains amorphous after oxidation. The dependence of the thickness of nanocrystalline layer on the duration of heat-treatment is illustrated. Based on this dependence the kinetics of diffusion can be established. The MgO layer is removable in an acidic aqueous medium under certain conditions. Finally, I briefly show how to generate the inward diffusion of cations, and its consequences to structure of the fiber surface.