



AALBORG UNIVERSITY
DENMARK

Aalborg Universitet

Quantification of Inhomogeneities in Inorganic Melts

Jensen, Martin; Keding, Ralf; Solvang, Mette; Yue, Yuanzheng

Publication date:
2009

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Jensen, M., Keding, R., Solvang, M., & Yue, Y. (2009). *Quantification of Inhomogeneities in Inorganic Melts*. Poster presented at Pacific Rim conference on ceramic and glass technology, Vancouver, Canada.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Characterization of Homogeneity in Stone Wool Melts

M. Jensen*¹, R. Keding¹, M. Solvang², Y.Z. Yue¹

¹Section of Chemistry, Aalborg University, Aalborg, Denmark

²Rockwool International A/S, Hedehusene, Denmark

Despite the high performance and wide application of stone wool as insulation materials, the fiber spinning process and fiber properties still need to be optimized. To do so, it is important to better understand the relationships among the melt properties, the fiber spinning process and the fiber properties. In order to gain knowledge on these relationships, the melt properties must be characterized. In this work, we focus on characterization of the melt homogeneity, which is considered to be one of the crucial properties for stone wool manufacturing. Commonly, glass homogeneity, which reflects the melt homogeneity, is measured by means of optical methods or electron microprobe. However, the presence of iron ions in stone wool melts complicates optical measurements. Electron microprobe measurements are not suitable for characterizing seeds and bubbles in the glass. Therefore, we suggest methods capable of characterizing the inhomogeneity of stone wool melts such as bubbles, seeds, striae, and crystallites. Those methods are based on the optical transmission, reflection and scattering techniques. The results obtained by these methods demonstrate that the homogeneity of stone wool melts depends on the difference in melting techniques and on the melting conditions. Such dependence has been quantified. The source of the inhomogeneity has been discussed.