Aalborg Universitet



Glass Transition and Relaxation in Pressure-Quenched Borate and Borosilicate Glasses

An invited talk

Yue, Yuanzheng

Publication date: 2014

Document Version Publisher's PDF, also known as Version of record

Link to publication from Aalborg University

Citation for published version (APA):

Yue, Y. (2014). Glass Transition and Relaxation in Pressure-Quenched Borate and Borosilicate Glasses: An invited talk. Abstract from International Conference on Borate Glasses, Crystals and Melts, Pardubice, Czech Republic.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal -

Take down policy If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Glass Transition and Relaxation in Pressure-Quenched Borate and Borosilicate Glasses.

Yue Y.Z.

Section of Chemistry, Aalborg University, 9000 Aalborg, Denmark Corresponding Author e-mail: <u>yy@bio.aau.dk</u>

Glass transition and relaxation continue to be an intensively explored topic in condensed matter science, since numerous key problems still remain unsolved. For instance, how is a thermodynamic response to glass transition associated with a structural one? How do structure and properties of a pressure-quenched glass relax prior to and during the glass transition? Recently we have, at least partly, answered these questions by looking at the relaxation in both borate and borosilicate glasses. These glasses were chosen because they possess rich structural features, e.g., boron speciation and superstructure, which are sensitive to composition, temperature and pressure. Considering these features we clarify the origin of thermodynamic and property changes of the pressure-quenched glasses prior to and during the glass transition. When soda-lime-borate (SLB) glass or boroaluminosilicate glass were isostatically compressed under load up to 0.6 GPa around T_g , we detected a pronounced increase in the ratio of the 4- to the 3-coordinated borons in the SLB glass, as well as in its macroscopic properties such as hardness, density and elastic modulus [1-3]. When the compressed SLB glass was annealed around T_g for a given duration, the pressure-induced 4coordinated borons did not relax back to the 3-coordinated ones, but the macroscopic properties relaxed towards the values of the uncompressed glass [1]. We analyze the origin of this phenomenon considering structural and thermodynamic aspects. To explore the structural origin of the isobaric heat capacity jump (ΔC_p) during glass transition, we substitute B₂O₃ for SiO₂ in glass to observe the change of ΔC_p [3]. The results show a striking non-linear ΔC_p enhancement with substitution. Here we discuss the reason of this enhancement by examining the network connectivity, bond strength, bond constraint, superstructure and diversity of structural.

1. M. M. Smedskjaer, R. E. Youngman, S. Striepe, M. Potuzak, U. Bauer, J. Deubener, H. Behrens, J. C. Mauro & Y. Z. Yue, Irreversibility of pressure induced boron speciation change in glass, Sci. Rep. **4** (2014) 3770.

2. J. S. Wu, J. Deubener, J. F. Stebbins, L. Grygarova, H. Behrens, L. Wondraczek & Y. Z. Yue, Structural response of a highly viscous aluminoborosilicate melt to isotropic and anisotropic compressions, J. Chem. Phys. **131** (2009) 104504.

3. M. M. Smedskjaer, J. C. Mauro, R. E. Youngman, C. L. Hogue, M. Potuzak & Y. Z. Yue, Topological Principles of Borosilicate Glass Chemistry, J. Phys. Chem. B **115** (2011) 12930.