

# **Aalborg Universitet**

## Enthalpy relaxation in melt-quenched metal-organic framework glasses

An invited talk

Yue, Yuanzheng

Publication date: 2016

Document Version Publisher's PDF, also known as Version of record

Link to publication from Aalborg University

Citation for published version (APA):

Yue, Y. (2016). Enthalpy relaxation in melt-quenched metal-organic framework glasses: An invited talk. Abstract from 2016 Glass & Optical Materials Division Meeting, Madison, United States.

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
  You may freely distribute the URL identifying the publication in the public portal -

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

# Enthalpy relaxation in melt-quenched metal-organic framework glasses

The metal-organic framework (MOF) glass is a new member of the family of melt-quenched glasses (MQG) besides organic glass, inorganic non-metallic glass and metallic glass. It is hybridized between metal atoms and organic molecules. Original MOFs are microporous materials of special interest for gas storage and separation, catalysis and drug delivery. It has been found that upon heating some of MOFs can be melted and then quenched to bulk glass. As the MOF glass is of recent origin, numerous fundamental problems need to be explored. In the present work we explore the enthalpy relaxation in MOF glasses. The focus is placed on ZIF-4 ( $Zn(C_3H_3N_2)_2$ ) - a kind of zeolitic imidazolate frameworks (ZIFs). We investigate both alfa- and beta-relaxation behaviors of ZIF-4 MQG by varying quenching rate and performing long time sub- $T_g$  annealing. The stability of the medium-range order structure of ZIF-4 MQG upon annealing is studied using both DSC and small angle XRD methods. The structural heterogeneity in ZIF-4 MQG is revealed in terms of the non-exponentiality of enthalpy relaxation, and then is compared with that of HDAP. Our enthalpy relaxation study provides also insights into the polyamorphic transition in collapsed ZIF-4.