



**AALBORG UNIVERSITY**  
DENMARK

**Aalborg Universitet**

## **Inorganic-organic hybrid glass formation**

*A plenary talk*

Yue, Yuanzheng; Qiao, A.; Bennett, T.D.; Greaves, G.N.; Tao, H.Z.

*Publication date:*  
2016

*Document Version*  
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*

Yue, Y., Qiao, A., Bennett, T. D., Greaves, G. N., & Tao, H. Z. (2016). *Inorganic-organic hybrid glass formation: A plenary talk*. Abstract from 2016 Corning Glass Summit, Corning, United States.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

### **Take down policy**

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

# Inorganic-organic hybrid glass formation

**Y.Z. Yue<sup>1,2</sup> A. Qiao,<sup>1</sup> T.D. Bennett,<sup>3</sup> G.N. Greaves,<sup>1,3</sup> H.Z. Tao<sup>1</sup>**

<sup>1</sup>*State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China.*

<sup>2</sup>*Department of Chemistry and Bioscience, Aalborg University, 9220 Aalborg, Denmark.*

<sup>3</sup>*Department of Materials Science and Metallurgy, University of Cambridge, Cambridge, CB2 3QZ, United Kingdom*

[yy@bio.aau.dk](mailto:yy@bio.aau.dk)

Scientists have recently discovered that some of both the metal-organic framework (MOF) materials and metal coordination polymer (MCP) can be melted and vitrified upon quenching.<sup>1-3</sup> The thus-derived glass is here referred to as the inorganic-organic hybrid glass, i.e., the glass hybridized between metal atoms and organic molecules. MOFs and MCPs are porous 3D frameworks of exceptional interest for gas storage and separation, catalysis and drug delivery. Since the MOFs are synthesized as powder, they are impossible to be processed to films and bulk objects with different geometries. However, the melting behavior of some MOFs or MCPs enables doing so. Here, we present some progress in understanding the melting and vitrifying behaviors of two types of MOFs, namely, ZIF-4 and ZIF-62. ZIF refers to zeolitic imidazolate framework, which is a subset of MOFs with zeolitic structures. We show some striking results concerning the high sensitivity of the melting and glass transition behaviors of ZIF-4 and ZIF-62 to chemical tuning and synthesis conditions, and clarify the origin of such sensitivity. We also present some perspectives and challenges in upscaling production of bulk MOF glasses. Compared to conventional glasses, the newly discovered hybrid glasses have unique mechanical properties compared to those of organic and inorganic glasses. We demonstrate the fascinating indentation behavior of ZIF-62 glass, which is in strong contrast to other types of glasses. Besides practical importance, the study of MOF glass is of scientific significance. We report on the calorimetric signature of the polyamorphic transition and recrystallization in ZIF-4.

## References:

- 1) T. D. Bennett, J. C. Tan, Y. Z. Yue, E. Baxter, C. Ducati, N. J. Terrill, H. H. M. Yeung, Z. Zhou, W. Chen, S. Henke, A. K. Cheetham, G. N. Greaves, Hybrid glasses from strong and fragile metal-organic framework liquids. *Nature Commun.* **6** (2015) 8079.
- 2) T. D. Bennett, Y. Z. Yue, P. Li, A. Qiao, H. Z. Tao, G. N. Greaves, T. Richards, G. I. Lampronti, S. A. T. Redfern, F. Blanc, O. K. Farha, J. T. Hupp, A. K. Cheetham and D. A. Keen. Melt-quenched glasses of metal-organic frameworks. *J. Am. Chem. Soc.* **138** (2016) 3484.
- 3) D. Umeyama, N. P. Funnell, M. J. Cliffe, J. A. Hill, A. L. Goodwin, Y. Hijikata, T. Itakura, T. Okubo, S. Horike and S. Kitagawa, Glass formation via structural fragmentation of a 2D coordination network. *Chem. Commun.* **51** (2015) 12728.