

Aalborg Universitet

Observation and understanding of fragile-to-strong transition in supercooled metallic

and oxide liquids	. •
Yue, Yuanzheng	

Publication date: 2017

Document Version Publisher's PDF, also known as Version of record

Link to publication from Aalborg University

Citation for published version (APA):

Yue, Y. (2017). Observation and understanding of fragile-to-strong transition in supercooled metallic and oxide liquids. Abstract from 7th International Workshop on Flow and Fracture of Advanced Glasses, Aalborg, Denmark.

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal -

Take down policy
If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Observation and understanding of fragile-to-strong transition in supercooled metallic and oxide liquids

Yuanzheng Yue

Department of Chemistry and Bioscience, Aalborg University, DK-9000 Aalborg, Denmark

Abstract:

The slow dynamics of glass-forming liquids is a complex subject of the condensed matter science. But the discovery of the fragile-to-strong (F-S) transition in some supercooled liquids upon cooling makes this subject even more complex since it is extremely challenging to directly probe the structural, topological and thermodynamic changes causing this transition. In this presentation, I first describe the phenomenology of the F-S transition and the approach to detect it by taking several metallic liquids and extremely poor glass-forming oxide liquids as examples. Then we present our recent understanding of the F-S transition by discussing its link to both the structural change and the relaxation behavior in supercooled liquids during cooling. Finally, we point out some challenges and perspectives in clarifying the origin and consequences of the fragile-to-strong liquid transition.

References:

- 1. C.Z. Zhang, L.N. Hu, Y.Z. Yue, and J.C. Mauro, Fragile-to-strong transition in metallic glass-forming liquids. *J. Chem. Phys.* **133** (2010) 014508.
- 2. Q.J. Sun, C. Zhou, Y.Z. Yue, and L.N. Hu, A direct link between the fragile-to-strong transition and relaxation in supercooled liquids. *J. Phys. Chem. Lett.*, **5** (2014)1170–1174
- 3. C. Zhou, L.N. Hu, Q.J. Sun, H.J. Zheng, C.Z. Zhang, and Y.Z. Yue, Structural evolution during fragile-to-strong transition in CuZr(Al) glass-forming liquids. *J. Chem. Phys.* **142** (2015) 064508.