



AALBORG UNIVERSITY
DENMARK

Aalborg Universitet

Producing bulk ZIF-62 glasses by optimizing melt-quenching process

Stepniewska, Malwina; Østergaard, Martin Bonderup; Zhou, Chao; Yue, Yuanzheng

Creative Commons License
Unspecified

Publication date:
2018

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Stepniewska, M., Østergaard, M. B., Zhou, C., & Yue, Y. (2018). *Producing bulk ZIF-62 glasses by optimizing melt-quenching process*. Abstract from 15th International Conference on Physics of Non-Crystalline Solids & 14th European Society of Glass Conference , Saint Malo, France.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Producing bulk ZIF-62 glasses by optimizing melt-quenching process

Malwina Stepniewska*, Martin Bonderup Østergaard, Chao Zhou, Yuanzheng Yue

Department of Chemistry and Bioscience, Aalborg University, DK-9220 Aalborg East, Denmark

*Presenting author. E-mail: mst@bio.aau.dk

Zeolitic Imidazolate Framework (ZIF) glasses are a newly emerged family of melt-quenched (MQ) glasses [1-3]. ZIFs are a subset of metal-organic frameworks (MOFs). Very recently, ZIF-62 has been found to be an outstanding glass former [4], which has a chemical formula of $\text{Zn}(\text{Im})_{1.75}(\text{blm})_{0.25}$, where Im and blm refer to imidazole ($\text{C}_3\text{H}_3\text{N}_2^-$) and benzimidazole ($\text{C}_5\text{H}_7\text{N}_2^-$), respectively. MQ ZIF-62 glass exhibits a number of interesting features such as ultrahigh Poisson's ratio and high transparency [3]. However, producing a bulk sample from ZIF-62 is a challenge, mainly because of a limited amount of reactants accessible to an optimum reaction and of high oxidation probability of the sample during heating-quenching protocol. The latter factor leads to degradation of the framework during the melt-quenching process.

In this work, we optimize the production process of ZIF-62 glass to get large-sized bulk samples by adjusting various parameters such as melting temperature, time and gas used in an electric furnace. Samples of around 200 mg were produced, by heating to 460°C and varying the dwell time. With extension of melting time, an interplay between homogenization of the sample and decomposition caused by remnant oxygen has been observed. Final glass samples were characterized by measuring density and by taking scanning electron microscopy from cross-sections of the sample. Glass transition temperature was determined by performing differential scanning calorimetry and thermogravimetry measurements. Hardness measurements were also conducted in order to initially assess the influence of dwell time at 460°C on mechanical properties and cracking behavior of bulk ZIF-62 glasses. Finally, we have obtained homogeneous glasses of diameter of about 1 cm. This work provides some information that is useful for upscaling of MOF glass production.

References:

- [1] T.D. Bennett, J.C. Tan, Y.Z. Yue, et al., *Nat. Commun.* 6 (2015) 8079.
- [2] T.D. Bennett, Y.Z. Yue, P. Li, et al., *J. Am. Chem. Soc.* 138 (2016) 3484.
- [3] H.Z. Tao, T.D. Bennett, Y.Z. Yue, *Adv. Mater.* 29 (2017) 1601705.
- [4] A. Qiao, T.D. Bennett, H.Z. Tao, et al., *Sci. Adv.*, Vol.3, no. 4 (2018), eaao6827.