



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Planning of O&M for Offshore Wind Turbines using Bayesian Graphical Models

Nielsen, Jannie Jessen; Sørensen, John Dalsgaard

Published in:

Book of Abstracts : ESREL 2010, Rhodes, Greece

Publication date:

2010

Document Version

Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Nielsen, J. J., & Sørensen, J. D. (2010). Planning of O&M for Offshore Wind Turbines using Bayesian Graphical Models. In *Book of Abstracts : ESREL 2010, Rhodes, Greece: 5-9 september 2010 : European Safety & Reliability Conference* (pp. 54). European Safety and Reliability Association / Demokritos : national center for scientific research.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Planning of O&M for offshore wind turbines using Bayesian graphical models

*Jannie Jessen Nielsen & John Dalgaard Sørensen
Department of Civil Engineering, Aalborg University, Denmark*

The costs to operation and maintenance (O&M) for offshore wind turbines are large, and riskbased planning of O&M has the potential of reducing these costs. This paper presents how Bayesian graphical models can be used to establish a probabilistic damage model and include data from imperfect inspections and monitoring. The method offers efficient updating of the failure probability, which is necessary for risk-based decision making. An application example is presented to demonstrate the capabilities of the method.