



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Reliability and Performance Improvement of PUC Converter Using A New Single-Carrier Sensor-Less PWM Method with Pseudo Reference Functions

Abarzadeh, Mostafa; Peyghami, Saeed; Al-Haddad, Kamal; Weise, Nathan; Chang, Liuchen; Blaabjerg, Frede

Published in:
IEEE Transactions on Power Electronics

DOI (link to publication from Publisher):
[10.1109/TPEL.2020.3030698](https://doi.org/10.1109/TPEL.2020.3030698)

Publication date:
2021

Document Version
Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Abarzadeh, M., Peyghami, S., Al-Haddad, K., Weise, N., Chang, L., & Blaabjerg, F. (2021). Reliability and Performance Improvement of PUC Converter Using A New Single-Carrier Sensor-Less PWM Method with Pseudo Reference Functions. *IEEE Transactions on Power Electronics*, 36(5), 6092-6105. Article 9222099. <https://doi.org/10.1109/TPEL.2020.3030698>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Reliability and Performance Improvement of PUC Converter Using A New Single-Carrier Sensor-Less PWM Method with Pseudo Reference Functions

Mostafa Abarzadeh, *Senior Member, IEEE*, Saeed Peyghami, *Member, IEEE*, Kamal Al-Haddad, *Life Fellow, IEEE*, Nathan Weise, *Senior Member, IEEE*, Liuchen Chang, *Senior Member, IEEE*, and Frede Blaabjerg, *Fellow, IEEE*

Abstract- A new single-carrier sensor-less pulse-width modulation (PWM) method using suggested pseudo reference functions is proposed for packed U-cell (PUC) converter to improve performance and reliability of the PUC converter. It is comprised of one PWM carrier signal, and two suggested pseudo reference functions. By employing the proposed modulation method, the PUC dc capacitor voltage ripple is substantially decreased, and faster sensor-less capacitor voltage balancing is obtained. Moreover, the power losses are evenly distributed among all power switches. Consequently, notable reduction of the PUC dc capacitor voltage ripple and even distribution of the power loss among switches enhance the PUC converter reliability and lifetime. In addition, odd multiples of the switching harmonic clusters are eliminated from the output voltage, thus, the values of output passive filter components are halved. Hence, applying the proposed single-carrier sensor-less PWM method remarkably improves the performance, power density, reliability, and lifetime of the PUC converter and notably simplifies implementation of the switching pattern. Provided experimental results and comparisons as well as reliability analysis verify the viability and effectiveness of the proposed PWM method.

Index Terms- Capacitor voltage ripple reduction, lifetime improvement, multilevel converter, PUC converter, pulse-width modulation method, reliability improvement, sensor-less voltage balancing.

I. INTRODUCTION

Multilevel converters (MLCs) are commonly utilized in various industrial applications as a promising solution to improve output voltage quality and performance of power electronic converters [1-3]. Among different MLCs, the PUC converter has been introduced to provide seven or five-level output voltage with less number of components. As shown in Fig. 1, it is formed by only two low-frequency (LF) power switches, four high-frequency (HF) power switches, one dc capacitor, and one dc power supply [4, 5]. Hence, among other suggested MLCs, the PUC converter is more competitive, especially for single-phase applications. Various modulation and control methods have been presented for the PUC converter to provide suitable output voltage and regulate the dc capacitor voltage to a desired value [6-13].

The suggested modulation and control techniques for the PUC converter can be classified into closed-loop and sensor-less PWM methods. A six-band hysteresis control method [6] and finite-control-set model predictive controllers (FCS-MPC) [7, 8] have been proposed for the PUC converter. However, all

these methods require a voltage sensor and closed-loop control to balance the dc capacitor voltage. Moreover, they suffer from variable switching frequency and sporadic output voltage harmonic spectrum, which cause major issues in design of the output passive filter.

In [9-13], the sensor-less carrier-based PWM switching methods has been presented for the PUC converter. In [9], a phase disposition PWM (PDPWM) method with sensor-less control of the dc capacitor voltage has been introduced for the PUC converter. It comprises four level-shifted PWM carrier signals, a switching states table, and five logic gates. In [10] and [11], the space vector PWM (SVPWM) and the phase-shifted PWM (PSPWM) methods have been presented as sensor-less control of the PUC converter, respectively. The introduced PSPWM method in [11] consists of four phase-shifted PWM carrier signals and twelve If-Else loops. Thus, to implement the presented methods in [9] and [11], four level-/phase-shifted PWM timers are required. Moreover, the presented method in [9] needs a switching states table, six If-Else loops, as well as five logic gates, and the suggested method in [11] requires twelve If-Else loops. Furthermore, in suggested methods in [9-11], charging/discharging of the dc capacitor is balanced in each fundamental period of the output voltage [12, 13]. Therefore, by applying the presented methods in [9-11] to the PUC converter, the size and voltage ripple of the dc capacitor depend on the output voltage fundamental frequency and the load current. Consequently, a large dc capacitor is required to form a suitable output voltage waveform. Sensor-less modulation methods using two level-shifted PWM carriers and logic gates have been presented in [12] and [13]. In presented methods in [12] and [13], not only the number of required PWM carrier signals is halved, but also the size of the dc capacitor is reduced by balancing charging/discharging of the dc capacitor in each PWM period. However, they require two level-shifted PWM carrier signals, five comparators, and six logic gates. The relation between the size of the dc capacitor, the dc capacitor voltage ripple, and load current has been described in [13] in detail. Moreover, comparison between various PWM methods for the PUC converter from aspects of the size of dc capacitor, the dc capacitor voltage ripple, and the value of the output passive filter components has been presented in [13]. Moreover, not only do the above-mentioned aspects have crucial impact on the converter performance, but also the converter reliability as its long-term viability is of paramount importance.

The converter lifetime and reliability, especially the components wear-out can be affected by the device hardware, and converter control and switching algorithms [14]. The impact of hardware can be incorporated by the appropriate lifetime model. In addition, the control impact depends on different dynamics with wide time scales from switching frequency to slow dynamics such as power management dynamics. This is due to the fact that the aging of a device material depends on the heat dissipation and hot-spot temperature. Meanwhile, the temperature in power converters is a consequence of switching frequency, switching algorithm, loading of the converter, ambient temperature and thermal couplings among different components inside the converter enclosure [14]. The loading of a converter can be determined by its application and mission profile. Hence, the converter reliability remarkably depends on the mission profile (including loading, ambient temperature, vibration, etc.) and its control algorithms [14-22]. Notably, in the aforementioned techniques for the PUC converter control, the converter reliability has not been taken into consideration.

In this paper, a novel single-carrier sensor-less PWM method using two pseudo reference functions is proposed for the PUC converter to overcome the above-mentioned drawbacks and to improve the performance and reliability of the PUC converter. The major advantages of the proposed single-carrier sensor-less PWM method are summarized as follows:

- 1) Easy to implement and lower computational burden by utilizing only one PWM carrier signal, two comparators, and two suggested pseudo reference functions
- 2) Notable reduction of the value and voltage ripple of the dc capacitor.
- 3) Faster self-balancing of dc capacitor voltage at start-up.
- 4) Amended output voltage waveform by eliminating the odd multiples of switching harmonic clusters from the output voltage spectrum.
- 5) Halving the required output passive filter components values.
- 6) Equal distribution of the conduction and switching power losses between HF power devices.
- 7) Higher reliability and longer lifetime for various applications.

To further evaluate and verify the impact of the proposed modulation method on the PUC converter performance, lifetime, and reliability, a comparative study between the proposed and traditional PWM methods for the PUC converter is performed. Moreover, the PUC converter reliability is predicted for different applications, and its performance under the traditional and proposed switching algorithms are compared from components wear-out point of view.

In the following, the proposed single-carrier sensor-less decomposed modulation method and its theoretical and mathematical analyses are described in Section II. The applied reliability prediction methodology is presented in Section III. Section IV performs the numerical analyses of the PUC converter reliability for various applications. The experimental results and comparisons from various aspects are presented in Section V. Finally, Section VI provides the conclusion.




Fig. 1. Topology of the PUC converter.

II. THE PROPOSED SINGLE-CARRIER SENSOR-LESS PWM METHOD FOR THE PUC CONVERTER

In this section, theoretical and mathematical analyses of the proposed switching algorithm as well as its performance are presented in detail.

A. The Switching Pattern of the Proposed Single-carrier Sensor-less PWM Method

Table I presents all the possible switching states, the output voltage levels, and the dc capacitor charging/discharging modes in the PUC converter. In Table I, the switch S_x is ON and OFF when it is 1 and 0, respectively.

Fig. 2 presents the proposed single-carrier sensor-less PWM method. As shown in Fig. 2, the suggested pseudo reference functions are defined to provide the reference signals for different parts of the PUC converter, which results in using only one PWM carrier signal, reduced dc capacitor voltage ripple, sensor-less voltage balancing of the dc capacitor, equal power losses distribution between switches, and improved output voltage spectrum.

Two suggested pseudo reference functions used in the proposed switching scheme shown in Fig. 2 are expressed as

$$f_{\text{Pseudo-ref-1}} = \begin{cases} V_{\text{ref}}, & V_{\text{ref}} \geq 0 \\ 1 + V_{\text{ref}}, & V_{\text{ref}} < 0 \end{cases} \quad (1)$$

$$f_{\text{Pseudo-ref-2}} = \begin{cases} 1 - V_{\text{ref}}, & V_{\text{ref}} \geq 0 \\ -V_{\text{ref}}, & V_{\text{ref}} < 0 \end{cases} \quad (2)$$

TABLE I
SWITCHING STATES OF THE PUC CONVERTER.

| Switching State | S1 | S2 | S3 | V_{out} | Capacitor Charge/Discharge |
|-----------------|----|----|----|------------------|----------------------------|
| V_1 | 1 | 0 | 0 | $-E$ | No effect |
| V_2 | 1 | 0 | 1 | $-E/2$ | Charge |
| V_3 | 1 | 1 | 0 | $-E/2$ | Discharge |
| V_4 | 1 | 1 | 1 | 0 | No effect |
| V_5 | 0 | 0 | 0 | 0 | No effect |
| V_6 | 0 | 0 | 1 | $+E/2$ | Discharge |
| V_7 | 0 | 1 | 0 | $+E/2$ | Charge |
| V_8 | 0 | 1 | 1 | $+E$ | No effect |




Fig. 2. The proposed single-carrier sensor-less PWM method using pseudo reference functions.

where V_{ref} is the input reference signal. $f_{Pseudo-ref-1}$ and $f_{Pseudo-ref-2}$ provide the modified reference signals for (S_3, S_6) and (S_2, S_5) , respectively. The outputs of $f_{Pseudo-ref-1}$ and $f_{Pseudo-ref-2}$ are intersected with one triangular carrier signal to generate switching signals for (S_3, S_6) and (S_2, S_5) switches.

In addition, a zero-crossing detector is defined to generate switching signals for (S_1, S_4) switches. Hence, (S_1, S_4) commutate at the fundamental frequency. The zero-crossing detector is defined as

$$Z_C = \begin{cases} 1, & V_{ref} \geq 0 \\ 0, & V_{ref} < 0 \end{cases} \quad (3)$$

$$S_1 = \bar{S}_4 = Z_C \quad (4)$$

As shown in Figs. 1 and 2, Z_C , $f_{Pseudo-ref-2}$, and $f_{Pseudo-ref-1}$ are used to generate (S_1, S_4) , (S_2, S_5) , and (S_3, S_6) , respectively. The switching pattern of the proposed modulation method, the defined pseudo functions outputs, and the output voltage waveforms are shown in Fig. 3.

The theoretical and mathematical analyses of the above-mentioned advantages of the proposed modulation method in comparison to the traditional switching method are presented in the following parts.

B. Sensor-less voltage balancing of PUC converter capacitor

As illustrated in Table I, the PUC capacitor is charged and discharged based on (S_2, S_5) and (S_3, S_6) redundant switching states at the output voltage levels of $\pm E/2$. In the capacitor, the relation among load current (i_l), the quantity of charge (Q_{charge}) and quantity of discharge ($Q_{discharge}$), and the PWM carrier period (T_C) are expressed as [23]:

$$i_l = dq/dt \quad (5)$$

$$dt = \frac{|T_C - t_{on-S3}|}{2} - \frac{|T_C - t_{on-S2}|}{2} \quad (6)$$




Fig. 3. The switching pattern of the proposed modulation method, the defined $f_{Pseudo-ref-1}$ and $f_{Pseudo-ref-2}$ pseudo functions outputs, and the PUC output voltage.

$$dq = \frac{|t_{on-S2} - t_{on-S3}|}{2} \cdot i_l \quad (7)$$

where t_{on-S2} and t_{on-S3} are S_2 and S_3 turn-on time. Hence, the capacitor is automatically regulated to its desired value when S_2 and S_3 turn-on times are equal. Accordingly, as presented in Fig. 4, the intersection of the triangular PWM carrier signal Crr and two suggested decomposed $f_{Pseudo-ref-1}$ and $f_{Pseudo-ref-2}$ pseudo reference functions outputs provides equal turn-on times for S_3 and S_2 . Therefore, the capacitor charge and discharge quantities (Q_{charge} and $Q_{discharge}$) are balanced in each PWM period and sensor-less voltage balancing of the capacitor is obtained.




Fig. 4. Balancing process of the Q_{charge} and $Q_{discharge}$ of the PUC converter capacitor in each PWM period by applying the proposed single-carrier PWM method with defined pseudo functions.

Moreover, in order to frequency domain analysis of capacitor sensor-less voltage balancing process in the PUC converter, a decoupled mathematical model of the PUC converter is defined by exploiting the equivalent two-port switching circuit theory presented in [24, 25]. Hence, the proposed single-carrier sensor-less switching pattern of the PUC converter can be decoupled into the total switching function (s_t) and the difference switching function (s_d) as presented in Fig. 5.

In Fig. 5, v_d is the voltage difference between the desired and actual values of the capacitor voltage and is determined by (8). Then, the corresponding difference switching function (s_d) to v_d is defined by (9) to represent the relevant switching function to the capacitor voltage unbalance.

$$v_d = \frac{E}{2} - v_C \quad (8)$$

$$s_d = \frac{1}{2} \{s_2 - s_3\} \quad (9)$$

Moreover, the corresponding total switching function (s_t) is expressed as:

$$s_t = \frac{1}{2} \{s_2 + s_3\} \quad (10)$$

where,

$$s_i = \begin{cases} 1, & \text{if } S_2 \text{ or } S_3 \text{ is ON} \\ -1, & \text{if } S_5 \text{ or } S_6 \text{ is ON} \end{cases} \quad \text{for } i = 2, 3 \quad (11)$$

As presented in Fig. 5, the proposed switching pattern of the PUC converter is decoupled to s_t and s_d two-port switching circuits. Based on the two-port switching circuit theory, the relation between input and output of the presented two-port switching circuits S_t and S_d are expressed as

$$\begin{cases} V_{p1}(\omega) = S_t(\omega) * E(\omega) \\ I_s(\omega) = S_t(\omega) * I_{p1}(\omega) \end{cases} \quad (12)$$

$$\begin{cases} V_{p2}(\omega) = S_d(\omega) * V_d(\omega) \\ I_C(\omega) = S_d(\omega) * I_{p2}(\omega) \end{cases} \quad (13)$$

where $*$ is the convolution operator in the frequency domain. With regard to the fact that $E(\omega)$ and $V_d(\omega)$ are dc values in the steady-state condition, they can be considered as constant values and (12) and (13). Hence, as presented in Fig. 5, the load current and the capacitor current in the frequency domain are determined as:

$$I_L(\omega) = \frac{V_o(\omega)}{Z(\omega)} = \frac{V_{p1}(\omega) + V_{p2}(\omega)}{Z(\omega)} \quad (14)$$

$$\begin{aligned} I_C(\omega) &= -I_L(\omega) * S_d(\omega) \\ &= -\left(\frac{E \cdot S_t(\omega) + V_d \cdot S_d(\omega)}{Z(\omega)} \right) * S_d(\omega) \end{aligned} \quad (15)$$

Hence, (15) is solved for the steady-state condition in which $\omega = 0$. In order to prove the self-balancing of the capacitor voltage to its desired value, the capacitor current in steady-state condition should be zero, then (15) is solved for $I_C(\omega)|_{\omega=0} = 0$. Thus,




Fig. 5. Equivalent decoupled circuit of the PUC converter by using d and t parameters.

$$\frac{V_d}{E} = \frac{\text{Re} \left\{ \int_0^\infty S_t(\xi) Z(\xi) \overline{S_d(\xi)} d\xi \right\}}{\text{Re} \left\{ \int_0^\infty \frac{|S_d(\xi)|^2}{Z(\xi)} d\xi \right\}} \quad (16)$$

Eq. (16) presents the capacitor voltage unbalance of the PUC converter controlled by the proposed single-carrier sensor-less modulation method. In order to minimize the capacitor voltage unbalance, (16) should be minimized. Hence, the numerator of (16) should be zero to guarantee the self-balancing of the capacitor voltage. the numerator of (16) will be zero if

$$|S_t(\omega)| |S_d(\omega)| \approx 0 \quad (17)$$

Eq. (17) is satisfied if the switching frequency is high enough in comparison to the fundamental frequency. Accordingly, with regard to (7), (16), and (17), the PUC converter capacitor voltage self-balancing is proved and obtained in steady-state condition by employing the proposed single-carrier sensor-less modulation method with defined pseudo functions.

Thus, by employing the proposed single-carrier sensor-less modulation method, the dc capacitor voltage ripple is determined as

$$V_{ripple} = \frac{I_{peak}}{C \times 2 f_{SW}} \quad (18)$$

where C is the dc capacitor value, f_{SW} , I_{peak} , and V_{ripple} are switching frequency, load current peak value, and maximum voltage ripple of the dc capacitor, respectively. Considering (18), the dc capacitor voltage ripple is decreased by a factor of f_{SW}/f_0 (f_0 is the fundamental frequency) in comparison to values reported in the literature [9-11]. Hence, the dc capacitor voltage ripple is significantly decreased by applying the proposed single-carrier switching method.

C. The Output Voltage Harmonic Spectrum Analysis and the Output LC Filter Components Values Calculation

As presented in Fig. 1, the two new defined pseudo functions are used to generate corresponding switching signals of (S_2, S_5) and (S_3, S_6) power switches. Therefore, as discussed in [26], Fourier series expansion of s_2 and s_3 HF switching function are expressed as

$$\begin{aligned}
 f_{Pseudo-ref-2}(t) = s_2(t) = & \\
 & \frac{1}{2} A_{00} + \sum_{n=1}^{\infty} \{A_{0n} \cos(n\omega_r t) + B_{0n} \sin(n\omega_r t)\} \\
 & + \sum_{m=1}^{\infty} \{A_{m0} \cos(m\omega_s t) + B_{m0} \sin(m\omega_s t)\} \\
 & + \sum_{m=1}^{\infty} \sum_{n=\pm 1}^{\pm \infty} \{A_{mn} \cos(m\omega_s t + n\omega_r t) \\
 & + B_{mn} \sin(m\omega_s t + n\omega_r t)\}
 \end{aligned} \quad (19)$$

$$\begin{aligned}
 A_{mn-s2} = & \\
 & \frac{1}{2\pi^2} \int_{-\pi}^{\pi} \int_{-\pi}^{\pi} f_{Pseudo-ref-2}(x, y) \cos(mx + ny) dx dy
 \end{aligned} \quad (20)$$

$$x = m\omega_s t, \quad y = n\omega_r t$$

$$\begin{aligned}
 f_{Pseudo-ref-1}(t) = s_3(t) = & \\
 & \frac{1}{2} A_{00} + \sum_{n=1}^{\infty} \{A_{0n} \cos(n\omega_r t) + B_{0n} \sin(n\omega_r t)\} \\
 & + \sum_{m=1}^{\infty} \{A_{m0} \cos(m\omega_s t) + B_{m0} \sin(m\omega_s t)\} \\
 & + \sum_{m=1}^{\infty} \sum_{n=\pm 1}^{\pm \infty} \{A_{mn} \cos(m\omega_s t + n\omega_r t) \\
 & + B_{mn} \sin(m\omega_s t + n\omega_r t)\}
 \end{aligned} \quad (21)$$

$$\begin{aligned}
 A_{mn-s3} = & \\
 & \frac{1}{2\pi^2} \int_{-\pi}^{\pi} \int_{-\pi}^{\pi} f_{Pseudo-ref-1}(x, y) \cos(mx + ny) dx dy
 \end{aligned} \quad (22)$$

$$x = m\omega_s t, \quad y = n\omega_r t$$

In (19) and (21), the first term represents the dc offset, the second term represents fundamental component and baseband harmonics, the third term represents the carrier harmonics, and the fourth term represents the sideband harmonics of the modulated reference signal.

As described in sub-section B, with regard to Fig. 5 and (9) and (10), the total switching function (s_t) and difference switching function (s_d) are defined for the equivalent decoupled circuit of the PUC converter by using d and t parameters. It is worth mentioning that as proved in Part B, the difference switching function (s_d) represents the voltage balancing of the capacitor and the total switching function (s_t) represents the output voltage harmonic spectrum. Considering (9) and (10), harmonics of s_t and s_d total and difference switching functions for $f_{sw} = 10\text{kHz}$ and $M = 0.9$ are shown in Fig. 6. As presented in Fig. 6, s_t , which presents the output voltage harmonic spectrum, has harmonic clusters at $2k \cdot f_{sw}$ where k is an integer number. Hence, odd multiples of the switching harmonic clusters are canceled out at the output voltage frequency spectrum and the first switching harmonic cluster of the output voltage is shifted to $2f_{sw}$. Therefore, the amended output voltage spectrum is obtained by applying the proposed single-carrier sensor-less modulation method.




Fig. 6. Harmonics of (a) s_t and (b) s_d , the total and difference switching functions for $f_{sw} = 10\text{kHz}$ and $M = 0.9$

In addition, as shown in Fig. 6, s_d , which presents charging/discharging of the capacitor, has the switching harmonic clusters at $(2k-1) \cdot f_{sw}$, $k = 1, 2, \dots$. Hence, the PUC converter capacitor is charged and discharged by switching frequency and the even multiples of the switching harmonic clusters are canceled out at the difference switching function (s_d). Hence, the total switching function (s_t) and difference switching function (s_d) are completely decoupled and considering (17) the sensor-less capacitor voltage balancing is also obtained by applying the proposed single-carrier sensor-less modulation method.

As described in [3] and [13] in detail, the output filter inductor and capacitor values are obtained as

$$L = \frac{V_{DC}}{8(n-1) \cdot \Delta I_L \cdot f_{1st SW Harmonic}} \quad (23)$$

$$C = \frac{1}{\left(\frac{2\pi \cdot f_{1st SW Harmonic}}{4}\right)^2 \cdot L} \quad (24)$$

As presented in (23) and (24), since $f_{1st SW Harmonic}$ is doubled by applying the proposed modulation method, both inductor and capacitor values are halved in comparison with employing the traditional modulation method for the PUC converter.

Moreover, by employing the proposed modulation method using the suggested pseudo reference functions, (S_2, S_5) and (S_3, S_6) switching signals are equally distributed in each fundamental period, which results in equal switching and conduction losses, as well as balanced power dissipation for all switching devices in the PUC converter.

III. APPLIED RELIABILITY PREDICTION METHODOLOGY

Reliability of an item / a system is defined as a measure of its ability to fulfill its functionality with a desired performance over a specified time [27]. The system or item performance can be defined as the probability of its survival. Hence, reliability can be measured by the probability of survival within a specified time. For instance, if system reliability is R at the time of T in years, the system first failure will occur after T years with the probability of $(1 - R)$. Moreover, the time period of T is known as $B_{100-(1-R)}$ lifetime.

The reliability of power converters can be predicted by the reliability of its fragile components. Following field data and industrial experiences, the semiconductor devices and capacitors are the most vulnerable components of converters [28-31]. They are prone to wear-out failures [21, 22], thus limiting converters lifetime. In the following, the reliability estimation procedure of converter components is presented.

Conventionally, converter reliability has been predicted based on historical data provided in the Military Handbook 217 (MIL-HDBK-217). This approach has been later updated because of its outdated data for new devices, vagueness of the failure mechanisms, and exclusion of operation conditions. Hence, different versions of this method have been provided such as Siemens SN29500, Telcordia SR-322, and RDF-2000. Afterward, the International Electrotechnical Commission (IEC) released a technical report of IEC TR-62380 [21], which considers the failure mechanisms and operating conditions for failure rate prediction. However, the provided data are still outdated and the failure mechanisms are not properly included in IEC TR-62380. Hence, it has been replaced by IEC 61709 [20] providing a general guideline for failure rate prediction under different operating conditions. In all the mentioned handbook methods, the failure mechanisms are not appropriately modeled and the end-of-life of components is not predicted under the given operating conditions.

Due to the above-mentioned issues, wear-out failure prediction approaches in converter components based on the prediction of failures have been presented recently in [18, 32-35]. According to this approach, the converter reliability is estimated based on potential failure mechanisms of its components. Strength-stress analysis [36] is then performed to predict the failure probability of each potential failure mechanism. The applied stress – such as the converter loading and climate condition fluctuations – over the device is compared to its strength to predict the failure probability. To obtain the components strength, various lifetime models are available in the literature [37, 38]. Using an appropriate lifetime model depends on the availability of model parameters value for selected devices. Employing an accurate lifetime model will result in precise reliability prediction which is more applicable for warranty logistics and maintenance. On the other hand, reliability as a long term performance indicator can be used for comparing different alternatives and selecting the best option in most engineering systems [39]. Since the reliability of different alternatives is relatively compared with together, hence, using the same lifetime model even with low accuracy can properly help in decision making among different alternatives.

In this paper, the reliability index is used to compare the performance of two switching schemes. Therefore, the converter reliability is predicted based on wear-out models of its vulnerable components such as capacitors and semiconductor devices. The commonly used lifetime for wear-out modeling of these devices is provided in [36, 37, 40], while other lifetime models can be used if the lifetime parameter values are available.

The lifetime of electrolytic capacitors are modeled by [41]:

$$L_o = L_r \cdot 2^{\frac{T_r - T_o}{n_1}} \left(\frac{V_o}{V_r} \right)^{-n_2} \quad (25)$$

where, L_r is the rated lifetime under rated voltage of V_r and rated capacitor temperature of T_r , and L_o is the capacitor lifetime under operating voltage of V_o and operating temperature of T_o . The exponent of n_1 follows the industry well-established 10-K-rule from Arrhenius in which a 10 K temperature decrement will double the lifetime [41]. Moreover, the exponent n_2 models the dependency of a lifetime on the applied voltage during operation. Applying lower voltage will cause lower stress to the capacitor dielectric. Operating a capacitor close to its rated voltage will cause more electrolyte consumption due to the self-healing of the small flaws in the dielectric. Thus, the lower operating voltage will extend the capacitor lifetime. The impact of voltage on the capacitor lifetime is modeled by the power-law as given in (25). According to [41], different manufacturers provided various values for exponent n_2 in (25). Moreover, [41] provides moderate values for n_2 depending on the applied voltage as given in (26), where $K_v = V_o/V_r$.

$$n_2 = \begin{cases} 3, & 0.5 \leq K_v < 0.8 \\ 5, & 0.8 \leq K_v \leq 1 \end{cases} \quad (26)$$

Furthermore, the number of cycles to failure N_f in semiconductor devices are obtained by using [42]:

$$N_f = A \cdot \Delta T_j^{a_T} \cdot \exp\left(\frac{b_T}{T_{jm}}\right) \cdot \left(\frac{t_{on}}{1.5}\right)^{-0.3} \quad (27)$$

where, ΔT and T are the junction temperature swing and its mean value, and t_{on} is the temperature cycle rise time. A , a_T , and b_T are constants obtained from aging tests.

Following the lifetime models in (25) and (27), the capacitor temperature and voltage, as well as the semiconductor devices' junction temperature, should be found for the whole mission profile. Thereby, at first, the converter is simulated under different operational conditions, and the lifetime related variables are obtained and stored in look-up tables as shown in Fig. 7. (a). Afterward, the annual mission profile is translated into the lifetime variables as shown in Fig. 7. (b).

The capacitor reliability is estimated by adapting the test data as shown in Fig. 7. (c) [43]. The failure distribution of electrolytic capacitors is provided in [44] for the rated lifetime of 5,000 hours and an upper-category temperature of 105°C, which is modeled by the Weibull distribution with $\alpha = 6804$ hours and $\beta = 5.12$. The failure distribution under operating condition is obtained by calculating the Accumulated Damage of Capacitor (AD_C) as:

$$AD_C = \sum_k \frac{t_k}{L_{o-k}} \quad (28)$$

where, t_k is the time the capacitor operates under (V_o, T_o) , and L_{o-k} is corresponding operating lifetime obtained by (25). Employing different B_x lifetime on (25) will result in different B_x accumulated damage. The failure distribution under operating conditions is obtained by fitting the different B_x accumulated damage with the Weibull distribution.

Moreover, the semiconductor devices reliability is predicted based on the field data and Monte-Carlo simulation as shown in see Fig. 7. (d) [43]. First, the junction temperature profile is classified into different classes with the number of cycles, temperature swing, and its average value. Next, the damage of the device associated with each class is calculated by dividing the applied cycles to the number of cycles to failure obtained by (27). Hence, the total Accumulated Damage of Semiconductor devices (AD_s) can be obtained as:

$$AD_s = \sum_h \frac{n_{cycle-h}}{N_{f-h}} \quad (29)$$

The lifetime of the device is equal to the reciprocal of the AD_s . In order to consider the impact of uncertainties of the lifetime model in (27) and the thermal model of devices, the Monte-Carlo simulation is adopted to find out the AD_s considering the variations on different parameters. Hence, the failure distribution can be obtained by fitting the AD_s with the Weibull distribution. The detail of the procedure has been explained in [15]. From an operation point of view, failure of any component may cause converter shutdown. As a result, the total converter reliability can be modeled by a series connection of its components according to reliability network modeling. Hence, the total converter reliability, R_T is obtained by:

$$R_T = R_C \times \prod_{j=1}^6 R_{Q-j} \quad (30)$$

As shown in Fig. 7. (e), where, R_C is the reliability of the capacitor, and R_{Q-j} is the reliability of j^{th} switch. Notably, the power diodes may have an inconsiderable effect since the converter is operated under a unity power factor. Thus, their impact is neglected. Moreover, the impact of other components and factors such as software reliability is neglected in the reliability prediction, while it can be easily incorporated by a suitable reliability model. This is because according to the filed returned data and industrial experiences, the capacitors and power semiconductors are the most fragile components of power converters [28, 37, 45-48]. Hence, they play a dominant role in the reliability of a converter. On the other hand, the industrial experiences show that these two components are prone to wear-out failures as well [19, 21, 37, 49-53], thus the converter reliability and life expectancy remarkably depend on the lifetime model of capacitors and semiconductor devices. Therefore, in this paper, the reliability and end of life of converter under different switching schemes are examined by using the lifetime model of its dominant components. Considering other factors such as software reliability, catastrophic failures, and so on can affect the converter reliability but they are not affected by the switching scheme. Thereby, in this paper, the impact of other factors is not taken into consideration.




Fig. 7. Reliability prediction process for power converters; (a) electro-thermal simulation, (b) electro-thermal mapping, (c) capacitor wear-out prediction, (d) semiconductor device wear-out prediction, (e) total reliability prediction.

IV. NUMERICAL ANALYSES OF THE PUC CONVERTER RELIABILITY FOR VARIOUS APPLICATIONS

In this section, the reliability performance of the PUC converter is evaluated for two different PV and AC microgrid applications.

A. Reliability Prediction of the PUC Converter for PV Applications

As already mentioned, the converter reliability depends on its application. Hence, without losing the generality, the PUC converter reliability is estimated for a PV application with 2.2 kW rated capacity. Furthermore, the impact of the proposed switching scheme on the converter reliability is illustrated in a

IEEE TRANSACTIONS ON POWER ELECTRONICS

home microgrid application. The first case is discussed in detail, while in the second case, the final results are provided. Both cases show the reliability enhancement employing the proposed switching algorithm. The converter specifications and the PV array parameters are summarized in Table II. The annual solar irradiance and ambient temperature measured in a region of Denmark are shown in Fig. 8.

The accumulated damage of converter components is calculated based on (28) and (29) and the thermal parameters of its components as given in Table II. The damage of components is shown in Fig. 9 in which, the capacitor damage is decreased from 0.0594 to 0.0464 by employing the proposed switching scheme. Furthermore, the damage of S_3, S_5 is higher than S_2, S_6 and S_1, S_4 by utilizing the presented switching patterns in [9-11]. This shows that the power loss and thermal stress is not evenly distributed over the power switches. However, by employing the proposed scheme, the damage of S_3, S_5 is decreased by 0.0190. Hence, the damages and thermal stresses are almost equally distributed among the switches. As another consequence, employing the proposed switching scheme can reduce the damage of highly stressed components, i.e., capacitor and S_3, S_5 as shown in Fig. 9. Therefore, the overall converter reliability will be improved.

Furthermore, the overall converter reliability is shown in Fig. 10. (c). As it is presented in Fig. 10. (c), the converter reliability after 10 years of operation can be improved from 89.7% to 96.5% by employing the proposed switching scheme. Furthermore, the converter B_1 lifetime, which is the lifetime at 99.0% reliability is improved by almost 2 years under the proposed switching algorithm. Therefore, the converter B_1 lifetime is extended by 35% under the proposed switching scheme. As a result, the proposed switching strategy can considerably enhance the PUC converter reliability at its long-term performance indicator.

TABLE II
MAIN PARAMETERS OF THE IMPLEMENTED PUC CONVERTER FOR RELIABILITY STUDY AND EXPERIMENTAL VERIFICATION

| Parameter | Value | |
|-----------------------------------|---------------------------------|-------------------|
| Rated power | 2.2 kW | |
| Switching frequency | 10 kHz | |
| PUC DC link voltage (MPPT Output) | 230 V | |
| PUC DC capacitor voltage | 115 V | |
| RL test load | $R = 40\Omega, L = 20\text{mH}$ | |
| Power Switch | IGBT10N60T | |
| PUC DC capacitor (EPCOS) | Capacity | 680 μF |
| | Rated voltage | 250 V |
| | ESR @ 20 kHz, 80 °C | 0.05 Ω |
| | Thermal resistance | 21 K/W |
| | Thermal time constant | 10 min |
| PV panel type: SUNPOWER | SPR-220-BLK-I | |
| PV panel rated power | 220 W | |
| No. series connection | 5 | |
| No. parallel connection | 2 | |
| MPPT Algorithm | Perturb & Observation | |




Fig. 8. Annual solar irradiance (a) and ambient temperature (b) measured in Denmark [43].




Fig. 9. Annual accumulated damage of different converter components under traditional and proposed switching schemes.




Fig. 10. Reliability of the PUC converter components under the mission profile shown in Fig. 8 and by employing (a) The traditional switching schemes, (b) The proposed switching scheme, and (c) Total PUC converter reliability.

B. Reliability Prediction of the PUC Converter for AC Microgrid Applications

In order to evaluate the converter reliability under different mission profiles, another application is considered and the converter reliability using the traditional and the proposed switching schemes are illustrated. The converter is used as an energy conversion stage in an AC home microgrid as shown in Fig. 11. (a). The prime energy source can be any types of DC source such as PV+battery system, wind+battery system. Fuel Cell stack, or even DC utility grid, which is one of the solutions for future DC distribution systems. The converter has the same specifications summarized in Table II. The annual home load profile is shown in Fig. 11. (b). Furthermore, the ambient temperature is considered to be similar to the last case study as shown in Fig. 8. (b). Like the previous case, the converter reliability under the home load profile is predicted.

The total converter reliability is shown in Fig. 12. Following Fig. 12, the converter reliability after 10 years of operation is 96.4% and 98.9% for the traditional and proposed switching schemes. Thus, using the proposed scheme, the overall converter reliability is improved by 2.5% under the given mission profile in Fig. 11 (b). Moreover, the converter B_1 lifetime using the traditional and proposed switching schemes is 7.25 and 10 years respectively. Thus, employing the proposed switching scheme will enhance the B_1 lifetime by 27.5%.

These two case studies with the PV and microgrid applications show that the proposed switching scheme enhances the converter reliability compared to the traditional method. Thus, the lifetime of the converter can be extended by employing the proposed approach. Notably, the converter reliability depends on its mission profile, where this can be seen from reliability results in Fig. 10. (c) and Fig. 12 for two different mission profiles. Thereby, the reliability improvement for different applications is not identical. However, both case studies show that the converter reliability is relatively improved by using the proposed switching algorithm.




Fig. 11. A home AC Microgrid. (a) Microgrid structure, and (b) apartment load profile.




Fig. 12. Reliability of the PUC converter components under an apartment load profile using the traditional and proposed switching scheme.

V. EXPERIMENTAL RESULTS AND COMPARISON

The experimental prototype of the PUC converter has been implemented to evaluate the performance and viability of the proposed single-carrier sensor-less modulation method. Fig. 13 presents the image of the implemented experimental prototype of the PUC converter. Parameters of the implemented PUC converter are presented in Table II.

Both the proposed and traditional PWM methods have been applied to the PUC converter. The experimental results and thermal images of the PUC converter employing the proposed and traditional switching patterns are presented and compared. As presented in Table II, the switching frequency of the PUC converter is set to $f_{sw} = 10\text{ kHz}$. The dead-time is set to 500 ns by using integrated hardware dead-time generator.

Fig. 14 presents the PUC converter output voltage, its FFT analysis, load current, as well as the dc capacitor voltage and current by employing the proposed modulation method. As shown in Fig. 14, the first switching harmonic cluster of the output voltage is shifted to $2 \cdot f_{sw} = 20\text{ kHz}$ and the odd multiples of the switching harmonic clusters are eliminated from the output voltage. Moreover, the PUC dc capacitor voltage ripple is negligible and with regards to the PUC dc capacitor current, the charge and discharge of the dc capacitor are balanced in each PWM period.




Fig. 13. The implemented experimental setup of the PUC converter.

TABLE III

DISTRIBUTION OF THE CONDUCTION AND SWITCHING LOSSES OF THE PUC CONVERTER CONTROLLED BY THE TRADITIONAL AND PROPOSED METHODS

| Switching Method | Total (watt) | Conduction Power Loss (watt) | | | Switching Power Loss (watt) | | | Simulated Efficiency (%) | Measured Efficiency (%) |
|---|--------------|------------------------------|----------------|----------------|-----------------------------|--------------|--------------|--------------------------|-------------------------|
| | | P_{Cond_S1} | P_{Cond_S2} | P_{Cond_S3} | P_{SW_S1} | P_{SW_S2} | P_{SW_S3} | | |
| Conventional Method ($P = 2.2 kW$) | 43.5 | 14.8 | 11.2 | 14.8 | ≈ 0 | 2.2 | 0.5 | 98.02 | 97 |
| Proposed Method ($P = 2.2 kW$) | 42.1 | 14.5 | 12.5 | 12.5 | ≈ 0 | 1.3 | 1.3 | 98.08 | 97 |




Fig. 14. The output voltage (C2: 100 volt/div), its FFT analysis (F1: vertical: 20 volt/div, horizontal: 5 kHz/div), load current (C4: 5 amp/div), the PUC dc capacitor voltage (C3: 50 volt/div), and the PUC dc capacitor current (C1: 5 amp/div) by applying the proposed modulation method.




Fig. 15. The output voltage (C2: 100 volt/div), its FFT analysis (F1: vertical: 20 volt/div, horizontal: 5 kHz/div), load current (C4: 5 amp/div), the PUC dc capacitor voltage (C3: 50 volt/div), and the PUC dc capacitor current (C1: 5 amp/div) by applying the traditional modulation method.

On the other hand, the PUC converter output voltage, its FFT analysis, load current, as well as the dc capacitor voltage and current by employing the traditional modulation method are presented in Fig. 15. As depicted in Fig. 9, the first switching harmonic cluster of the output voltage is at $f_{SW} = 10 kHz$. Moreover, the PUC dc capacitor voltage ripple is about $60V_{p-p}$ and the charge and discharge of the dc capacitor are balanced in each fundamental period. Hence, applying the proposed single-carrier sensor-less PWM method results in a substantial reduction in the PUC dc capacitor voltage ripple, a notable decrease in sensitivity of the dc capacitor voltage ripple to load, and doubling the first switching harmonic cluster frequency which leads to halving the output passive filter components value.

Fig. 16 presents the transient and steady-state voltage of the PUC dc capacitor during converter start-up by applying the proposed method. As depicted in Fig. 16, the transient time of the capacitor voltage is $800ms$ and the capacitor is automatically regulated to its desired value. On the other hand, the transient and steady-state voltage of the PUC dc capacitor during converter start-up by applying the traditional method is shown in Fig. 17. As presented in Fig. 17, the transient time of the capacitor voltage is $1600ms$ and the capacitor voltage ripple is about $60V_{p-p}$. Therefore, applying the proposed single-carrier sensor-less PWM method remarkably improves the dynamic performance of the PUC converter during start-up and notably decrease the dc capacitor voltage ripple.




Fig. 16. Transient and steady state voltage of the PUC dc capacitor during converter start-up by applying the proposed modulation method.




Fig. 17. Transient and steady state voltage of the PUC dc capacitor during converter start-up by applying the traditional modulation method.

Fig. 18 presents the thermal image of the PUC converter controlled by the proposed modulation method. As illustrated in Fig. 18, the temperatures of $S_2, S_3, S_5,$ and S_6 HF power switches are approximately equal. Moreover, the measured min and max temperatures of the PUC converter are 31.8°C and 38.4°C , respectively. Thus, the temperature difference between the coldest and hottest spots of the PUC converter is only 6.6°C . On the other hand, the thermal image of the PUC converter controlled by the traditional modulation method is depicted in Fig. 19. As shown in Fig. 19, the temperatures of S_3, S_5 HF switches are much higher than the temperatures of S_2, S_6 HF switches. In addition, the measured min and max temperatures of the PUC converter are 30.0°C and 48.0°C , respectively. Therefore, the temperature difference between the coldest and hottest spots of the PUC converter is 18°C .

Moreover, the distribution of the conduction and switching power losses of the PUC converter controlled by the conventional and the proposed switching pattern are presented in Table III. As illustrated in Table III, the conduction and switching power losses are evenly distributed over HF power switches in the PUC converter by applying the proposed modulation method. However, the conduction and switching power losses are not equally distributed among HF power switches by employing the conventional switching method. Moreover, the total power loss and efficiency of the PUC converter controlled by both the conventional and proposed switching methods are presented in Table III. Hence, applying the proposed single-carrier sensor-less PWM method leads to even distribution of the power loss among HF switches, decreases the temperature difference between various parts of the PUC converter, and accordingly improvement of the converter reliability and lifetime.

Comparison between the performance of the PUC converter controlled by the proposed single-carrier sensor-less and the traditional PWM methods from aspects of the PUC dc capacitor voltage ripple, accumulated damages of power switches (σ_{AD-S}), the standard deviation of accumulated damages of all the PUC converter components (σ_{AD}), B_1 lifetime, R_{10} reliability, and the computational burden is illustrated in Fig. 20. As depicted in Fig. 20, the proposed single-carrier sensor-less modulation method has superior performance in comparison to the traditional PWM methods for the PUC converter. Regarding the presented experimental results, and the converter performance diamond in Fig. 20, the main advantages of the proposed switching method are as follows:

- 1) Notable reduction of the dc capacitor voltage ripple.
- 2) Equal loss distribution between HF power devices.
- 3) Higher reliability and longer lifetime.
- 4) Faster self-balancing of dc capacitor voltage at start-up.
- 5) Eliminating odd multiples of the output voltage switching harmonic clusters.
- 6) Halving the required output passive filter components values.
- 7) Easy to implement.




Fig. 18. Thermal image of the PUC converter by applying the proposed modulation method.



Fig. 19. Thermal image of the PUC converter by applying the traditional modulation method.




Fig. 20. The PUC converter performance diamond by applying the proposed single-carrier sensor-less and traditional PWM methods. Diamond axes:
 - Ripple (100 V): The PUC dc capacitor voltage ripple. (range: 0~100 V)
 - σ_{AD-S} (0.015): Standard deviation of accumulated damages of power switches. (range: 0~0.015)
 - σ_{AD} (0.015): Standard deviation of accumulated damages of all the PUC converter components. (range: 0~0.015)
 - $10 - B_1$ (5 yr): The PUC converter lifetime degradation. (range: 0~5 years)
 - $1 - R_{10}$ (0.15): The PUC converter reliability degradation after 10 years of operation (unreliability). (range: 0~0.15)
 - CB (16): The utilized method computational burden from aspect of the number of PWM comparators, If-Else loops and logic gates. (range: 0~16)

Comparison between the proposed single-carrier sensor-less modulation method and the introduced methods in [9, 11-13] for PUC converter is illustrated in Table IV. As presented in Table IV, the proposed single-carrier sensor-less modulation method is easy to implement, and it has much less computational burden in comparison to other modulation methods for PUC converter. Moreover, the value of capacitor depends on switching frequency and is remarkably decreased by employing the proposed modulation method. In addition, the value of capacitor can be more reduced by increasing the switching frequency.

TABLE IV
COMPARISON BETWEEN THE PROPOSED SINGLE-CARRIER SENSOR-LESS MODULATION METHOD AND THE PRESENTED METHODS IN [9, 11-13].

| PWM Method | Capacitor Value | Computational Burden | | | Total |
|-----------------|--|------------------------------|----------------------|--------------------|-------|
| | | No. of PWM Carriers (Timers) | No. of If-Else Loops | No. of Logic Gates | |
| Proposed Method | $\frac{I_{peak}}{V_{ripple} \times 2f_{SW}}$ | 1 | - | - | 1 |
| [9] | $\frac{I_{peak}}{V_{ripple} \times 2f_0}$ | 4 | 6 | 5 | 15 |
| [11] | $\frac{I_{peak}}{V_{ripple} \times 2f_0}$ | 4 | 12 | - | 16 |
| [12] | $\frac{I_{peak}}{V_{ripple} \times 2f_{SW}}$ | 2 | - | 6 | 8 |
| [13] | $\frac{I_{peak}}{V_{ripple} \times 2f_{SW}}$ | 2 | - | 6 | 8 |

VI. CONCLUSION

The single-carrier sensor-less PWM method was proposed for the PUC converter. It comprises only one PWM carrier signal, and two suggested pseudo reference functions. Applying the proposed method led to notable reduction in the capacitor voltage ripple, faster sensor-less capacitor voltage balancing, simplified control circuit, amended output voltage spectrum, smaller output passive filter, equal power losses distribution between power devices, improved reliability, and increased lifetime. Therefore, the proposed single-carrier sensor-less modulation method remarkably improved the performance of the PUC converter and notably simplified implementation of the switching pattern. Provided experimental results and comparisons validated the viability and effectiveness of the proposed modulation method.

REFERENCES

[1] J. Rodriguez, L. Jih-Sheng, and P. Fang Zheng, "Multilevel Inverters: A Survey of Topologies, Controls, and Applications," *IEEE Trans. Ind. Electron.*, vol. 49, no. 4, pp. 724-738, 2002.

[2] S. Kouro, M. Malinowski, K. Gopakumar, J. Pou, L.G. Franquelo, B. Wu, J. Rodriguez, M.A. Pérez, J.I. Leon, "Recent Advances and Industrial Applications of Multilevel Converters," *IEEE Trans. Ind. Electron.*, vol. 57, no. 8, pp. 2553-2580, 2010.

[3] M. Abarzadeh and K. Al-Haddad, "An Improved Active-Neutral-Point-Clamped Converter with New Modulation Method for Ground Power Unit Application," *IEEE Trans. Ind. Electron.*, vol. 66, no. 1, pp. 203-214, 2019.

[4] Y. Ounejjar, K. Al-Haddad, and L. A. Gregoire, "Packed U Cells Multilevel Converter Topology: Theoretical Study and Experimental Validation," *IEEE Trans. Ind. Electron.*, vol. 58, no. 4, pp. 1294-1306, 2011.

[5] H. Vahedi and K. Al-Haddad, "PUC5 Inverter - A Promising Topology for Single-Phase and Three-Phase Applications," in *IECON 2016 - 42nd Annual Conference of the IEEE Industrial Electronics Society*, 23-26 Oct. 2016, pp. 6522-6527.

[6] Y. Ounejjar, K. Al-Haddad, and L. A. Dessaint, "A Novel Six-Band Hysteresis Control for the Packed U Cells Seven-Level Converter: Experimental Validation," *IEEE Trans. Ind. Electron.*, vol. 59, no. 10, pp. 3808-3816, 2012.

[7] M. Trabelsi, S. Bayhan, K. A. Ghazi, H. Abu-Rub, and L. Ben-Brahim, "Finite-Control-Set Model Predictive Control for Grid-Connected Packed-U-Cells Multilevel Inverter," *IEEE Trans. Ind. Electron.*, vol. 63, no. 11, pp. 7286-7295, 2016.

[8] J. I. Metri, H. Vahedi, H. Y. Kanaan, and K. Al-Haddad, "Real-Time Implementation of Model-Predictive Control on Seven-Level Packed U-Cell Inverter," *IEEE Trans. Ind. Electron.*, vol. 63, no. 7, pp. 4180-4186, 2016.

[9] H. Vahedi, P. A. Labbé, and K. Al-Haddad, "Sensor-Less Five-Level Packed U-Cell (PUC5) Inverter Operating in Stand-Alone and Grid-Connected Modes," *IEEE Trans. Ind. Informat.*, vol. 12, no. 1, pp. 361-370, 2016.

[10] S. Arazm, H. Vahedi, and K. Al-Haddad, "Space Vector Modulation Technique on Single Phase Sensor-Less PUC5 Inverter and Voltage Balancing at Flying Capacitor," in *Proc. IEEE IECON*, 2018, pp. 4504-4509.

[11] S. Arazm, H. Vahedi, and K. Al-Haddad, "Phase-shift Modulation Technique For 5-Level Packed U-Cell (PUC5) Inverter," in *Proc. IEEE CPE-POWERENG*, 2018, pp. 1-6.

[12] M. Abarzadeh, H. Vahedi, K. Al-Haddad, and M. R. Dehbozorgi, "Sensor-Less Logic-Equation-Based Modulation Method for Grid-Connected PUC5 Converter," in *Proc. IEEE IECON*, 2018, pp. 4486-4491.

[13] M. Abarzadeh, H. Vahedi and K. Al-Haddad, "Fast Sensor-Less Voltage Balancing and Capacitor Size Reduction in PUC5 Converter Using Novel Modulation Method," *IEEE Trans. Ind. Informat.*, vol. 15, no. 8, pp. 4394-4406, Aug. 2019.

[14] S. Peyghami, P. Davari, and F. Blaabjerg, "System-Level Reliability-Oriented Power Sharing Strategy for DC Power Systems," *IEEE Trans. Ind. App.*, vol. 55, no. 5, pp. 4865-4875, 2019.

[15] S. Peyghami, H. Wang, P. Davari, and F. Blaabjerg, "Mission-Profile-Based System-Level Reliability Analysis in DC Microgrids," *IEEE Trans. Ind. App.*, vol. 55, no. 5, pp. 5055-5067, 2019.

[16] F. Hahn, M. Andresen, G. Buticchi, and M. Liserre, "Mission Profile Based Reliability Evaluation of Building Blocks for Modular Power Converters," in *Proc. IEEE PCIM Europe*, 2017, pp. 1-7.

[17] S. E. D. León-Aldaco, H. Calleja, F. Chan, and H. R. Jiménez-Grajales, "Effect of the Mission Profile on the Reliability of a Power Converter Aimed at Photovoltaic Applications—A Case Study," *IEEE Trans. Power Electron.*, vol. 28, no. 6, pp. 2998-3007, 2013.

[18] K. Ma, M. Liserre, F. Blaabjerg, and T. Kerekes, "Thermal Loading and Lifetime Estimation for Power Device Considering Mission Profiles in Wind Power Converter," *IEEE Trans. Power Electron.*, vol. 30, no. 2, pp. 590-602, 2015.

[19] S. Peyghami, Z. Wang, and F. Blaabjerg, "Reliability Modeling of Power Electronic Converters: A General Approach," in *Proc. IEEE COMPEL*, 2019, pp. 1-7.

[20] IEC 61709 (2017): Electric Components - Reliability - Reference Conditions for Failure Rates and Stress Models for Conversion, IEC Commission, 2017.

[21] IEC TR 62380: Reliability Data Handbook-Universal Model for Reliability Prediction of Electronics Components, PCBs and Equipment, IEC Commission, 2006.

[22] FIDES. "FIDES Guide 2009 Edition: A Reliability Methodology for Electronic Systems." FIDES. <https://www.fides-reliability.org/> (accessed April 2020).

[23] M. Abarzadeh and K. Al-Haddad, "Generalized Circuit Topology of Qn-Hybrid-NPC Multilevel Converter with Novel Decomposed Sensor-Less Modulation Method," *IEEE Access*, vol. 7, pp. 59813-59824, 2019.

IEEE TRANSACTIONS ON POWER ELECTRONICS

- [24] R. H. Wilkinson, T. A. Meynard, and H. d. T. Mouton, "Natural Balance of Multicell Converters: The Two-Cell Case," *IEEE Trans. Power Electron.*, vol. 21, no. 6, pp. 1649-1657, 2006.
- [25] R. H. Wilkinson, T. A. Meynard, and H. d. T. Mouton, "Natural Balance of Multicell Converters: The General Case," *IEEE Trans. Power Electron.*, vol. 21, no. 6, pp. 1658-1666, 2006.
- [26] D. G. Holmes and T. A. Lipo, "Pulse Width Modulation for Power Converters: Principles and Practice," *IEEE Press Series on Power Engineering*. Wiley, 2003.
- [27] R. Billinton and R. Allan, "Reliability Evaluation of Engineering Systems." New York: Plenum press, 1992.
- [28] S. Yang, A. Bryant, P. Mawby, D. Xiang, L. Ran, and P. Tavner, "An Industry-Based Survey of Reliability in Power Electronic Converters," in *Proc. IEEE Energy Conversion Congress and Exposition*, 2009, pp. 3151-3157.
- [29] Y. Song and B. Wang, "Survey on Reliability of Power Electronic Systems," *IEEE Trans. Power Electron.*, vol. 28, no. 1, pp. 591-604, 2013.
- [30] L. F. Costa and M. Liserre, "Failure Analysis of the dc-dc Converter: A Comprehensive Survey of Faults and Solutions for Improving Reliability," *IEEE Power Electron. Mag.*, vol. 5, no. 4, pp. 42-51, 2018.
- [31] H. Wang, K. Ma, and F. Blaabjerg, "Design for Reliability of Power Electronic Systems," in *Proc. IEEE IECON*, 2012, pp. 33-44.
- [32] P. D. Reigosa, H. Wang, Y. Yang, F. Blaabjerg, P. D. Reigosa, H. Wang, Y. Yang, and F. Blaabjerg, "Prediction of Bond Wire Fatigue of IGBTs in a PV Inverter under a Long-Term Operation," *IEEE Trans. Power Electron.*, vol. 31, no. 10, pp. 3052-3059, Mar. 2016.
- [33] D. Zhou, H. Wang, and F. Blaabjerg, "Mission Profile Based System-Level Reliability Analysis of DC/DC Converters for a Backup Power Application," *IEEE Trans. Power Electron.*, vol. 33, no. 9, pp. 8030-8039, 2018.
- [34] F. Blaabjerg, K. Ma, D. Zhou, and Y. Yang, "Mission Profile-Oriented Reliability Design in Wind Turbine and Photovoltaic Systems," in *Reliability of Power Electronic Converter Systems*, First Edit., Institution of Engineering and Technology, 2015, pp. 355-390.
- [35] M. Ciappa, F. Carbognani, P. Cova, and W. Fichtner, "Lifetime Prediction and Design of Reliability Tests for High-Power Devices in Automotive Applications," *IEEE Int. Reliab. Phys. Symp. Proc.*, vol. 2003-Jan, no. 4, pp. 523-528, 2003.
- [36] S. Peyghami, Z. Wang, and F. Blaabjerg, "A Guideline for Reliability Prediction in Power Electronic Converters," *IEEE Trans. Power Electron.*, no. 10.1109/TPEL.2020.2981933, pp. 1-9, 2020.
- [37] H. Wang and F. Blaabjerg, "Reliability of Capacitors for DC-Link Applications in Power Electronic Converters—An Overview," *IEEE Trans. Ind. Appl.*, vol. 50, no. 5, pp. 3569-3578, Sep. 2014.
- [38] K. Ma, H. Wang, and F. Blaabjerg, "New Approaches to Reliability Assessment: Using Physics-of-Failure for Prediction and Design in Power Electronics Systems," *IEEE Power Electron. Mag.*, vol. 3, no. 4, pp. 28-41, 2016.
- [39] B. M. Ayyub and R. H. McCuen, "Probability, Statistics, and Reliability for Engineers and Scientists," 3rd ed. Taylor & Francis Group, 2015.
- [40] H. S. Chung, H. Wang, F. Blaabjerg, and M. Pecht, "Reliability of Power Electronic Converter Systems," First Edi. London: IET, 2016.
- [41] A. Albertsen, "Electrolytic Capacitor Lifetime Estimation," JIANGHAI Eur. GmbH, 2010.
- [42] R. Bayerer, T. Herrmann, T. Licht, J. Lutz, and M. Feller, "Model for Power Cycling lifetime of IGBT Modules - various factors influencing lifetime," in *Proc. VDE International Conference on Integrated Power Electronics Systems*, 2008, pp. 1-6.
- [43] S. Peyghami, P. Davari, H. Wang, and F. Blaabjerg, "The Impact of Topology and Mission Profile on the Reliability of Boost-type Converters in PV Applications," in *Proc. IEEE COMPEL*, 2018, pp. 1-8.
- [44] D. Zhou and F. Blaabjerg, "Reliability Evaluation of Power Capacitors in a Wind Turbine System," in *Proc. IEEE APEC*, 2018, pp. 3264-3269.
- [45] J. Falck, C. Felgemacher, A. Rojko, M. Liserre, and P. Zacharias, "Reliability of Power Electronic Systems: An Industry Perspective," *IEEE Ind. Electron. Mag.*, vol. 12, no. 2, pp. 24-35, Jun. 2018.
- [46] K. Fischer, K. Pelka, A. Bartschat, B. Tegtmeier, D. Coronado, C. Broer, and J. Wenske, "Reliability of Power Converters in Wind Turbines: Exploratory Analysis of Failure and Operating Data from a Worldwide Turbine Fleet," *IEEE Trans. Power Electron.*, vol. 34, no. 7, pp. 6332-6344, 2018.
- [47] M. Wilkinson and B. Hendriks, "Report on Wind Turbine Reliability Profiles," Reliawind, 2011.
- [48] L. M. Moore and H. N. Post, "Five Years of Operating Experience at a Large, Utility-Scale Photovoltaic Generating Plant," *Prog. Photovoltaics Res. Appl.*, vol. 16, no. 3, pp. 249-259, 2008.
- [49] R. Wu, F. Blaabjerg, H. Wang, M. Liserre, and F. Iannuzzo, "Catastrophic Failure and Fault-Tolerant Design of IGBT Power Electronic Converters - An Overview," in *Proc. IEEE IECON*, 2013, pp. 507-513.
- [50] M. Pecht and J. Gu, "Physics-of-Failure-Based Prognostics for Electronic Products," *Trans. Inst. Meas. Control*, vol. 31, no. 3, pp. 309-322, 2009.
- [51] N. Degrenne, J. Ewanchuk, E. David, R. Boldyrjew, S. Mollov, M. E. R. and D. C. Europe, "A Review of Prognostics and Health Management for Power Semiconductor Modules," in *Proc. Annual Conference of the Prognostics and Health Management Society*, 2015, pp. 1-11.
- [52] Y. Luo, F. Xiao, B. Wang, and B. Liu, "Failure Analysis of Power Electronic Devices and Their Applications under Extreme Conditions," *Chinese J. Electr. Eng.*, vol. 2, no. 1, pp. 91-100, 2016.
- [53] H. Oh, B. Han, P. McCluskey, C. Han, and B. D. Youn, "Physics-of-Failure, Condition Monitoring, and Prognostics of Insulated Gate Bipolar Transistor Modules: A Review," *IEEE Trans. Power Electron.*, vol. 30, no. 5, pp. 2413-2426, 2015.



Mostafa Abarzadeh (S'15, M'16, SM'19) received the B.Sc., M.Sc., and Ph.D. (All with Hons.) degrees in electrical engineering from Sahand University of Technology (SUT), Tabriz, Iran, in 2008, 2011, and 2016, respectively.

Currently, he is a Senior Power Electronics Designer at SmartD Technologies, Canada. He was a Visiting Ph.D. Researcher with Aalborg University, Denmark, in 2015. From 2016 to 2017, he was an Assistant Professor with the Electrical Engineering Faculty of SUT. From 2017 to 2019, he was a Postdoctoral Research Fellow with the Canada Research Chair in Electric Energy Conversion and Power Electronics, École de Technologie supérieure (ÉTS), Canada. From 2019 to 2020, he was a Research Associate and Project Coordinator with EMPOWER Lab., Marquette University, WI, US. He has been a principle investigator (PI) and co-PI of various industrial and research grants in the field of the industrial electronics. He has implemented more than 25 industrial and research projects in the field of the industrial electronics, and he has transferred know-how technologies to industry for more than 10 industrial and research projects. He has authored or co-authored over 40 journal and conference papers and book chapters and holds 6 patents. He was a recipient of the Best Presentation Award from the IEEE Energy Conversion Congress and Exposition (ECCE) in 2015. His professional experiences and current research interests include high performance high power density power electronic converters based on wide band gap (WBG) devices, as well as topology, modeling, control and modulation of power electronic converters, hybrid multilevel inverters, and applications of power electronics in renewable energy conversion, transportation electrification, power grid, and variable-speed motor drives.



Saeed Peyghami (Member, IEEE) received the B.Sc., M.Sc., and Ph.D. degrees in electrical engineering from the Department of Electrical Engineering, Sharif University of Technology, Tehran, Iran, in 2010, 2012, and 2017, respectively.

From 2015 to 2016, he was a Visiting Ph.D. Scholar with the Department of Energy Technology, Aalborg University, Aalborg, Denmark, where he is currently a Postdoctoral Researcher. In 2019, he was a Visiting Researcher with Intelligent Electric Power Grids, Delft University of Technology, Delft, The Netherlands. His research interests include reliability, control, and stability of power electronic-based power systems, and renewable energies.

IEEE TRANSACTIONS ON POWER ELECTRONICS



Kamal Al-Haddad (S'82, M'88, SM'92, F'07, LF'20) received the B.Sc.A. and M.Sc.A. degrees from the University of Québec à Trois-Rivières, Canada, in 1982 and 1984, respectively, and the Ph.D. degree from the Institute National Polytechnique, Toulouse, France, in 1988. Since June 1990, he has been a Professor with the Electrical Engineering Department, École de Technologie Supérieure (ETS), Montreal, QC, where he has been the holder of the senior Canada Research Chair in Electric Energy Conversion and Power Electronics since 2002. He has supervised more than 180 Ph.D. and M.Sc.A. students working in the field of power electronics. He is a Consultant and has established very solid link with many Canadian industries working in the field of power electronics, electric transportation, aeronautics, and telecommunications. He has coauthored more than 600 transactions and conference papers. His fields of interest are in high efficient static power converters, harmonics and reactive power control using hybrid filters, switch mode, resonant and multilevel converters including the modeling, control, and development of prototypes for various industrial applications in electric traction, renewable energy, power supplies for drives, telecommunication, etc. Prof. Al-Haddad is a fellow member of the Canadian Academy of Engineering. He is IEEE IES President 2016-2017, Associate editor of the Transactions on Industrial Informatics, IES Distinguished Lecturer and recipient of the 2014 IEEE IES Dr.-Ing. Eugene Mittelmann Achievement Award. Prof. Al-Haddad is a member of the Academy of Sciences and fellow of the Royal Society of Canada.



Nathan Weise (M'08, SM'18) received the B.S. degree in computer engineering, the M.S. degree in electrical engineering with an emphasis on wireless, and the Ph.D. degree in electrical engineering with an emphasis on power from the University of Minnesota, Minneapolis, MN, USA, in 2005, 2007, and 2011, respectively. He was an Electrical Engineer with Cummins Power Generation, Minneapolis, MN, USA, and General Electric Global Research, Niskayuna, NY, USA. He joined Marquette University, Milwaukee, WI, USA, as an Assistant Professor in 2014. His current research interests include power electronics, power converters, wave energy conversion, electrification of transportation, all-electric aircraft, fault tolerance, control of renewable energy sources, digital control of power electronics, and wide bandgap devices.



Liuchen Chang (Senior Member, IEEE) received B.S.E.E. from Northern Jiaotong University in 1982, M.Sc. from China Academy of Railway Sciences in 1984, and Ph.D. from Queen' University in 1991. He joined the University of New Brunswick in 1992 and is a professor in Electrical and Computer Engineering. He was the NSERC Chair in Environmental Design Engineering during 2001-2007, and was the Principal Investigator of Canadian Wind Energy Strategic Network (WESNet) during 2008-2014. He is a vice president of the IEEE Power Electronics Society. Dr. Chang was a recipient of CanWEA R.J. Templin Award in 2010 for his contribution in the development of wind energy technologies, Innovation Award for Excellence in Applied Research in New Brunswick in 2016 for his contributions in smart grid and renewable energy technologies, and PELS Sustainable Energy Systems Technical Achievement Award in 2018 for his contributions in distributed energy systems. He is a fellow of Canadian Academy of Engineering (FCAE). He has published more than 370 refereed papers in journals and conference proceedings. Dr. Chang has focused on research, development, demonstration and deployment of renewable energy based distributed energy systems and direct load control systems.



Frede Blaabjerg (S'86-M'88-SM'97-F'03) was with ABB-Scandia, Randers, Denmark, from 1987 to 1988. From 1988 to 1992, he got the PhD degree in Electrical Engineering at Aalborg University in 1995. He became an Assistant Professor in 1992, an Associate Professor in 1996, and a Full Professor of power electronics and drives in 1998. From 2017 he became a Villum Investigator. He is honoris causa at University Politehnica Timisoara (UPT), Romania and Tallinn Technical University (TTU) in Estonia. His current research interests include power electronics and its applications such as in wind turbines, PV systems, reliability, harmonics and adjustable speed drives. He has published more than 600 journal papers in the fields of power electronics and its applications. He is the co-author of four monographs and editor of ten books in power electronics and its applications. He has received 32 IEEE Prize Paper Awards, the IEEE PELS Distinguished Service Award in 2009, the EPE-PEMC Council Award in 2010, the IEEE William E. Newell Power Electronics Award 2014, the Villum Kann Rasmussen Research Award 2014, the Global Energy Prize in 2019 and the 2020 IEEE Edison Medal. He was the Editor-in-Chief of the IEEE TRANSACTIONS ON POWER ELECTRONICS from 2006 to 2012. He has been Distinguished Lecturer for the IEEE Power Electronics Society from 2005 to 2007 and for the IEEE Industry Applications Society from 2010 to 2011 as well as 2017 to 2018. In 2019-2020 he serves a President of IEEE Power Electronics Society. He is Vice-President of the Danish Academy of Technical Sciences too. He is nominated in 2014-2019 by Thomson Reuters to be between the most 250 cited researchers in Engineering in the world.