Aalborg Universitet



How much do we know about the fragility of glass-forming liquids? In honor of Austen Angell

An invited talk

Yue, Yuanzheng

Creative Commons License Unspecified

Publication date: 2022

Document Version Other version

Link to publication from Aalborg University

Citation for published version (APA):

Yue, Y. (2022). How much do we know about the fragility of glass-forming liquids? In honor of Austen Angell: An invited talk. Abstract from 16th International Conference on the Physics of Non-Crystalline Solids, Canterbury, United Kingdom. http://16th International Conference on the Physics of Non-Crystalline Solids

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal -

Take down policy If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

How much do we know about the fragility of glass-forming liquids? In honor of Austen Angell

Yuanzheng Yue

Department of Chemistry and Bioscience, Aalborg University, 9220 Aalborg, Denmark

Corresponding Author e-mail: yy@bio.aau.dk

The slow dynamics of glass-forming liquids is a complex but highly intriguing subject of the condensed matter science. It is also a critical factor that should be considered when designing new glass materials and in optimizing glass production process. It is generally accepted that Angell's liquid fragility concept is a key to understand the slow dynamics. The well-known log(viscosity)- T_g/T plot was obtained first in 1957 by Oldekop, and then in 1972 by Laughlin and Ulhmann. However, they did not interpret the physical meaning of this plot. In 1985, Angell proposed the liquid fragility concept to describe the dynamics of a significantly extended glass systems by the log(viscosity or relaxation time) versus T_g/T plot, i.e., the Angell plot [1]. He was the first who gave the term "liquid fragility", classified the glass-forming liquids into the "strong" and "fragile" categories, and quantified the liquid fragility. Through experiments and theoretical studies, he and his co-workers provided deep insight into physics of liquid fragility [2-3]. More importantly, his liquid fragility concept sparked great interest among physicists and glass scientists. Over the past 3 decades, substantial progress has been made in understanding the structural and thermodynamic origin of liquid fragility. In 1999, Angell et al published another seminal paper that reported on the fragile-to-strong (F-S) transition in water [4]. This made liquid fragility even more complex and fascinating [5]. It is indeed challenging to directly probe the structural, topological, and thermodynamic changes during this transition despite some recent interesting observations [6-10]. However, the microscopic theory describing the F-S transition has not been fully established. In this talk, I will describe the current understandings about both the liquid fragility and the F-S transition. I will point out the major challenges and perspectives in exploring the microscopic origin of the liquid fragility and in finding the connections between the F-S transition, liquid-liquid transition, and structural evolution.

- 1. C.A. Angell, Spectroscopy simulation and scattering, and the medium range order problem in glass, J. Non-Cryst. Sol. 73 (1985) 1–17.
- 2. C. A. Angell, Formation of glasses from liquids and biopolymers, Science 267 (1995) 1924-1935.
- 3. L. M. Martinez, C. A. Angell, A thermodynamic connection to the fragility of glass-forming liquids, Nature 410 (2001) 663-667.
- 4. K. Ito, C. T. Moynihan, C. A. Angell, Thermodynamic determination of fragility in liquids and a fragileto-strong liquid transition in water, Nature 398 (1999) 492-495.
- 5. C. Z. Zhang, L. N. Hu, Y. Z. Yue, J. C. Mauro, Fragile-to-strong transition in metallic glass-forming liquids, J. Chem. Phys. 133 (2010) 014508.
- H. Liu, W. L. Chen, R. K. Pan, Z. T. Shan, A. Qiao, J. W. E. Drewitt, L. Hennet, S. Jahn, D. P. Langstaff, H. Z. Tao, Y. Z. Yue, G. N. Greaves, From molten calcium aluminates through phase transitions to cement phases, Adv. Sci. 6 (2020) 1902209.
- 7. C. Zhou, L. N. Hu, Q. J. Sun, H. J. Zheng, C. Z. Zhang, Y. Z. Yue, Structural evolution during fragile-tostrong transition in CuZr (Al) glass-forming liquids, J. Chem. Phys. 142 (2015) 064508.
- 8. L. N. Hu, C. Zhou, C. Z. Zhang, Y. Z. Yue, Thermodynamic anomaly of the sub-T_g relaxation in hyperquenched metallic glasses, J. Chem. Phys. 138 (2013) 174508.
- 9. P. Lucas, Fragile-to-strong transitions in glass forming liquids, J. Non-Cryst. Solids 557 (2021) 119367.
- 10. R. Shi, J. Russo, H. Tanaka, Origin of the emergent fragile-to-strong transition in supercooled water, Proc. Natl. Acad. Sci. U. S. A. 115 (38) (2018) 9444–9449.