



AALBORG UNIVERSITY
DENMARK

Aalborg Universitet

Heat Treatment Enables Translucent Oxyfluoride Glass Ceramics Transparent

Li, Zhencai; Qiu, J.B.; Yue, Yuanzheng

Creative Commons License
Unspecified

Publication date:
2022

Document Version
Other version

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Li, Z., Qiu, J. B., & Yue, Y. (2022). *Heat Treatment Enables Translucent Oxyfluoride Glass Ceramics Transparent*. 165. Abstract from 26th International Congress on Glass, Berlin, Germany.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Heat Treatment Enables Translucent Oxyfluoride Glass Ceramics Transparent

Z.C. Li^{1*}, J.B. Qiu², Y.Z. Yue¹

¹Aalborg University

²Kunming University of Science and Technology

*zhli@bio.aau.dk

Oxyfluoride glass-ceramics (GCs) have recently been regarded as the ideal optical host materials for rare earth (RE) ions.[1,2] However, their luminescent efficiency is low owing to several obstacles such as small fluoride nanocrystals, low crystallinity, and decreased transparency. In this study, we reported a novel translucent precursor glass-ceramic (GC) containing Ba₂LaF₇ single crystals with large size (above 200 nm), which was prepared by the melt-quenching method. This means that crystallization took place during melt-quenching. The optical transmittance of the translucent precursor GC greatly increased with an increase of the isothermal treatment temperature, and this is attributed to both the growth of the existing flower-like Ba₂LaF₇ single crystals and the formation of small spherical Ba₂LaF₇ single nanocrystals. We identified the optimum heat-treatment temperature, which gave both the highest transmittance and luminescence intensity. To observe their separated phases, we determined crystal morphologies, the atomic arrangement of the single crystals, and local coordination environments of both precursor GC and three heat-treated GC samples by using X-ray diffraction, scanning electron microscopy, high-resolution transmission electron microscopy, and solid-state nuclear magnetic resonance, respectively. We analyzed their refractive index and revealed that the refractive index differences between the Ba₂LaF₇ single crystals and residual oxide glass matrices were minimized (< 0.01) by increasing the heat treatment temperature. The new results give insight into amorphous phase separation and crystallization behavior in this studied precursor GC.[3] The heat-treated GC will be a great potential candidate to achieve micro-laser outputs based on high transmittance and crystallization.[4,5]

References

- [1] X.F. Liu, J.J. Zhou, S.F. Zhou, Y.Z. Yue, J.R. Qiu, *Progress in Materials Science*, **97**, **2018**, 38-96.
- [2] P.P. Fedorov, A.A. Luginina, A.I. Popov, *Journal of Fluorine Chemistry*, **172**, **2015**, 22-50.
- [3] C.G. Lin, C. Bocker, C. Rüssel, *Nano Letters*, **15**, **2015**, 6764-6769.
- [4] T.C. Ouyang, S.L. Kang, Z.S. Zhang, D.D. Yang, X.J. Huang, Q.W. Pan, J.L. Gan, J.R. Qiu, G.P. Dong, *Advanced Optical Materials*, **7**, **2019**, 1900197.
- [5] Z.C. Li, C.Y. Chen, W.H. Shen, D.C. Zhou, L.R. Jensen, X.S. Qiao, J.J. Ren, J.C. Du, Y.F. Zhang, J.B. Qiu, Y.Z. Yue, *Advanced Optical Materials* **10**, **2022**, 2102713.