



Aalborg Universitet

AALBORG UNIVERSITY  
DENMARK

## Application of Newton Identities in Solving Selective Harmonic Elimination Problem With Algebraic Algorithms

Wang, Chenxu; Zhang, Qi; Chen, Dunzhi; Li, Zhaoyuan ; Yu, Wengsheng; Yang, Kehu

*Published in:*  
IEEE Journal of Emerging and Selected Topics in Industrial Electronics

*DOI (link to publication from Publisher):*  
[10.1109/JESTPE.2022.3186488](https://doi.org/10.1109/JESTPE.2022.3186488)

*Creative Commons License*  
CC BY 4.0

*Publication date:*  
2022

*Document Version*  
Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*  
Wang, C., Zhang, Q., Chen, D., Li, Z., Yu, W., & Yang, K. (2022). Application of Newton Identities in Solving Selective Harmonic Elimination Problem With Algebraic Algorithms. *IEEE Journal of Emerging and Selected Topics in Industrial Electronics*, 10(5), 5870-5881. Article 9807314.  
<https://doi.org/10.1109/JESTPE.2022.3186488>

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

### Take down policy

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

# Application of Newton Identities in Solving Selective Harmonic Elimination Problem with Algebraic Algorithms

Chenxu Wang, Qi Zhang, *Student Member, IEEE*, Dunzhi Chen, *Student Member, IEEE*, Zhaoyuan Li, Wensheng Yu, Kehu Yang, *Member, IEEE*

**Abstract**—Algebraic algorithms are powerful methods in solving the selective harmonic elimination (SHE) problem, which can find all exact solutions without requirements on choosing initial values. However, the huge computational burden and long solving time limit the solving capability of algebraic algorithms. This paper presents a novel Newton’s identities-based method to simplify the SHE equations including the order reduction and the variable elimination, thereby reducing the computational burden and the solving time of algebraic algorithms or in other words improving the solving capability of the algebraic algorithms. Compared with existing simplification methods, the proposed method significantly improves the efficiency of solving SHE equations. With the proposed method, the degree reduction is no longer the bottleneck of solving the SHE equations by using algebraic algorithms. By using the proposed method, the SHE equations with 10 switching angles are completely solved with the algebraic algorithm for the first time. The simulation and experiment results indicate the proposed method is effective and correct.

**Index Terms**—Selective harmonic elimination, Newton’s identities, power sums, elementary symmetric polynomials.

## I. INTRODUCTION

The power electronic converters usually utilize very low switching frequency in high-power applications because of limitations of the switching losses and the electromagnetic interface (EMI) issue [1]–[7]. With such low switching frequency, the selective harmonic elimination (SHE) technology has been the best modulation strategy due to its outstanding output harmonic performance in the medium and high power applications, such as motor drive, grid-connected converters, active rectifiers [8]–[13]. The switching angles should be obtained firstly by solving a group of strong nonlinear transcendental equations namely the SHE equations in practical

applications. However, how to solve the SHE equations is quite a complicated problem because of the complexity and the multisolution feature of the SHE equations.

There are three classes of methods to solve the SHE equations: numerical algorithms [14], intelligent optimization algorithms [15]–[23], and algebraic algorithms [24]–[35]. Numerical algorithms are the most traditional methods to solve the SHE equations. They can provide high accuracy results with fast convergence. However, they strongly rely on the guess of initial values which is quite an issue especially for multilevel converters because there has no systematic method to find feasible initial values. Moreover, Numerical algorithms cannot handle the multisolution feature of the SHE equations, and usually, they can provide only one solution or just a part of the complete solutions. Even through a modified numerical method [14] was proposed aiming to obtain the complete solution of the SHE equations, the obtained results cannot be mathematically proven to be complete solutions of the SHE equations. Based on the numerical computation technology, the development of intelligent optimization algorithms provides new strategies to solve the SHE equations. Intelligent optimization algorithms, to some extent, overcomes the initial values issue, because the initial values of intelligent optimization algorithms can be selected randomly. However, intelligent optimization algorithms are lack of the support of mathematical theory and sensitive to input parameters, so the precision of solutions are difficult to be guaranteed. Therefore, most intelligent optimization algorithms focus on the research of convergence speed and fitness function value, and some satisfactory results have been obtained [16], [22], [23]. Nevertheless, they also cannot deal with the multisolution feature of the SHE equations because of the local optimum problem. In a summary, the numerical algorithms and the intelligent optimization algorithms both cannot obtain complete solutions of the SHE equations.

Algebraic algorithms are introduced to solve the SHE equations because of their outstanding characteristics [27]–[29]. They are implemented based on the algebraic theory, and all computations inside are carried out with symbols, not specific values, therefore, they do not need to be given any specific initial values, and the complete solutions can be obtained by only one solving procedure. Moreover, they can give a direct and clear conclusion about the complete solutions of the SHE equations, for example, whether the SHE equations have solutions or not, and the conditions for the SHE equations to have

Manuscript received September 13, 2021; revised November 20, 2021, January 9, 2022, April 19, 2022; accepted June 13, 2022. This work was supported in part by the National Natural Science Foundation of China under Grant 61973307 and 61936008, and the 111 Project No. B21014. (Corresponding author: Kehu Yang.)

C. Wang, Z. Li and K. Yang are with the School of Mechanical Electronic and Information Engineering, China University of Mining and Technology, Beijing 100083, China, and K. Yang is also with the Key Laboratory of Intelligent Mining and Robotics, Ministry of Emergency Management of the People’s Republic of China (e-mail: eechenxu@163.com; ywuhu\_bda@sina.com; ykh@cumt.edu.cn).

Q. Zhang and D. Chen are with the Department of Energy Technology, Aalborg University, DK-9220 Aalborg, Denmark (e-mail: qzq@energy.aau.dk; dzc@energy.aau.dk).

W. Yu is with the School of Electronics Engineering, Beijing University of Posts and Telecommunications, Beijing 100876, China (e-mail: wsyu@bupt.edu.cn).

solutions. So as to say, the algebraic algorithms seem to be the most powerful tool to solve the SHE equations compared with numerical and intelligent optimization algorithms. However, the algebraic algorithms face a big problem to solve the SHE equations. The algebraic methods require huge computation sources, for instance, the huge computer burden and the large random access memory (RAM) space. In addition, the time for solving is usually very long to solve the SHE equations with more switching angles. Thus, the solving capability of the algebraic algorithms are limited.

To improve the solving capability of the algebraic algorithms, our previous study [34] and other publications [31], [32] found that the SHE equations can be transformed into symmetric polynomial system, and it can be further simplified into a lower-order and less-variables polynomial system. With the simplification, the computation burden and the solving time can be reduced, thus, the solving capability of algebraic algorithms can be pushed to higher level.

Two attempts have gained success on simplification of the SHE equations. The power sums based method was proposed to simplify the SHE equations [30], in which the SHE equations are transformed into the form of power sums polynomials, and then solved by the resultant elimination method. With the power sum simplification method, the solving capability of the resultant elimination method is improved from 3 to 5 switching angles. However, this simplification faces a problem that the simplification is coupled with the solving procedure. It introduces one extra polynomial system, which is to some extent almost same complicated with the simplified SHE equations, thus, the solving procedure have to be called twice as a result the solving time becomes longer. Likewise, the elementary symmetric polynomial (ESP) is also introduced to simplify the SHE equations. The results published in [31], [32], [34] show that the ESP simplification can significantly improve the solving capability of the Groebner basis method and the solving capability is pushed to 9 switching angles. However, the efficient of this simplification method is not so high enough to deal with the SHE equations with more switching angles, for example, to simplify the SHE equations with 8 switching angles, it needs more than 34 hours in a common workstation to finish the simplification. Furthermore, if the number of switching angles is larger than 9, it fails to finish the computation. Consequently, even through these two methods have been successfully used to simplify the SHE equations, the simplification method is still a bottleneck of the algebraic algorithms to solve the SHE equations.

To improve the performance of the algebraic algorithms for solving the SHE equations, this paper presents a novel simplification method based on Newton's identities for the SHE equations, including the degree reduction and variable elimination. Compared with the existing two simplification method, the proposed method is much simple and effective, so it can dramatically improve the speed and the capability of the simplification of the SHE equations. If only the simplification procedure is considered, the proposed method can deal with the SHE equations with more than 50 switching angles, arguably, the bottleneck of the simplification of the SHE equations can be eliminated with the proposed method.

Obviously, the solving capability of existing algebraic algorithms can be further improved with the proposed method. For example, with the proposed method, the solving capability of the Groebner basis method can be improved to 10. To our best knowledge, this is the first time to obtain the complete solutions of the SHE equations with 10 switching angles, whatever kind of solving method is used. Furthermore, the proposed method also can be used for the numerical and the intelligent optimization algorithms, if the SHE equations is also needed to be simplified. Because this topic is out of the focus of this paper, the details will not be discussed in this article.

This paper is organized as follows. Section II describes the unified mathematical model of the selective harmonic elimination problem. Section III firstly provides basic concepts and principle of Newton's identities, and then presents the proposed simplification algorithm. In section IV, some computational results of 9 and 10 switching angles are analyzed to identify the correctness of the proposed method. Besides, the proposed method is compared and evaluated with existing simplification method in section V. Furthermore, in section VI the experiments of motor-drive applications and inverters are carried out to verify the effectiveness and correctness of the proposed method. Finally, this paper is concluded in section VII.

## II. MATHEMATICAL MODEL OF THE SHE PROBLEM

The selective harmonic elimination is based on the principle of Fourier expansion. According to basic concepts of mathematic, any periodic signal can be expanded into a Fourier series. The output PWM waveform of converters is commonly periodic, obviously it can be expanded into the Fourier series, in which the amplitude of fundamental and harmonic component is represented with a sum of trigonometric functions with the switching angles as variables. If a group of switching angles, such that the fundamental component of the output waveform equals to a desired value while the amplitudes of the selected harmonics all equal to zero, can be obtained, and the output voltage waveform of the converter can be constructed with the obtained switching angles, the output of the converter will not contain the selective harmonics. According to the conclusion in [35], the switching angles can be obtained by solving such a group of equations expressed as (1), namely the SHE equations, in which  $m = \pi U/4V_{dc}$  is the modulation index,  $n$  is the number of the switching angles and also the number of the equations.  $U$  is the desired amplitude of fundamental component,  $V_{dc}$  is the voltage of the DC source,  $\alpha_i (i = 1, 2, \dots, n)$  are the switching angles in a quarter period,  $k$  is the order of the eliminated harmonics.

$$\begin{cases} \sum_{i=1}^n \cos(\alpha_i) = m \\ \sum_{i=1}^n \cos(k\alpha_i) = 0, k = 5, 7, 11 \dots \end{cases} \quad (1)$$

It should be pointed out that the SHE equations expressed in (1) is a unified model. Although it looks like the traditional SHE model for the multilevel staircase waveform, they are completely different in essence. The traditional model is

limited by the switching pattern, i.e., the combination of transition states on each switching angles, so there has an inequality constraint of switching angles for the traditional model. However, the unified model removes the inequality constraint of switching angles and includes all possible switching patterns, which significantly increase the solution space. Thus, this model can be used for converters with any topology, e.g. two-level, three-level, or multilevel converters. For more details, please reference the literature [35].

It can be seen that the SHE equations (1) contain only cosine functions with switching angles  $\alpha_i$  as variables. In order to apply the algebraic algorithms, the SHE equations should be firstly transformed into an algebraic polynomial system, and this procedure can be carried out with the application of the first kind Chebyshev polynomial:  $T_k(\cos(\alpha_i)) = \cos(k\alpha_i)$ , where the  $T_k$  represents a polynomial expression. Furthermore, if define  $x_i = \cos(\alpha_i)$ , the Chebyshev polynomial can be rewritten as  $T_k(x_i) = \cos(k\alpha_i)$ . Based on the Chebyshev polynomial, all cosine function terms in the SHE equations (1) can be transformed into polynomial equations (3) by using the recursions (2). Finally, the SHE equations (1) is transformed into the polynomial system (3), based which the algebraic algorithms can be applied to solve the system. As mentioned in the introduction section, this system is quite complicated, so it is very hard to solve the polynomial system directly. The proposed simplification method is aims to reduce the order and the amount of variables of the polynomial system to make it being much easier to be solved.

$$\begin{cases} T_1(x) = x, & T_2(x) = 2x^2 - 1 \\ \vdots \\ T_k(x) = 2xT_{k-1}(x) - T_{k-2}(x) \end{cases} \quad (2)$$

$$\begin{cases} f_1(x) = \sum_{i=1}^n x_i - m = 0 \\ f_5(x) = \sum_{i=1}^n (5x_i - 20x_i^3 + 16x_i^5) = 0 \\ f_7(x) = \sum_{i=1}^n (-7x_i + 56x_i^3 - 112x_i^5 + 64x_i^7) = 0 \\ \vdots \end{cases} \quad (3)$$

### III. SOLVING SHE PROBLEM WITH THE PROPOSED ALGORITHM

This section proposes a novel simplification method, which has a simple process and only involves multiplications and additions. This simplification method can equivalently transform (3) into a lower-order algebraic polynomial system, and no solution is lost in this process. Combined with other algebraic methods, the proposed method can solve the highest number of switching angles so far. This section will give the principle of the proposed method and the detailed steps of whole solving process.

#### A. Newton's identities

In the algebraic theory [36], Newton's identities gives the relationship between the power sums polynomials and the elementary symmetric polynomials. Let  $x_i$ ,  $1 \leq i \leq n$  are variables, the  $k$ -th power sums polynomials are defined as:

$$p_k = \sum_{i=1}^n x_i^k$$

And the elementary symmetric polynomial are defined as:

$$\begin{cases} e_0 = 1 \\ e_1 = x_1 + x_2 + \cdots + x_n \\ e_2 = \sum_{1 \leq i < j \leq n} x_i x_j \\ \vdots \\ e_n = x_1 x_2 \cdots x_n \\ e_k = 0, \text{ for } k > n \end{cases} \quad (4)$$

Then, Newton's identities can be stated as follows, and it is valid for all  $n \geq k \geq 1$ .

$$k e_k = \sum_{i=1}^k (-1)^{i-1} e_{k-i} p_i \quad (5)$$

Also, when  $k > n \geq 1$ , Newton's identities should be stated as

$$0 = \sum_{i=k-n}^k (-1)^{i-1} e_{k-i} p_i \quad (6)$$

Therefore, according to the definitions of Newton identities, power sum polynomials can be recursively expressed in terms of elementary symmetric polynomials, and  $p_k$  can be concretely rewritten as:

$$\begin{cases} p_1 = e_1 \\ p_2 = e_1 p_1 - 2e_2 \\ p_3 = e_1 p_2 - e_2 p_1 + 3e_3 \\ \vdots \\ p_n = e_1 p_{n-1} - e_2 p_{n-2} + \cdots + (-1)^{n-1} (n) e_n \\ \vdots \\ p_k = e_1 p_{k-1} + e_2 p_{k-2} + \cdots + (-1)^{k-1} e_n p_{k-n} \end{cases} \quad (7)$$

#### B. Degree reduction with Newton's identities

The algebraic polynomial system (3) can be simplified based on the principle of Newton's identities. As the subsequent derivation is related to the number of switching angles, for convenience, the case described following is with ten switching angles. Firstly, by substituting the power sum polynomials to the SHE equations (3), the following equations (8) can be obtained. It can be seen that (8) is undetermined since the number of unknown variables is more than the number of equations, so, it cannot be solved directly.

$$\begin{cases} p_1 - m = 0 \\ 5p_1 - 20p_3 + 16p_5 = 0 \\ -7p_1 + 56p_3 - 112p_5 + 64p_7 = 0 \\ \vdots \\ 29p_1 - 4060p_3 + \dots + 268435356p_{29} = 0 \end{cases} \quad (8)$$

Based on the principle of Newton identities, the number of variables of (8) can be reduced to the same number as equations. According to the Newton's identities, all the power sums whose degree higher than  $n$  can be rewritten in the low-order power sums  $p_1 \sim p_n$ , which could make the system balanced. Therefore, the second step is to rewritten elementary symmetric polynomials  $e_1 \sim e_{10}$  in terms of power sums polynomials  $p_1 \sim p_{10}$  according to (5).

$$\begin{cases} e_1 = p_1 \\ e_2 = \frac{p_1^2}{2} - \frac{p_2}{2} \\ e_3 = \frac{p_1^3}{6} - \frac{p_1 p_2}{2} + \frac{p_3}{3} \\ e_4 = \frac{p_1^4}{24} - \frac{p_1^2 p_2}{4} + \frac{p_2^2}{8} + \frac{p_1 p_3}{3} - \frac{p_4}{4} \\ \vdots \\ e_{10} = \frac{p_1^{10}}{3628800} - \frac{p_2 p_1^8}{80640} + \dots + \frac{p_4 p_6}{24} - \frac{p_{10}}{10} \end{cases} \quad (9)$$

The third step is to transform  $p_{11} \sim p_{29}$  into  $p_1 \sim p_{10}$  by taking the elementary symmetric polynomials (9) into the Newton identities (7). The results are expressed as (10).

$$\begin{cases} p_{11} = \frac{-p_1^{11}}{3628800} + \frac{11p_2 p_1^9}{725760} - \dots - \frac{11p_3 p_7}{21} + \frac{11p_1 p_{10}}{10} \\ p_{12} = \frac{-p_2 p_1^{10}}{3628800} + \frac{p_3 p_1^9}{362880} + \dots - \frac{p_2 p_4 p_6}{4} + \frac{3p_2 p_{10}}{5} \\ p_{13} = \frac{-p_3 p_1^{10}}{3628800} + \frac{p_4 p_1^9}{362880} + \dots - \frac{13p_3 p_4 p_6}{72} + \frac{13p_3 p_{10}}{30} \\ \vdots \\ p_{29} = \frac{-p_1^{10}}{3628800} + \frac{p_1^8 p_2}{80640} + \dots + \frac{p_1 p_3 p_6}{18} - \frac{p_1 p_3 p_7}{21} \end{cases} \quad (10)$$

Finally, by substituting the high-order power sums polynomials in (8), i.e., the  $p_{11}, p_{13}, p_{17}, p_{19}, p_{23}, p_{25}, p_{29}$ , with their expression in (10), the polynomial system with degree reduction are obtained as (11).

$$\begin{cases} p_1 - m = 0 \\ 5p_1 - 20p_3 + 16p_5 = 0 \\ -7p_1 + 56p_3 - 112p_5 + 64p_7 = 0 \\ -4p_1^{11} + 220p_1^9 p_2 - \dots - 6160p_2 p_9 = 0 \\ \vdots \\ 20512p_1^{29} \dots - 69167561057280000000p_2^3 p_4^2 p_9 = 0 \end{cases} \quad (11)$$

In (11), as the modulation index  $m$  will be preset and  $p_1 = m$ , the number of variables is decreased from 10 to 9 and their degree are greatly reduced. Table I gives the degree comparison between the original algebraic SHE equations and the degree-reduced SHE equations. At this point, the stage of simplifying SHE equations has been completed. In the process of simplification, every step is equivalent transformation. Thus, although the degree of the polynomial system have been significantly reduced, the solutions of the simplified polynomial

TABLE I  
COMPARISON OF THE DEGREE OF  $f_{29}(x)$  AND  $f_{29}(p)$

|             | $x_1/p_1$ | $x_2/p_2$ | $x_3/p_3$ | $x_4/p_4$ | $x_5/p_5$       |
|-------------|-----------|-----------|-----------|-----------|-----------------|
| $f_{29}(x)$ | 29        | 29        | 29        | 29        | 29              |
| $f_{29}(p)$ | 0         | 14        | 9         | 6         | 5               |
|             | $x_6/p_6$ | $x_7/p_7$ | $x_8/p_8$ | $x_9/p_9$ | $x_{10}/p_{10}$ |
| $f_{29}(x)$ | 29        | 29        | 29        | 29        | 29              |
| $f_{29}(p)$ | 4         | 4         | 3         | 3         | 2               |

### Algorithm 1 The proposed algorithm

- 1: Algebraic polynomial system  $f(x_1, x_2, \dots, x_n)$
- 2: Substitute  $x_1, x_2, \dots, x_n$  with  $p_1, p_2, \dots, p_n, \dots, p_k$ ,  $f(x_1, \dots, x_n)$  is transformed into  $f(p_1, \dots, p_n, \dots, p_k)$ .
- 3: **if** The number of  $p$  larger than  $n$  **then**
- 4: Eliminate  $p_{n+1}, \dots, p_k$  according to (7).
- 5: **end if**
- 6: Eliminate all the elementary symmetric polynomials  $e_1, e_2, \dots, e_n$  according to (7), get the final reduced polynomial system  $f(p_1, p_2, \dots, p_n)$ .
- 7: Solve the Groebner basis of the reduced polynomial system, get the results of  $p_1, p_2, \dots, p_n$ .
- 8: Solve  $e_1, e_2, \dots, e_n$  from the results of  $p_1, p_2, \dots, p_n$  according to (7).
- 9: Using the coefficients  $e_1, e_2, \dots, e_n$ , construct the univariate higher-order equation with variables  $x_1, x_2, \dots, x_n$ , according to (4).
- 10: Solve the univariate higher-order equation, and use the inverse triangle transformation to get the final switching angles.

system are exactly the same as the original polynomial system.

### C. Solving final results by algebraic algorithm

The reduced polynomial system (11) can be solved by using algebraic algorithms, such as the resultant elimination method, the Wu's method, and the Groebner basis method. According to the published literatures [27], the Groebner basis method has the best computation ability, so the Groebner basis method is chosen here to solve (11). As the implementation of the Groebner basis method is beyond the subject of this paper, the detailed principle of this method is omitted here and it can be found in [27]. In fact, some commercial symbolic computing software, such as *Maple* and *Mathematica*, provide the computing command of Groebner basis. Here, the command *Basis* in *Maple* is used to compute Groebner basis of (11), and the results are shown by (12).

$$\begin{cases} a_{162}p_2^{162} + a_{161}p_2^{161} + \dots + a_1 p_2 + a_0 = 0 \\ b_1 p_3 + f_1(p_2) = 0 \\ b_2 p_4 + f_2(p_2) = 0 \\ \vdots \\ b_8 p_{10} + f_8(p_2) = 0 \end{cases} \quad (12)$$

where  $a_0, a_1, \dots, a_{162}$  and  $b_1, b_2, \dots, b_8$  are all big integers, and  $f_1, f_2, \dots, f_8$  are all univariate polynomials in  $p_2$ , which

are too large to be listed here. It can be seen from (12) that the first equation is a univariate high-order polynomial equation in  $p_2$ . Although the degree of the first equation is very high, how to solve a univariate higher order polynomial equation is well studied in the algebraic field. Therefore, it is easy to find all solutions of  $p_2$  in some mathematical software, such as *Maple*, *Mathematica*, and *Matlab*. Here, we compute the first equation in (12) by using the command *fsolve* in *Maple*. Once the solutions of  $p_2$  are solved, the other eight equations are converted to univariate linear equations, so all solutions of  $p_3, p_4, \dots, p_{10}$  can be easily obtained.

After finding all solutions of  $p_2, p_3, \dots, p_{10}$ , the last step is to solve the results of  $x_1, x_2, \dots, x_{10}$ . Actually, the results of  $x$  can be solved from the univariate polynomial  $F(x)$  with the elementary symmetric polynomials as coefficients. Suppose  $F(x)$  as a univariate polynomial equation defined on the real number field with roots  $x_1, x_2, \dots, x_{10}$ , which can be written as

$$F(x) = (x - x_1)(x - x_2) \cdots (x - x_{10}) \quad (13)$$

If (13) is expanded, it can be seen that the coefficients of  $F(x)$  have the same form of elementary symmetric polynomial (4). Therefore, once the solutions of  $e_1, e_2, \dots, e_{10}$  are obtained, the results of  $x_1, x_2, \dots, x_{10}$  can be solved from elementary symmetric polynomials (4) by constructing the univariate polynomial equation with coefficients  $e_1, e_2, \dots, e_{10}$  as (14).

$$f(x) = x^{10} - e_1x^9 + e_2x^8 - e_3x^7 + \cdots - e_9x + e_{10} \quad (14)$$

The solutions of  $e_2, e_3, \dots, e_{10}$  can be easily solved by using (9). Then, the final solutions for the algebraic form of SHE equations (3) can be easily obtained by solving (14). Finally, according to  $\arccos(x_i) = \alpha_i$ , switching angles  $\alpha_1, \alpha_2, \dots, \alpha_{10}$  can be obtained. In order to make the algorithm easier to understand, the whole solving process has been given in Algorithm 1.

#### IV. COMPUTATION RESULTS

Based on a workstation with XEON E3-1230 CPU and 16 GB RAM, and the symbolic computing software *Maple21*, some results for the SHE equations with 9 and 10 switching angles are obtained by combining the proposed method and the Groebner basis method.

##### A. The SHE equations with ten switching angles

For the case of ten switching angles described in Section III, when the modulation index  $m = 0.8$ , there are sixty-nine groups of solutions in total, which are all listed in Table II. The arrows on the right sides of the angles indicate the transition states of the PWM waveforms at each switching angle. According to the levels of the generated waveforms, the sixty-nine groups of solutions can be further classified to three-level, five-level, seven-level and nine-level waveforms, and each of them has three, fifty, fourteen and two groups of solutions, respectively. This is the first time that all the possible solutions for the SHE equations with ten switching angles are given.




Fig. 1. The solutions trajectories of three-level SHE problem. There is one group of solution in (a) ~ (g), and two groups of solutions in (h).




Fig. 2. Comparison of the lowest THD and the maximum THD in full modulation index range

##### B. The SHE equations with nine switching angles

Fig. 1 is the part of the solutions for three-level PWM with nine switching angles. It can be seen that there have

TABLE II  
SIXTY-NINE GROUPS OF SWITCHING ANGLES FOR  $m = 4/5$

|             |             | $\alpha_1$ | $\alpha_2$ | $\alpha_3$ | $\alpha_4$ | $\alpha_5$ | $\alpha_6$ | $\alpha_7$ | $\alpha_8$ | $\alpha_9$ | $\alpha_{10}$ |          |
|-------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|---------------|----------|
| three-level | 1           | 12.89° ↓   | 18.44° ↑   | 21.47° ↓   | 53.10° ↑   | 55.77° ↓   | 74.27° ↑   | 76.68° ↓   | 80.54° ↑   | 82.70° ↓   | 87.67° ↑      |          |
|             | 2           | 13.45° ↓   | 15.78° ↑   | 21.33° ↓   | 42.06° ↑   | 45.06° ↓   | 52.92° ↑   | 55.68° ↓   | 82.64° ↑   | 84.46° ↓   | 88.00° ↑      |          |
|             | 3           | 12.55° ↓   | 17.52° ↑   | 23.28° ↓   | 37.44° ↑   | 39.91° ↓   | 53.34° ↑   | 55.91° ↓   | 73.65° ↑   | 75.87° ↓   | 87.71° ↑      |          |
| five-level  | 4           | 38.53° ↓   | 41.54° ↑   | 47.09° ↓   | 53.07° ↑   | 55.75° ↓   | 73.41° ↓   | 75.75° ↑   | 82.09° ↓   | 85.49° ↑   | 88.56° ↓      |          |
|             | 5           | 21.47° ↓   | 41.54° ↑   | 47.10° ↓   | 53.07° ↑   | 55.75° ↓   | 73.38° ↓   | 75.68° ↑   | 83.33° ↓   | 85.20° ↓   | 88.22° ↑      |          |
|             | 6           | 12.89° ↓   | 38.53° ↓   | 41.56° ↑   | 53.09° ↑   | 55.77° ↓   | 73.14° ↓   | 75.97° ↓   | 77.42° ↑   | 83.27° ↓   | 87.74° ↑      |          |
|             | 7           | 18.46° ↑   | 21.48° ↓   | 47.09° ↓   | 53.06° ↑   | 55.74° ↓   | 73.48° ↓   | 76.02° ↑   | 78.97° ↓   | 84.96° ↑   | 88.34° ↓      |          |
|             | 8           | 4.12° ↓    | 38.56° ↓   | 41.61° ↑   | 47.17° ↓   | 53.21° ↑   | 64.18° ↑   | 73.78° ↓   | 76.32° ↑   | 83.07° ↓   | 87.67° ↑      |          |
|             | 9           | 12.93° ↓   | 21.49° ↓   | 41.52° ↑   | 53.02° ↑   | 55.72° ↓   | 69.67° ↓   | 69.79° ↓   | 75.21° ↑   | 84.70° ↓   | 88.20° ↓      |          |
|             | 10          | 4.34° ↓    | 21.50° ↓   | 41.50° ↑   | 47.04° ↓   | 52.96° ↑   | 64.30° ↑   | 73.13° ↓   | 75.34° ↑   | 84.68° ↑   | 88.19° ↓      |          |
|             | 11          | 13.22° ↓   | 21.57° ↓   | 41.35° ↑   | 51.54° ↑   | 52.37° ↓   | 54.29° ↑   | 56.16° ↓   | 75.44° ↓   | 84.76° ↑   | 88.22° ↓      |          |
|             | 12          | 3.98° ↓    | 18.33° ↑   | 21.41° ↓   | 47.24° ↓   | 53.36° ↑   | 64.10° ↑   | 74.30° ↓   | 78.37° ↑   | 81.33° ↓   | 87.45° ↑      |          |
|             | 13          | 7.39° ↓    | 21.53° ↓   | 36.58° ↓   | 44.23° ↓   | 48.96° ↑   | 61.59° ↓   | 63.00° ↓   | 69.03° ↑   | 77.94° ↓   | 87.35° ↓      |          |
|             | 14          | 6.10° ↓    | 9.22° ↑    | 37.79° ↓   | 40.25° ↑   | 45.70° ↓   | 63.98° ↑   | 66.54° ↓   | 78.04° ↓   | 81.55° ↑   | 87.28° ↓      |          |
|             | 15          | 15.56° ↑   | 21.76° ↓   | 40.75° ↓   | 43.54° ↓   | 47.60° ↓   | 53.31° ↑   | 55.87° ↓   | 73.29° ↓   | 85.03° ↑   | 88.35° ↓      |          |
|             | 16          | 8.52° ↓    | 28.11° ↓   | 33.87° ↑   | 42.48° ↓   | 47.17° ↑   | 59.62° ↑   | 60.99° ↓   | 69.92° ↑   | 78.37° ↓   | 82.18° ↑      |          |
|             | 17          | 4.27° ↓    | 12.91° ↓   | 18.47° ↑   | 38.52° ↓   | 53.04° ↑   | 64.25° ↑   | 74.56° ↑   | 77.26° ↓   | 83.46° ↓   | 87.81° ↓      |          |
|             | 18          | 22.34° ↓   | 25.79° ↑   | 34.72° ↓   | 40.91° ↑   | 46.86° ↓   | 52.90° ↑   | 55.66° ↓   | 73.52° ↓   | 75.92° ↑   | 88.63° ↓      |          |
|             | 19          | 13.49° ↓   | 15.88° ↑   | 38.68° ↓   | 42.11° ↑   | 45.04° ↓   | 52.91° ↑   | 55.67° ↓   | 82.31° ↓   | 85.85° ↑   | 88.75° ↓      |          |
|             | 20          | 22.34° ↓   | 28.07° ↓   | 30.78° ↑   | 40.79° ↑   | 46.79° ↓   | 52.84° ↑   | 55.63° ↓   | 73.54° ↓   | 75.97° ↑   | 85.58° ↑      |          |
|             | 21          | 7.02° ↑    | 12.95° ↓   | 18.50° ↑   | 21.50° ↓   | 55.68° ↓   | 67.09° ↓   | 75.09° ↓   | 78.37° ↓   | 84.62° ↓   | 88.15° ↓      |          |
|             | 22          | 4.38° ↓    | 12.98° ↓   | 18.52° ↑   | 21.51° ↓   | 52.92° ↓   | 64.31° ↑   | 75.07° ↑   | 78.34° ↓   | 84.59° ↑   | 88.14° ↓      |          |
|             | 23          | 20.14° ↑   | 23.94° ↓   | 28.72° ↑   | 33.63° ↓   | 46.49° ↓   | 52.63° ↑   | 55.51° ↓   | 73.60° ↓   | 75.92° ↑   | 79.49° ↓      |          |
|             | 24          | 2.66° ↓    | 5.53° ↑    | 12.38° ↓   | 38.74° ↓   | 41.96° ↑   | 64.42° ↑   | 67.26° ↓   | 75.22° ↑   | 82.75° ↓   | 87.55° ↑      |          |
|             | 25          | 8.85° ↓    | 17.74° ↓   | 26.80° ↑   | 30.07° ↓   | 46.82° ↓   | 58.68° ↓   | 60.05° ↓   | 70.08° ↑   | 80.73° ↑   | 84.64° ↓      |          |
|             | seven-level | 26         | 5.91° ↓    | 8.94° ↑    | 19.53° ↓   | 22.08° ↓   | 45.91° ↓   | 63.99° ↑   | 66.53° ↓   | 77.15° ↓   | 83.62° ↑      | 87.58° ↓ |
|             |             | 27         | 13.47° ↓   | 23.70° ↓   | 28.56° ↑   | 33.48° ↓   | 39.98° ↓   | 52.65° ↑   | 55.53° ↓   | 75.44° ↓   | 77.43° ↓      | 78.28° ↑ |
|             |             | 28         | 13.10° ↓   | 16.45° ↓   | 17.63° ↑   | 38.65° ↓   | 42.69° ↑   | 53.00° ↑   | 55.72° ↓   | 74.63° ↑   | 83.27° ↓      | 87.75° ↑ |
|             |             | 29         | 4.19° ↓    | 6.88° ↑    | 12.89° ↓   | 21.47° ↓   | 41.55° ↓   | 64.34° ↓   | 67.12° ↓   | 75.15° ↓   | 84.69° ↑      | 88.20° ↓ |
|             |             | 30         | 12.38° ↓   | 17.41° ↓   | 27.39° ↑   | 31.88° ↓   | 39.55° ↓   | 53.50° ↑   | 56.01° ↓   | 73.42° ↑   | 75.75° ↓      | 83.10° ↓ |
|             |             | 31         | 6.82° ↓    | 10.32° ↑   | 15.23° ↓   | 20.86° ↑   | 37.05° ↓   | 63.53° ↑   | 65.82° ↓   | 73.07° ↑   | 76.07° ↓      | 87.20° ↓ |
|             |             | 32         | 8.19° ↓    | 12.51° ↑   | 17.36° ↓   | 27.95° ↓   | 34.02° ↑   | 61.06° ↑   | 62.58° ↓   | 70.66° ↑   | 73.85° ↓      | 81.60° ↑ |
|             |             | 33         | 3.66° ↓    | 16.34° ↑   | 23.03° ↓   | 38.22° ↑   | 41.25° ↓   | 48.01° ↓   | 53.91° ↓   | 63.78° ↓   | 73.82° ↓      | 87.61° ↑ |
|             |             | 34         | 4.39° ↓    | 23.43° ↓   | 28.37° ↓   | 33.38° ↓   | 40.14° ↑   | 46.60° ↓   | 52.76° ↑   | 64.43° ↑   | 73.89° ↓      | 76.53° ↑ |
|             |             | 35         | 10.18° ↑   | 10.37° ↓   | 12.80° ↓   | 21.46° ↓   | 41.57° ↑   | 52.89° ↑   | 55.67° ↓   | 75.14° ↑   | 84.68° ↑      | 88.19° ↓ |
|             |             | 36         | 4.28° ↓    | 13.76° ↓   | 16.30° ↑   | 38.77° ↓   | 42.57° ↑   | 45.25° ↓   | 52.94° ↑   | 64.31° ↑   | 83.07° ↓      | 87.68° ↑ |
|             |             | 37         | 3.19° ↓    | 16.13° ↑   | 27.01° ↑   | 31.73° ↓   | 40.53° ↓   | 48.50° ↓   | 54.55° ↑   | 63.37° ↓   | 73.71° ↓      | 82.67° ↓ |
|             |             | 38         | 7.04° ↑    | 13.05° ↓   | 15.27° ↑   | 21.46° ↓   | 41.60° ↑   | 44.88° ↓   | 55.67° ↓   | 67.10° ↓   | 84.65° ↑      | 88.18° ↓ |
| 39          |             | 4.37° ↓    | 13.11° ↓   | 15.31° ↑   | 21.46° ↓   | 41.61° ↑   | 44.90° ↓   | 52.91° ↑   | 64.33° ↑   | 84.64° ↑   | 88.17° ↓      |          |
| 40          |             | 6.97° ↑    | 12.86° ↓   | 21.16° ↓   | 24.32° ↑   | 35.51° ↓   | 41.75° ↑   | 55.70° ↓   | 67.05° ↓   | 75.01° ↑   | 88.07° ↓      |          |
| 41          |             | 6.90° ↑    | 12.78° ↓   | 21.07° ↓   | 28.18° ↓   | 32.17° ↑   | 41.91° ↓   | 55.74° ↓   | 66.99° ↓   | 74.89° ↑   | 84.28° ↑      |          |
| 42          |             | 7.39° ↑    | 13.52° ↓   | 20.17° ↑   | 24.02° ↓   | 28.77° ↓   | 33.67° ↓   | 55.50° ↓   | 67.40° ↓   | 75.80° ↑   | 79.43° ↓      |          |
| 43          |             | 6.11° ↓    | 9.06° ↑    | 18.03° ↓   | 21.58° ↑   | 36.79° ↓   | 43.45° ↑   | 46.45° ↓   | 63.77° ↑   | 66.19° ↓   | 87.33° ↓      |          |
| 44          |             | 4.51° ↓    | 13.53° ↓   | 20.19° ↑   | 24.04° ↓   | 28.79° ↑   | 33.67° ↓   | 52.60° ↑   | 64.50° ↑   | 75.80° ↑   | 79.42° ↓      |          |
| 45          |             | 8.88° ↓    | 18.55° ↓   | 22.41° ↑   | 28.38° ↓   | 34.42° ↓   | 38.71° ↓   | 46.52° ↑   | 59.05° ↑   | 60.45° ↑   | 70.27° ↓      |          |
| 46          |             | 6.00° ↓    | 9.18° ↑    | 20.95° ↓   | 26.56° ↓   | 31.56° ↑   | 35.75° ↓   | 45.49° ↓   | 64.11° ↑   | 66.75° ↓   | 77.69° ↓      |          |
| 47          |             | 13.61° ↓   | 16.09° ↑   | 22.63° ↓   | 26.24° ↑   | 34.55° ↓   | 40.99° ↑   | 44.46° ↓   | 52.71° ↑   | 55.56° ↓   | 88.81° ↓      |          |
| 48          |             | 13.64° ↓   | 16.12° ↑   | 22.59° ↓   | 27.83° ↑   | 30.34° ↓   | 40.83° ↑   | 44.36° ↓   | 52.67° ↑   | 55.54° ↓   | 85.79° ↓      |          |
| 49          |             | 3.91° ↓    | 6.77° ↑    | 13.18° ↓   | 23.23° ↓   | 28.25° ↓   | 33.37° ↓   | 40.36° ↓   | 64.54° ↓   | 67.47° ↓   | 75.95° ↓      |          |
| 50          |             | 13.61° ↓   | 15.96° ↓   | 20.06° ↓   | 23.91° ↓   | 28.71° ↑   | 33.63° ↓   | 44.18° ↓   | 52.59° ↑   | 55.50° ↓   | 79.45° ↓      |          |
| 51          |             | 13.59° ↓   | 18.52° ↓   | 19.15° ↑   | 23.79° ↓   | 28.65° ↑   | 33.60° ↓   | 40.53° ↑   | 52.59° ↑   | 55.49° ↓   | 75.83° ↑      |          |
| 52          |             | 7.47° ↑    | 13.92° ↓   | 16.58° ↑   | 23.49° ↓   | 28.47° ↑   | 33.51° ↓   | 40.47° ↑   | 44.12° ↓   | 55.48° ↓   | 67.44° ↓      |          |
| 53          |             | 4.50° ↓    | 13.89° ↓   | 16.55° ↓   | 23.48° ↓   | 28.46° ↓   | 33.50° ↓   | 40.46° ↑   | 44.12° ↓   | 52.56° ↑   | 64.52° ↓      |          |
| nine-level  |             | 54         | 18.45° ↑   | 38.53° ↓   | 47.11° ↓   | 53.08° ↑   | 55.77° ↓   | 73.16° ↓   | 74.97° ↑   | 77.47° ↑   | 83.39° ↓      | 87.78° ↑ |
|             | 55          | 6.84° ↑    | 38.55° ↓   | 41.59° ↑   | 47.15° ↓   | 55.83° ↓   | 66.77° ↓   | 73.84° ↓   | 76.38° ↑   | 83.09° ↓   | 87.68° ↑      |          |
|             | 56          | 7.00° ↑    | 21.49° ↓   | 41.51° ↑   | 47.06° ↓   | 55.69° ↓   | 67.05° ↓   | 73.08° ↓   | 75.30° ↑   | 84.69° ↑   | 88.19° ↓      |          |
|             | 57          | 7.02° ↑    | 12.95° ↓   | 38.50° ↓   | 41.50° ↑   | 55.68° ↓   | 67.10° ↓   | 75.14° ↓   | 81.31° ↓   | 84.46° ↑   | 88.10° ↓      |          |
|             | 58          | 4.39° ↓    | 12.98° ↓   | 38.49° ↓   | 41.47° ↑   | 52.91° ↓   | 64.32° ↑   | 75.13° ↑   | 81.23° ↓   | 84.36° ↑   | 88.06° ↓      |          |
|             | 59          | 6.75° ↑    | 18.37° ↑   | 21.43° ↓   | 47.19° ↓   | 55.91° ↓   | 66.62° ↓   | 74.40° ↓   | 78.48° ↑   | 81.41° ↓   | 87.47° ↑      |          |
|             | 60          | 6.94° ↑    | 12.91° ↓   | 18.46° ↑   | 38.53° ↓   | 55.74° ↓   | 66.97° ↓   | 74.56° ↑   | 77.27° ↓   | 83.45° ↓   | 87.81° ↑      |          |
|             | 61          | 5.62° ↓    | 8.53° ↑    | 19.22° ↑   | 38.10° ↓   | 46.21° ↓   | 63.98° ↓   | 66.50° ↓   | 76.54° ↓   | 84.47° ↓   | 88.26° ↓      |          |
|             | 62          | 8.58° ↓    | 16.81° ↓   | 24.51° ↓   | 37.06° ↑   | 47.54° ↓   | 58.44° ↑   | 59.76° ↓   | 69.59° ↓   | 79.54° ↑   | 88.12° ↑      |          |
|             | 63          | 13.20° ↓   | 15.02° ↓   | 18.25° ↓   | 38.59° ↓   | 45.38° ↓   | 53.00° ↑   | 55.73° ↓   | 77.32° ↓   | 83.34° ↓   | 87.77° ↑      |          |
|             | 64          | 6.22° ↑    | 16.42° ↑   | 23.06° ↓   | 38.17° ↑   | 41.18° ↓   | 47.94° ↓   | 56.21° ↓   | 66.10° ↓   | 73.91° ↓   | 87.62° ↑      |          |
|             | 65          | 7.28° ↑    | 23.45° ↓   | 28.38° ↑   | 33.38° ↓   | 40.12° ↓   | 46.59° ↓   | 55.58° ↓   | 67.23° ↓   | 73.94° ↓   | 76.58° ↑      |          |
|             | 66          | 7.10° ↑    | 13.80° ↓   | 16.34° ↑   | 38.77° ↓   | 42.58° ↑   | 45.26° ↓   | 55.69° ↓   | 67.06° ↓   | 83.08° ↓   | 87.69° ↑      |          |
|             | 67          | 4.35° ↓    | 12.86° ↓   | 21.02° ↓   | 24.15° ↑   | 35.60° ↑   | 41.84° ↓   | 52.99° ↑   | 64.27° ↑   | 74.94° ↑   | 88.01° ↓      |          |
|             | nine-level  | 68         | 5.67° ↑    | 16.23° ↑   | 27.04° ↑   | 31.72° ↓   | 40.47° ↓   | 48.40° ↓   | 56.60° ↓   | 65.51° ↓   | 73.81° ↓      | 82.71° ↓ |
|             |             | 69         | 4.31° ↓    | 12.71° ↓   | 20.86° ↓   | 28.17° ↓   | 32.35° ↑   | 42.11° ↓   | 53.08° ↑   | 64.22° ↑   | 74.74° ↑      | 84.08° ↑ |

TABLE III

THE COMPARISON OF THE EXECUTING TIME BETWEEN THE SYMMETRIC POLYNOMIALS METHOD AND THE PROPOSED METHOD (UNIT:SECOND).

| Switching points | Symmetric polynomials | Proposed method |
|------------------|-----------------------|-----------------|
| $N = 5$          | 0.969                 | 0.490           |
| $N = 6$          | 60.782                | 0.689           |
| $N = 7$          | 2062.385              | 2.624           |
| $N = 8$          | 122503.216            | 3.559           |
| $N = 9$          | N/A                   | 10.182          |
| $N = 10$         | N/A                   | 50.434          |

four groups of solutions under most modulation indices, and when  $m = 0.66$ , there are nine groups of solutions. The results indicate that there are many groups of solutions under most modulation indices, which can be used for the optimal modulation of converters to improve the THD performance. In order to show THD performance of different solutions, the solutions for SHE equations with nine switching angles are solved for  $m$  in  $[0, 6.7]$  with an increment step of  $\Delta m = 0.01$ . Then, the THD performance of the obtained solutions are shown in Fig. 2, in which the blue line represents maximum THD value and the orange line indicates lowest THD value of the obtained solutions. It can be seen that in the same modulation index, different solutions will lead to different THD performance. Therefore, solving all the solutions can increase the possibility to find valid solutions for specific modulation indices. Furthermore, it can be seen that the continuity of these solutions is difficult to determine. Thus, it is very hard to solve the trajectories by some numerical methods [21], [22] or fit them with simple piece wise linear functions for multilevel converters. Therefore, these solutions trajectories can not only prove the correctness and completeness of the proposed method but also provide comprehensive solutions for multilevel converters.

## V. EVALUATION OF THE PROPOSED METHOD

As described in Section III, the procedure of solving SHE equations with algebraic algorithms can be divided into two steps, degree reduction with the simplification method, and solving final results with the algebraic method. Therefore, the performance of the proposed method is evaluated in terms of two aspects, the improvement of the simplification effect and the improvement of the whole solving procedure.

### A. Evaluation of the proposed method in terms of the simplification process

To evaluate the simplification effect of the proposed method, the simplification efficiency and ability are compared with the commonly used elementary symmetric polynomials based method. Table III shows the comparison of the executing time for the proposed method and the commonly used method, which are calculated on a desktop computer with XEON E3-1230 CPU and 16 GB RAM. It can be seen that the computation time consumed by the elementary symmetric polynomial-based method increases dramatically when the number of switching angles is more than six. When the number of switching angles is eight, the proposed method performs 40800 times faster than the elementary symmetric




Fig. 3. The comparison of the computer memory between the symmetric polynomials method and the proposed method. (a) Computer memory used to solve eight switching angles with symmetric polynomial method, (b) Computer memory used to solve eight switching angles with the proposed method.




Fig. 4. Degree comparison between  $x$ ,  $e$  and  $p$  with five switching angles




Fig. 5. Degree comparison between  $x$ ,  $e$  and  $p$  with seven switching angles

polynomial-based method. More importantly, the elementary symmetric polynomial-based method totally fails to give the final results due to the huge computing burden when the number of switching angles exceeds eight. Besides, Fig. 3 indicates the computer memory occupied by running the two simplification methods. Fig. 3 (a) only shows 5 hours process of the elementary symmetric polynomial method, and actually, it needs nearly 35 hours to complete the whole process. It can be seen that the computer memory occupied by the elementary symmetric polynomial-based method is almost three times as large as the proposed method.

In addition to simplification efficiency, the simplification ability of the proposed method has been improved. As shown in Fig. 4 and Fig. 5, the degree comparisons for five and seven switching angles are given, in which the blue, the orange and the yellow represents the original degree of the SHE equations, the reduced degree achieved by the elementary symmetric polynomials based method and the proposed method, respectively. It can be seen that the degree of the SHE equations simplified by the proposed method are lower than that of the elementary symmetric polynomials based method, which can further reduce the computing burden of the subsequent solving procedure. Therefore, the simplification ability of the proposed method is better than the elementary symmetric polynomials based method.



### B. Evaluation of the proposed method in terms of the whole solving procedure

The proposed method can not only improve the effect and efficiency of the simplification process, but also improve the computation ability and efficiency of the whole solving procedure. Table IV shows the executing time of the whole solving procedure. It can be seen that without using any simplification method, the Groebner basis method can only solve five switching angles [27]. With the elementary symmetric polynomial simplification method, the Groebner basis can solve eight switching angles in our computer, but the solving time is very long. However, by using the proposed simplification method, the executing time of the whole procedure is significantly reduced, and the switching angles can be solved to ten.

More importantly, the proposed method breaks the upper limit of the solving ability of the previous algebraic algorithms. Table V describes the development process of algebraic algorithms since the resultant elimination method was proposed in 2002. It can be seen that there are only three switching angles that can be solved by algebraic algorithms at the beginning. Over the past two decades, the solvable number of switching angles has increased very slowly. This is the first time that all solutions of the SHE equations with nine switching angles within the full modulation index range are given, and the number of solvable switching angles by algebraic algorithms is increased to ten. It should be pointed out that one solution of SHE equations with nine switching angles was given in [34], but in the limited conditions of our computer, only eight switching angles can be solved by the elementary symmetric polynomial-based method. Therefore, in Table III, the executing time of nine switching angles represents not applicable.

### C. Limitation of the proposed method

Since the principle of Newton's identities is based on the relation between power sum symmetric polynomials and elementary symmetric polynomials, the proposed method requires the SHE equations should be symmetric. It means that the output waveform of converters must be quarter-symmetric and the amplitude of DC voltage should be equal, so that the SHE equations can be transformed into a symmetric polynomial system.

## VI. EXPERIMENTAL VERIFICATION

Two experimental case studies are carried out to verify the proposed method. The first experiment study is established on a 7-level cascaded H-bridge (CHB) converter, in which the IRFP250N MOSFETs are used as switching devices, the ADum1400 is used as the isolator, and the STM32F407 are used as the controller to generate the SHEPWM driven single. The DC power supply of every H-bridge is set to 30V. The 1st, 4th, and 54th solutions shown in Table. II are implemented in the microcontroller to verify the correctness of solutions solved by the proposed method. Because this experimental case aims to validate the correctness of solutions, an open-loop experiment is carried out here. The output PWM waveform is recorded, and the related FFT results are also given in Fig.

6. It can be seen that the aimed 5th, 7th, 11th, 13th, 17th, 19th, 23rd, 25th, and 29th harmonics are precisely eliminated, which validates the correctness of the solved switching angles.

The second experiment case study aims to present the performance of solutions solved by the proposed method in motor-driven applications. This experiment is established on an asynchronous motor experimental platform as shown in Fig. 8. The parameters of the experimental platform are shown in Table VI. The schematic of the controller is given in Fig. 7. Firstly, the reference frequency of asynchronous motor is given to the V/f controller. To maintain the stability of torque and magnetic flux of motor, the ratio of voltage and frequency is always keeping to constant, based which the output voltage can be solved. Then, according to the output voltage of asynchronous motor, modulation index can be obtained, and the switching angles can be chosen from look-up table. Based on the switching angles  $\alpha$  and the input phase angle  $\theta$ , the SHEPWM Block will output PWM signal to control the three-phase inverter, and then drive the asynchronous motor. Besides, the PMSG is used as a controllable load machine. The reference value of output torque of the PMSG can be given through the in-built control system implemented in the dSPACE controller. Besides, the L-type filter is used to reduce high frequency noise, because L-type filter does not eliminate any order of harmonic, and it can keep the original effect of the proposed method for eliminating harmonics. Two subcases are carried out in this case to present the harmonic performance of the solved switching angles and the dynamic performance of the proposed scheme. The first subcase aims to show the steady-state current performance of the solved angles, and the results are shown in Fig. 9 - 11. The second subcase is used to verify the dynamic performance of the solved switching angles, and the experimental results are shown in Fig. 12.

The three-phase steady-state output currents, line to line voltage and the corresponding FFT analysis based on the solved switching angles are given with the 30Hz, 40Hz, and 50Hz fundamental frequency in Fig. 9 - 11. To compare the harmonic performance between SHEPWM and SPWM, the steady-state output currents, line to line voltage and FFT analysis based on SPWM are also given. In Fig. 9 ~ Fig. 11. It can be seen that, for SHEPWM, the first uneliminated harmonic is the 29th, but for SPWM, the first uneliminated harmonic is 16th. Moreover, at the bandwidth from 3-29th harmonics, the SPWM has some other harmonics, but the SHEPWM has almost no harmonics. This phenomenon shows the SHEPWM has better performance in the low-switching frequency applications.


The experimental results of the dynamic performance of the proposed method are shown in Fig. 12. The load of AC motor has a step change from 50% to 100% (14 Nm). The time period of the dynamic process is marked in the figure. Besides, to compare the performance between SHEPWM and SPWM, the experiment results of SPWM with same switching frequency are shown in Fig. 12. The experimental results show that the solved switching angles almost has the same performance with the SPWM with same switching frequency, no matter at the 30 Hz fundamental frequency or the 50 Hz

TABLE IV  
COMPARISON OF COMPUTATIONAL ABILITY AND EFFICIENCY BETWEEN THE PROPOSED METHOD AND OTHER METHODS (UNIT:SECOND).


| Algorithms                             | Running Time |         |          |            |         |          | Software |
|--|--------------|---------|----------|------------|---------|----------|----------|
|  | $N = 5$      | $N = 6$ | $N = 7$  | $N = 8$    | $N = 9$ | $N = 10$ |          |
| Groebner basis method                  | 2.269        | N/A     | N/A      | N/A        | N/A     | N/A      | Maple    |
| Symmetric polynomials + Groebner basis | 1.574        | 63.282  | 2079.264 | 122677.981 | N/A     | N/A      | Maple    |
| Proposed method + Groebner basis       | 0.935        | 3.391   | 6.251    | 46.399     | 365.249 | 8862.571 | Maple    |

TABLE V  
THE COMPARISON OF THE MAXIMUM SOLVABLE NUMBER OF THE PREVIOUS ALGEBRAIC METHODS AND THE PROPOSED METHOD.


| Algorithms                            | Literatures                          | Proposed year | Maximum solvable number |   |
|---------------------------------------|--------------------------------------|---------------|-------------------------|---|
| Symmetric polynomial method           | [36]                                 | 2005          | 9                       |   |
| <b>Simplification Methods</b>         | <b>Proposed method</b>               |               | <b>&gt;50</b>           |   |
| Resultant method                      | [32]                                 | 2002          | 3                       |   |
| Wu's method                           | [33]                                 | 2005          | 4                       |   |
| Resultant+Symmetric polynomial method | [36]                                 | 2005          | 5                       |   |
| Complete Algorithms                   | Wu's+Symmetric polynomial method     | [28]          | 2007                    | 5 |
|                                       | Groebner basis method                | [34]          | 2015                    | 5 |
|                                       | Groebner+Symmetric polynomial method | [29]          | 2016                    | 9 |
|                                       | <b>Groebner+Proposed method</b>      |               | <b>10</b>               |   |




(a) The three-level phase voltage of the CHB with the 1st solution in Table. II




(b) The five-level phase voltage of the CHB with the 4th solution in Table. II




(c) The seven-level phase voltage of the CHB with the 54th solution in Table. II



(d) The FFT analysis result of the output voltage with the 1st solution in Table. II



(e) The FFT analysis result of the output voltage with the 4th solution in Table. II



(f) The FFT analysis result of the output voltage with the 54th solution in Table. II

Fig. 6. The output voltage and the related FFT analysis of the experiment carried on the 7-level CHB converter.

TABLE VI  
PARAMETERS OF THE MOTOR EXPERIMENTAL PLATFORM

| Parameters                                  | Values            |
|---|-------------------|
| Type of the motor                           | Y801-4            |
| Power Filter                                | Type-L 10kW/4.2mH |
| Inverter                                    | FC-051P15KT4      |
| DC Power Supply                             | 750V              |
| Controller                                  | dSPACE DS1006     |
| Switching frequency (for 50 Hz fundamental) | 900 Hz            |
| Switching frequency (for 40 Hz fundamental) | 720 Hz            |
| Switching frequency (for 30 Hz fundamental) | 540 Hz            |
| Load parameters                             | 0 - 14 Nm         |

fundamental frequency. Based on the experimental results of the two subcases, the correctness and effectiveness of the

proposed method can be well verified.

## VII. CONCLUSION

This paper proposes a general degree reduction method to simplify the SHE equations based on the Newton's identities and the power sums, which makes the degree reduction no longer the bottleneck of solving the SHE equations with algebraic algorithms. The major contributions of the proposed method are summarized as:

- 1) By combining the proposed simplification method with the Groebner basis method, the SHE equations with ten switching angles can be solved by the algebraic algorithm for the first time, which means that the harmonics below 30th can be accurately eliminated.
- 2) Compared with the commonly used simplification method, the simplification efficiency of the proposed




Fig. 7. Schematic of SHEPWM based controller of experimental platform




Fig. 8. The photo of the asynchronous motor experimental platform.

method has been significantly improved. For example, the proposed method performs almost 40800 times faster when the number of switching angles is eight.

- 3) The reduced degree of the simplified SHE equations are slightly lower than the elementary symmetric polynomial method.
- 4) Experimental results verify that the switching angles solved by this paper can obtain good harmonic performance in low switching frequency.

This paper is aimed at the solving algorithm for SHE equations, and take motor drive as an example to verify the practicality of the proposed method. In the future work, more applications will be explored to use this method, such as grid-connected converters, active rectifiers, STATCOM systems and so on.


REFERENCES

[1] J. He, C. Zhang, M. Lei, J. Han, P. Guo, and Y. Li, "An active bypass pulse injection-based low switching frequency pwm approach for harmonic compensation of current-source converters," *IEEE Transactions on Power Electronics*, vol. 36, no. 2, pp. 1614–1625, Feb. 2021.

[2] Y. Zhang and Y. W. Li, "Detailed analysis of dc-link virtual impedance-based suppression method for harmonics interaction in high-power pwm current-source motor drives," *IEEE Transactions on Power Electronics*, vol. 30, no. 9, pp. 4646–4658, Sep. 2015.


[3] J. I. Leon, S. Vazquez, and L. G. Franquelo, "Multilevel converters: Control and modulation techniques for their operation and industrial applications," *Proceedings of the IEEE*, vol. 105, no. 11, pp. 2066–2081, Nov. 2017.

[4] Z. B. Duranay and H. Guldemir, "Selective harmonic eliminated v/f speed control of single-phase induction motor," *IET Power Electronics*, vol. 11, no. 3, pp. 477–483, Mar. 2018.




(a) The steady-state current and line to line voltage of the motor with SHEPWM

(b) The steady-state current and line to line voltage of the motor with SPWM




(c) The FFT analysis of the steady-state current in (a)




(d) The FFT analysis of the steady-state current in (b)

Fig. 9. The harmonic performance of the steady-state motor current when the fundamental frequency is 30Hz.




(a) The steady-state current and line to line voltage of the motor with SHEPWM

(b) The steady-state current and line to line voltage of the motor with SPWM



(c) The FFT analysis of the steady-state current of the motor with SHEPWM



(d) The FFT analysis of the steady-state current of the motor with SPWM

Fig. 10. The harmonic performance of the steady-state motor current when the fundamental frequency is 40Hz.

[5] R. M. Akare, S. Kewte, R. Shaha, and S. Rewatkar, "Multilevel converter for direct grid integration of renewable energy system," in *2017 International Conference on Energy, Communication, Data Analytics and Smart Computing (ICECDS)*, Aug. 2017, pp. 2615–2617.

[6] S. Yin, Y. Huang, Y. Xue, D. Meng, C. Wang, Y. Lv, L. Diao, and J. Jatskevich, "Improved full-order adaptive observer for sensorless induction motor control in railway traction systems under low-switching frequency," *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 7, no. 4, pp. 2333–2345, Dec. 2019.

[7] X. Qi and J. Holtz, "Modeling and control of low switching frequency high-performance induction motor drives," *IEEE Transactions on Industrial Electronics*, vol. 67, no. 6, pp. 4402–4410, Jun. 2020.

[8] M. Wu, Y. W. Li, and G. Konstantinou, "A comprehensive review of capacitor voltage balancing strategies for multilevel converters under selective harmonic elimination pwm," *IEEE Transactions on Power Electronics*, vol. 36, no. 3, pp. 2748–2767, Mar. 2021.

[9] M. S. A. Dahidah, G. Konstantinou, and V. G. Agelidis, "A review of multilevel selective harmonic elimination pwm: Formulations, solving algorithms, implementation and applications," *IEEE Transactions on Power Electronics*, vol. 30, no. 8, pp. 4091–4106, Aug. 2015.




Fig. 11. The harmonic performance of the steady-state motor current when the fundamental frequency is 50Hz.

[10] S. Siddique, Marif Daula and Mekhilef, N. M. Shah, and M. A. Memon, "Optimal design of a new cascaded multilevel inverter topology with reduced switch count," *IEEE Access*, vol. 7, pp. 24 498–24 510, Mar. 2019.

[11] Y. Tao, C. Ktistis, Y. Zhao, W. Yin, and A. J. Peyton, "A class d power amplifier for multifrequency eddy current testing based on multisimultaneous-frequency selective harmonic elimination pulsewidth modulation," *IEEE Transactions on Industrial Electronics*, vol. 67, no. 10, pp. 8799–8807, Oct. 2020.

[12] A. Routray, R. K. Singh, and R. Mahanty, "Selective harmonic elimination and balancing of capacitor voltage in hybrid cascaded multilevel inverter using model predictive control," in *2019 IEEE Energy Conversion Congress and Exposition (ECCE)*, 2019, pp. 2597–2602.

[13] M. Wu, H. Tian, Y. W. Li, G. Konstantinou, and K. Yang, "A composite selective harmonic elimination model predictive control for seven-level hybrid-clamped inverters with optimal switching patterns," *IEEE Transactions on Power Electronics*, vol. 36, no. 1, pp. 274–284, Jan. 2021.

[14] S. Ahmad, I. Ashraf, A. Iqbal, and M. A. A. Fatimi, "She pwm for multilevel inverter using modified nr and pattern generation for wide range of solutions," in *2018 IEEE 12th International Conference on Compatibility, Power Electronics and Power Engineering (CPE-POWERENG 2018)*, 2018, pp. 1–6.

[15] M. H. Etesami, N. Farokhnia, and S. Hamid Fathi, "Colonial competitive algorithm development toward harmonic minimization in multilevel inverters," *IEEE Transactions on Industrial Informatics*, vol. 11, no. 2, pp. 459–466, Apr. 2015.

[16] M. A. Memon, S. Mekhilef, M. Mubin, and M. Aamir, "Selective harmonic elimination in inverters using bio-inspired intelligent algorithms for renewable energy conversion applications: A review," *Renewable and Sustainable Energy Reviews*, vol. 82, pp. 2235–2253, Feb. 2018.


[17] S. S. Lee, B. Chu, N. R. N. Idris, H. H. Goh, and Y. E. Heng, "Switched-battery boost-multilevel inverter with ga optimized shepwm for standalone application," *IEEE Transactions on Industrial Electronics*, vol. 63, no. 4, pp. 2133–2142, Apr. 2016.

[18] M. A. Memon, S. Mekhilef, and M. Mubin, "Selective harmonic elimination in multilevel inverter using hybrid apso algorithm," *IET Power Electronics*, vol. 11, no. 10, pp. 1673–1680, Aug. 2018.


[19] K. Ren, F. He, Z. Li, and K. Yang, "Parallel differential evolution algorithm accelerated by graphics processing unit for harmonic minimization in power converters," in *2021 IEEE Energy Conversion Congress and Exposition (ECCE)*, Oct. 2021, pp. 2888–2893.

[20] A. Chatterjee, A. Rastogi, R. Rastogi, A. Saini, and S. K. Sahoo, "Selective harmonic elimination of cascaded h-bridge multilevel inverter using genetic algorithm," in *2017 Innovations in Power and Advanced Computing Technologies (i-PACT)*, 2017, pp. 1–4.


[21] K. Shen, D. Zhao, J. Mei, L. M. Tolbert, J. Wang, M. Ban, Y. Ji, and




(a) The dynamic performance of current and line to line voltage of the motor with SPWM when the load increases 50% and the fundamental frequency is 30Hz



(b) The dynamic performance of current and line to line voltage of the motor with SPWM when the load increases 50% and the fundamental frequency is 50Hz



(c) The dynamic performance of current and line to line voltage of the motor with SHEPWM when the load increases 50% and the fundamental frequency is 30Hz



(d) The dynamic performance of current and line to line voltage of the motor with SHEPWM when the load increases 50% and the fundamental frequency is 50Hz

Fig. 12. The comparison between SPWM and SHEPWM when the load step changing.

- X. Cai, "Elimination of harmonics in a modular multilevel converter using particle swarm optimization-based staircase modulation strategy," *IEEE Transactions on Industrial Electronics*, vol. 61, no. 10, pp. 5311–5322, Oct. 2014.
- [22] K. P. Panda and G. Panda, "Application of swarm optimisation-based modified algorithm for selective harmonic elimination in reduced switch count multilevel inverter," *IET Power Electronics*, vol. 11, no. 8, pp. 1472–1482, Jul. 2018.
- [23] A. Routray, R. K. Singh, and R. Mahanty, "Harmonic reduction in hybrid cascaded multilevel inverter using modified grey wolf optimization," *IEEE Transactions on Industry Applications*, vol. 56, no. 2, pp. 1827–1838, Mar. 2020.
- [24] J. Chiasson, L. Tolbert, K. McKenzie, and Zhong Du, "Eliminating harmonics in a multilevel converter using resultant theory," in *2002 IEEE 33rd Annual IEEE Power Electronics Specialists Conference. Proceedings (Cat. No.02CH37289)*, vol. 2, 2002, pp. 503–508 vol.2.
- [25] M. Ahmed, M. Orabi, S. S. M. Ghoneim, M. M. Al-Harathi, F. A. Salem, B. Alamri, and S. Mekhilef, "General mathematical solution for selective harmonic elimination," *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 8, no. 4, pp. 4440–4456, Dec. 2020.
- [26] C. Zheng and B. Zhang, "Application of wu method to harmonic elimination techniques," *Proceedings of the CSEE*, vol. 25, no. 15, Aug. 2005.
- [27] K. Yang, Z. Yuan, R. Yuan, W. Yu, J. Yuan, and J. Wang, "A groebner bases theory-based method for selective harmonic elimination," *IEEE Transactions on Power Electronics*, vol. 30, no. 12, pp. 6581–6592, Dec. 2015.
- [28] P. Kujan, M. Hromčík, and M. Šebek, "Complete fast analytical solution of the optimal odd single-phase multilevel problem," *IEEE Transactions on Industrial Electronics*, vol. 57, no. 7, pp. 2382–2397, Jul. 2010.
- [29] A. Janabi, B. Wang, and D. Czarkowski, "Generalized chudnovsky algorithm for real-time pwm selective harmonic elimination/modulation: Two-level vsi example," *IEEE Transactions on Power Electronics*, vol. 35, no. 5, pp. 5437–5446, May 2020.
- [30] J. N. Chiasson, L. M. Tolbert, Z. Du, and K. J. McKenzie, "The use of power sums to solve the harmonic elimination equations for multilevel converters," *EPE Journal*, vol. 15, no. 1, pp. 19–27, Feb. 2005.
- [31] J. N. Chiasson, L. M. Tolbert, K. J. McKenzie, and Zhong Du, "Elimination of harmonics in a multilevel converter using the theory of symmetric polynomials and resultants," *IEEE Transactions on Control Systems Technology*, vol. 13, no. 2, pp. 216–223, Mar. 2005.
- [32] C. Zheng, B. Zhang, and D. Qiu, "Solving selective harmonic elimination polynomials of inverters using the theory of symmetric polynomials and wu method," *Control Theory and applications*, vol. 24, no. 3, Jun. 2007.
- [33] K. Yang, M. Feng, Y. Wang, X. Lan, J. Wang, D. Zhu, and W. Yu, "Real-time switching angle computation for selective harmonic control," *IEEE Transactions on Power Electronics*, vol. 34, no. 8, pp. 8201–8212, Aug. 2019.
- [34] K. Yang, Q. Zhang, R. Yuan, W. Yu, J. Yuan, and J. Wang, "Selective harmonic elimination with groebner bases and symmetric polynomials," *IEEE Transactions on Power Electronics*, vol. 31, no. 4, pp. 2742–2752, Apr. 2016.
- [35] K. Yang, Q. Zhang, J. Zhang, R. Yuan, Q. Guan, W. Yu, and J. Wang, "Unified selective harmonic elimination for multilevel converters," *IEEE Transactions on Power Electronics*, vol. 32, no. 2, pp. 1579–1590, Feb. 2017.
- [36] D. Cox, J. Little, and D. O'Shea, "Ideals, varieties, and algorithms: An introduction to computational algebraic geometry and commutative algebra," 3rd ed. New York, NY, USA: Springer-Verlag., 2006.



**Chenxu Wang** received the B.Eng in automation from Qingdao University of Technology, Qingdao, China, in 2017. Currently, she is working towards Ph.D. in electrical engineering from the School of Mechanical Electronic and Information Engineering, China University of Mining and Technology, Beijing.

Her main research interests include modeling and control of high-power converters, model predictive control of power electronics converters, selective harmonic elimination and the applications of computer algebra in power electronics.



**Qi Zhang** (Student Member, IEEE) received the B.Eng and M.Sc in electrical engineering from China University of Mining and Technology (Beijing), Beijing, China, in 2015 and 2018, respectively. Currently, he is working towards Ph.D. in energy technology from the Department of Energy Technology, Aalborg University, Aalborg, Denmark.

His main research interests include modeling, control, fault analysis and transient stability of power electronic dominated power system; control of power electronic converters, selective harmonic

elimination.



**Dunzhi Chen** (Student Member, IEEE) received the B.S. degree from the Jiangsu University of Science and Technology, Zhenjiang, China, in 2015, and the M.S. degree from Shanghai Maritime University, Shanghai, China, in 2017, all in electrical engineering. He is currently working toward the Ph.D. degree with the Department of Energy Technology, Aalborg University, Aalborg, Denmark.

His current research interests include sensorless control of permanent magnet synchronous machines.



**Zhaoyuan Li** received the B.Eng in electrical engineering from Chongqing University of Technology, Chongqing, China, in 2019, and the M.S degree in electrical engineering from China University of Mining and Technology, Beijing, China, in 2022.

His current research interests include harmonic control technologies and multilevel converter.



**Wensheng Yu** received the Ph.D. degree in dynamics and control from Peking University, Beijing, China, in 1998.

He joined the Institute of Automation, Chinese Academy of Sciences, Beijing, in 1998, and became a Professor in 2004. He was a Visiting Research Fellow with the University of Melbourne, Melbourne, VIC, Australia, from 2001 to 2002. He was a Professor with the Shanghai Key Laboratory of Trustworthy Computing, East China Normal University, Shanghai, China, from 2009 to 2014. He is currently a Professor with the School of Electronic Engineering, Beijing University of Posts and Telecommunications, Beijing. He has authored or coauthored numerous articles in journals and conference proceedings, which span the fundamental fields of control theory and control engineering and applied mathematics. His current research interests include robust and optimal control, adaptive filter theory and linear estimation, control theory and control engineering, robotics and control, complex systems and control, signal processing and communications.



**Kehu Yang** (Member, IEEE) received the B.S. degree in electrical engineering from Northwestern Polytechnical University, Xian, China, in 2003, and the Ph.D. degree in control theory and control engineering from the Institute of Automation, Chinese Academy of Sciences, Beijing, China, in 2009. From November 2013 to November 2014, he was a Postdoctoral Research Fellow with the Department of Electrical and Computer Engineering, The Ohio State University, Columbus, OH, USA, working on selective harmonic elimination technology and its applications in high-power converter and electric drives.

He is currently a Professor at the China University of Mining and Technology, Beijing, and also with the Key Laboratory of Intelligent Mining and Robotics, Ministry of Emergency Management of the People's Republic of China. His research interests include harmonic control technologies, modeling and control methods for high-power converters.