Aalborg Universitet



Topological Origins of Borosilicate Glass Properties

Smedskjær, Morten Mattrup; Mauro, John C.; Youngman, Randall E.; Hogue, Carrie L.; Potuzak, Marcel; Yue, Yuanzheng

Publication date: 2012

Document Version Accepted author manuscript, peer reviewed version

Link to publication from Aalborg University

Citation for published version (APA):

Smedskjær, M. M., Mauro, J. C., Youngman, R. E., Hogue, C. L., Potuzak, M., & Yue, Y. (2012). *Topological Origins of Borosilicate Glass Properties*. Abstract from Thirteenth International Conference on the Physics of Non-Crystalline Solids, Yichang, China.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

TOPOLOGICAL ORIGINS OF BOROSILICATE GLASS PROPERTIES

Morten M. Smedskjaer,^{a,b} John C. Mauro,^a Randall E. Youngman,^a Carrie L. Hogue,^a Marcel Potuzak,^a and Yuanzheng Yue^b

^a Science and Technology Division, Corning Incorporated, Corning, NY 14831, USA ^b Section of Chemistry, Aalborg University, DK-9000 Aalborg, Denmark Email address of presenting author: mos@bio.aau.dk

Borosilicate glasses display a rich complexity of chemical behavior depending on the details of their composition and thermal history. Here, we investigate the topological principles of borosilicate glass chemistry covering the extremes from pure borate to pure silicate end members. To do so, we first introduce a two-state statistical mechanical model of boron speciation in which addition of network modifiers leads to a competition between the formation of nonbridging oxygen and the conversion of boron from trigonal to tetrahedral configuration. Using this model and temperature-dependent constraint theory, we derive a detailed topological representation of alkali-alkaline earth-borosilicate glasses that enables the accurate prediction of properties such as glass transition temperature, liquid fragility, hardness, and configurational heat capacity. The modeling approach enables a detailed understanding of the microscopic mechanisms governing macroscopic properties.