



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Insights into Reaction Mechanism of Na₂CO₃ in Foaming Process of Cullet Powder

- Awarded as the Best Poster (1st Prize)

Petersen, Rasmus Rosenlund; König, Jakob; Smedskjær, Morten Mattrup; Yue, Yuanzheng

Publication date:
2013

Document Version
Early version, also known as pre-print

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Petersen, R. R., König, J., Smedskjær, M. M., & Yue, Y. (2013). *Insights into Reaction Mechanism of Na₂CO₃ in Foaming Process of Cullet Powder: - Awarded as the Best Poster (1st Prize)*. Poster presented at 87. Glastechnische Tagung der Deutschen Glastechnischen Gesellschaft (DGG), Bremen.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Insights into reaction mechanism of Na_2CO_3 in foaming process of cullet powder

Rasmus R. Petersen¹, Jakob König^{1,2}, Morten M. Smedskjaer¹, Yuanzheng Yue¹

¹ Section of Chemistry, Aalborg University, DK-9000 Aalborg, Denmark

² Advanced Materials Department, Jožef Stefan Institute, SI-1000 Ljubljana, Slovenia

Soda (Na_2CO_3) is one of the major raw materials for producing most of the daily used glasses. It often acts as effective fluxing agent in glass melting and foaming agent for producing lightweight glass materials due to its release of CO_2 at elevated temperatures. When Na_2CO_3 is added to a batch prior to glass melting, the resulting decomposition product Na_2O has strong impact on the melt viscosity, phase separation and crystallisation behaviour, and also mechanical properties of the final glass. This is relatively well understood in literature. In contrast, when Na_2CO_3 is added as a foaming agent together with glass cullet powder, the impact of the resulting Na_2O on the glass structure at the foaming temperatures has not been well understood. Here, we show that Na_2O can be readily incorporated into the network structure of the glass phase at temperatures much lower than normal batch melting temperatures. This is verified by a sharp decrease of the glass transition temperature (T_g) of the resulting foam glass when the foaming temperature is increased from 650 to 800 °C for various contents of Na_2CO_3 (up to 22 wt%). Upon further raising the foaming temperature, T_g reaches a plateau for lower Na_2CO_3 content, whereas it slightly increases again for the higher Na_2CO_3 due to possible crystallization. The sharp decrease in T_g implies that Na_2CO_3 reacts readily with the cullet powder at rather low temperatures. The released CO_2 at an optimum temperature causes ideal foaming effect in the glass, making the studied cullet powder potentially suitable for producing insulation materials. Finally, we discuss these results based on supplementary x-ray diffraction and scanning electron microscopy analyses.