

Prototyping Transparent and Flexible Electrochromic Displays

Löchtefeld, Markus; Jensen, Walther; Häkkinen, Jonna; Colley, Ashley; Müller, Heiko

Published in:

CHI EA 2020 - Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems

DOI (link to publication from Publisher):

[10.1145/3334480.3375043](https://doi.org/10.1145/3334480.3375043)

Creative Commons License

Unspecified

Publication date:

2020

Document Version

Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Löchtefeld, M., Jensen, W., Häkkinen, J., Colley, A., & Müller, H. (2020). Prototyping Transparent and Flexible Electrochromic Displays. In *CHI EA 2020 - Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems* (pp. 1–4). Article 3375043 Association for Computing Machinery (ACM).
<https://doi.org/10.1145/3334480.3375043>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Prototyping Transparent and Flexible Electrochromic Displays

Markus Löchtefeld
Aalborg University
Aalborg, Denmark
mloc@create.aau.dk

Ashley Colley
University of Lapland
Rovaniemi, Finland
ashley.colley@ulapland.fi

Walther Jensen
Aalborg University
Aalborg, Denmark
bwsj@create.aau.dk

Heiko Müller
University of Lapland
Rovaniemi, Finland
heiko.muller@ulapland.fi

Jonna Häkkinä
University of Lapland
Rovaniemi, Finland
jonna.hakkilaatulapland.fi

Abstract

This course is a hands-on introduction to the fabrication of flexible, transparent free-form displays based on electrochromism for an audience with a variety of backgrounds, including artists and designers with no prior knowledge of physical prototyping. Besides prototyping using screen printing or ink-jet printing of electrochromic ink and an easy assembly process, participants will learn essentials for designing and prototyping electrochromic displays

Author Keywords

Electrochromic Displays, Fabrication, Prototyping, Transparent and Flexible Displays

CCS Concepts

•**Human-centered computing** → **Interface design prototyping**; *Displays and imagers*; User interface design;

Benefits & Learning Objectives

Recently, the field of printed electronics has developed to the point at which thin and deformable interactive prototypes can be created at low cost, even by non experts [11, 2]. While printed displays based on electroluminescent technology have been well established [9, 5], printed displays based on electrochromic (EC) technology have been largely neglected so far. Electrochromism is the capability of some materials to reversibly change color stimulated by redox

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI '20 Extended Abstracts, April 25–30, 2020, Honolulu, HI, USA.

Copyright is held by the author/owner(s).

ACM ISBN 978-1-4503-6819-3/20/04.

<http://dx.doi.org/10.1145/3334480.3375043>




Figure 1: Application of EC display with two different states, that allow to switch e.g. a logo, created in [7].

reactions [2]. This means that EC materials can change their optical absorption characteristics or color when an electrical voltage is applied (compare Figure 1). To date, EC technology has predominantly been used in windows and smart glass, enabling dynamic change of optical and thermal characteristics. Recently however, chemical developments enable to print on PET plastics allowing it to be flexible. One of the key traits of EC displays is that they are non-light-emissive. Given the negative impact of artificial light on human sleep patterns [1], this property is particularly beneficial for ubiquitous always-on displays, e.g. as part of Internet of Things (IoT) solutions. Another advantage of EC displays is that they only require power to change between states and then can keep their state for several hours similar to e.g. E-Ink. In this course we will present a simple prototyping method for EC displays that has been developed as part of the DecoChrom project¹ and allows to prototype in non-laboratory settings, which has not been possible so far.

EC displays have already been used in a variety of different applications, from notifications [8], over ambient lighting [4] to wearables [3]. We hope that this course will motivate participants to develop novel applications for EC displays as well as to investigate the field of printed electronics for HCI further. Especially prototyping transparent displays to support co-located work on a shared visual work space and other scenarios that require a transparent screen [6, 2]. Furthermore, as EC displays are flexible they also allow for easy prototyping of e.g. shape-changing displays [10].

Course Content

Course topics and content introduce participants to:

- Fundamental concepts and capabilities of EC displays
- Design guidelines for EC displays
- Physical prototyping techniques

Over the course of the session, students will learn to:

- Design and Assembly of EC displays
- Control in- and output using EC displays and Arduino
- Use of EC displays as part of HCI and UbiComp prototypes

The course will allow participants to build their own EC displays to provide a clear sense of purpose, as well as a practical and interesting takeaway. While we will provide basic practical designs (such as On-Off switch, Arrows and Mute-Volume), but also allow participants to modify, extend or completely design by themselves. In this way, they can build something while learning about the basic principles of EC displays. All materials will be supplied by the instructors. The participants will get access to the learning materials comprised for this novel prototyping methodology. Furthermore, the participants of course will be allowed to keep their designed and assembled displays as well as getting accessed to more materials for future projects if required.

Audience & Prerequisites

The course is intended for an audience that wants to know about prototyping with flexible displays and printed electronics. Participants should have sufficient technical background to download, install and run the Arduino programming environment on their laptops, and be able to physically

¹<https://decochrom.com/>



Figure 2: Impressions of prior workshops.

handle (or have assistance handling) simple manual prototyping techniques. Furthermore, basic knowledge of graphical design and image editing as well as basic electronics will be an advantage.

This course is a variant of last years course at CHI [7], besides this we have large experience running similar courses, for audiences ranging from artists to computer scientists that we arrange as part of the EU funded DecoChrom project. We have found that providing a short theoretical introduction followed by a hands-on part that is supported by the instructors allows participants to move at their own pace while exploring different design possibilities. Advanced students (e.g. more familiar with electronics) can spend more time exploring alternatives design variations as well as interaction possibilities.

Presentation Format

The course will be held as a mixture of brief theoretical and interactive lectures interleaved with individually guided exercises. The first session will introduce the working principles of EC displays, then moves to a short ideation session in which the participants will develop low fidelity of the prototypes they want to design. The session will end with an short rundown of design strategies. The second session will require the participants to design their own displays supported by the instructors and will end with a demonstration by the instructors on how to assemble these displays. The third session then continues with the participants assembling their designed display and finally test it and control it using an Arduino.

Instructor Background

- **Markus Löchtefeld** is an Associate Professor in the Department of Architecture, Design and Media Technology at Aalborg University, Denmark. He teaches

interactive device prototyping and interaction design methods and his research focuses on wearable- and tangible computing as well as novel prototyping and fabrication techniques.

- **Walther Jensen** is a PhD Student in the Department of Architecture, Design and Media Technology at Aalborg University, Denmark. His research focuses on novel fabrication techniques for ambient displays as well as Human-Drone interaction.
- **Heiko Müller** is a post-doctoral researcher in the UX team at the University of Lapland. He has a background in ambient light displays.
- **Ashley Colley** is a User Experience researcher and Senior Researcher in the UX team at University of Lapland. He has an extensive background as a creative technologist, e.g. among wellness tracking and interactive prototypes.

Acknowledgments

This project has received funding from the European Union's Horizon 2020 research and innovation programme under Grant Agreement No. 760973.

REFERENCES

- [1] Charles A. Czeisler. 2013. Perspective: Casting light on sleep deficiency. *Nature* 497, 7450 (may 2013), S13. DOI:<http://dx.doi.org/10.1038/497S13a>
- [2] Walther Jensen, Ashley Colley, Jonna Häkkinä, Carlos Pinheiro, and Markus Löchtefeld. 2019b. TransPrint: A Method for Fabricating Flexible Transparent Free-Form Displays. *Advances in Human-Computer Interaction* Article ID 1340182 (2019), 14. DOI:<http://dx.doi.org/10.1155/2019/1340182>

- [3] Walther Jensen, Ashley Colley, and Markus Löchtefeld. 2019a. VitaBoot: Footwear with Dynamic Graphical Patterning. In *Proceedings of the 23rd International Symposium on Wearable Computers (ISWC '19)*. ACM, New York, NY, USA, 279–283. DOI : <http://dx.doi.org/10.1145/3341163.3346937>
- [4] Walther Jensen, Markus Löchtefeld, and Hendrik Knoche. 2019c. ShadowLamp: An Ambient Display with Controllable Shadow Projection Using Electrochromic Materials.. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems (CHI EA '19)*. ACM, New York, NY, USA, Article LBW1510, 6 pages. DOI : <http://dx.doi.org/10.1145/3290607.3313011>
- [5] Konstantin Klamka and Raimund Dachzelt. 2017. IllumiPaper: Illuminated Interactive Paper. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17)*. ACM, New York, NY, USA, 5605–5618. DOI : <http://dx.doi.org/10.1145/3025453.3025525>
- [6] Jiannan Li, Saul Greenberg, Ehud Sharlin, and Joaquim Jorge. 2014. Interactive Two-sided Transparent Displays: Designing for Collaboration. In *Proceedings of the 2014 Conference on Designing Interactive Systems (DIS '14)*. ACM, New York, NY, USA, 395–404. DOI : <http://dx.doi.org/10.1145/2598510.2598518>
- [7] Markus Löchtefeld, Walther Jensen, Heiko Müller, and Ashley Colley. 2019. Prototyping Transparent and Flexible Electrochromic Displays. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems (CHI EA '19)*. ACM, New York, NY, USA, Article C27, 4 pages. DOI : <http://dx.doi.org/10.1145/3290607.3298827>
- [8] Heiko Müller, Ashley Colley, Jonna Häkkinä, Walther Jensen, and Markus Löchtefeld. 2019. Using Electrochromic Displays to Display Ambient Information and Notifications. In *Adjunct Proceedings of the 2019 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2019 ACM International Symposium on Wearable Computers (UbiComp/ISWC '19 Adjunct)*. ACM, New York, NY, USA, 1075–1078. DOI : <http://dx.doi.org/10.1145/3341162.3344844>
- [9] Simon Olberding, Michael Wessely, and Jürgen Steimle. 2014. PrintScreen: Fabricating Highly Customizable Thin-film Touch-Displays. *Proceedings of the 27th annual ACM symposium on User interface software and technology* (2014), 281–290. DOI : <http://dx.doi.org/10.1145/2642918.2647413>
- [10] Anne Roudaut, Abhijit Karnik, Markus Löchtefeld, and Sriram Subramanian. 2013. Morphees: Toward High "Shape Resolution" in Self-actuated Flexible Mobile Devices. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '13)*. ACM, New York, NY, USA, 593–602. DOI : <http://dx.doi.org/10.1145/2470654.2470738>
- [11] Jürgen Steimle. 2015. Printed Electronics for Human-Computer Interaction. *Interactions* 22, 3 (apr 2015), 72. DOI : <http://dx.doi.org/10.1145/2754304>