Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

An efficient first-order method for I1 compression of images

Dahl, Joachim; Østergaard, Jan; Jensen, Tobias Lindstrøm; Jensen, Søren Holdt

Published in:

I E E E International Conference on Acoustics, Speech and Signal Processing. Proceedings

DOI (link to publication from Publisher):

[10.1109/ICASSP.2009.4959757](https://doi.org/10.1109/ICASSP.2009.4959757)

Publication date:

2009

Document Version

Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Dahl, J., Østergaard, J., Jensen, T. L., & Jensen, S. H. (2009). An efficient first-order method for I1 compression of images. *I E E E International Conference on Acoustics, Speech and Signal Processing. Proceedings, 2009*, 1009-1012. <https://doi.org/10.1109/ICASSP.2009.4959757>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

AN EFFICIENT FIRST-ORDER METHOD FOR ℓ_1 COMPRESSION OF IMAGES

Joachim Dahl[†], Jan Østergaard[‡], Tobias Lindstrøm Jensen[‡], Søren Holdt Jensen[‡].

[†]Anybody Technology A/S
Niels Jernesvej 12
Aalborg, Denmark

[‡]Aalborg University
Department of Electronic Systems
Niels Jernesvej 12, Aalborg, Denmark

ABSTRACT

We consider the problem of lossy compression of images using sparse representations from overcomplete dictionaries. This problem is in principle easy to solve using standard algorithms for convex programming, but often the large dimensions render such an approach intractable. We present a highly efficient method based on recently developed first-order methods, which enables us to compute sparse approximations of entire images with modest time and memory consumption.

Index Terms— Basis pursuit, sparse approximations, image compression, convex optimization, first-order optimization algorithms.

1. INTRODUCTION

Recently there has been tremendous resurge of interest in sparse estimation techniques for signal processing based on ℓ_1 heuristics, see *e.g.*, the recent issue devoted to compressive sampling [1]. The theory is by now well-established and much is known about cases where the ℓ_1 heuristic coincides with the solution to the otherwise intractable minimum cardinality solution, see [2] and references therein.

Perhaps the best known method for sparse reconstruction is the so-called *basis pursuit* algorithm, which solves the problem

$$\begin{aligned} &\text{minimize} && \|z\|_1 \\ &\text{subject to} && Dz = y \end{aligned}$$

where $D \in \mathbf{R}^{M \times N}$ represents an *overcomplete* dictionary ($N > M$), $z \in \mathbf{R}^N$ is the variable, and $y \in \mathbf{R}^M$ is the signal we wish to decompose into (as few as possible) dictionary elements or basis vectors of D .

In this paper, we consider efficient large-scale implementations of a variation, namely the ℓ_1 *compression* problem

$$\begin{aligned} &\text{minimize} && \|z\|_1 \\ &\text{subject to} && \|Dz - y\|_2 \leq \delta \end{aligned} \quad (1)$$

where $\delta > 0$ is a given fidelity or reconstruction error. For a single orthogonal basis (*i.e.*, $D^T = D^{-1}$) the ℓ_1 -compression problem can be rewritten as

$$\begin{aligned} &\text{minimize} && \|z\|_1 \\ &\text{subject to} && \|z - D^T y\|_2 \leq \delta, \end{aligned}$$

This work is part of the project CSI: Computational Science in Imaging, supported by grant no. 274-07-0065 from the Danish Agency for Science Technology and Innovation. The work of Jan Østergaard is supported by the Danish research council for Technology and Production Sciences, grant no. 274-07-0383.

which can be solved very efficiently even for very large instances (due to the simple constraints) using a plethora of methods, *e.g.*, standard primal-dual interior-point methods [3]. Many primal-dual interior-point algorithms have proven worst-case iteration complexity bound $O(\log(1/\epsilon))$, meaning that less than $O(\log(1/\epsilon))$ iterations are required to produce an ϵ -optimal solution z_ϵ such that $\|z_\epsilon\|_1 - \|z^*\|_1 < \epsilon$.

When D is not orthogonal the dimensions of typical images are far too large for primal-dual interior-point implementations of the ℓ_1 compression problem. This is because each iteration requires the solution of an $N \times N$ dense system of linear equations.

Alternatively, we could apply standard large-scale gradient or sub-gradient methods with $O(1/\epsilon^2)$ iteration complexity, where each iteration is much cheaper compared to primal-dual interior-point methods. However, the slow convergence rate renders such an approach unattractive.

Instead, in this paper, we apply recently developed first-order methods developed by Nesterov in a series of papers [4, 5] which achieve remarkable $O(1/\epsilon)$ iteration complexity. These and related modern gradient methods have recently been surveyed by Tseng [6] in the context of minimization of sufficiently smooth functions with $O(\sqrt{1/\epsilon})$ iteration complexity. Nesterov's method has recently been applied to a series of large-scale problems [7, 8] including total-variation image restoration [9, 10], but the application of ℓ_1 compression with overcomplete dictionaries causes additional difficulties and has so far not been studied.

The remaining paper is structured as follows: in Sec. 2 we discuss Nesterov's method tailored specifically for the ℓ_1 compression problem. In Sec. 3 we give numerical examples of ℓ_1 compression with several bases via Nesterov's method for full-size images. Finally, we give discussions in Sec. 4.

2. NESTEROV'S METHOD FOR ℓ_1 COMPRESSION

Nesterov's method is an efficient first-order method for solving saddle-point problems of the form,

$$\min_{x \in Q_1} \max_{u \in Q_2} u^T A x$$

where Q_1 and Q_2 are bounded convex sets. From the definition of the induced norm

$$\|x\|_p = \max_{\|y\|_q \leq 1} y^T x,$$

where $\|x\|_q$ is the *dual-norm* (*i.e.*, $\frac{1}{p} + \frac{1}{q} = 1$), the ℓ_1 compression problem can be written as such a saddle-point problem,

$$\min_{\|Dz - y\|_2 \leq \delta} \max_{\|u\|_\infty \leq 1} u^T z.$$

Since the dictionary D is generally overcomplete, the primal set $\{z \mid \|Dz - y\|_2 \leq \delta\}$ is not bounded, and we cannot immediately

use Nesterov's method. Instead we assume that the overcomplete dictionary is comprised of a set of orthogonal (inverse) transforms $D_i^{-1} \in \mathbf{R}^{M \times M}$, i.e.,

$$Dz = \begin{bmatrix} D_1^{-1}(z_1) & D_2^{-1}(z_2) & \dots & D_K^{-1}(z_K) \end{bmatrix},$$

where $z_i \in \mathbf{R}^M$, $i = 1, \dots, K$ with $K = N/M$ denote the different subblocks of the vector of transform coefficients. To make the primal set bounded we introduce the arbitrary bound

$$\|(z_2, \dots, z_K)\|_2 \leq \gamma$$

which does not alter the solution provided γ is chosen sufficiently large. The resulting problem

$$\min_{z \in Q_1} \max_{u \in Q_2} z^T u$$

where

$$\begin{aligned} Q_1 &= \{z \mid \|D(z) - y\|_2 \leq \delta, \|(z_2, \dots, z_K)\|_2 \leq \gamma\} \\ Q_2 &= \{u \mid \|u\|_\infty \leq 1\} \end{aligned}$$

fits the framework for Nesterov's method, but it appears difficult to solve it efficiently in this form; the complexity of Q_1 makes the subproblems 2) and 3) in Nesterov's method (discussed later in the paper) as difficult to solve as the original ℓ_1 compression problem. Instead we introduce a transform pair,

$$W = \begin{bmatrix} D_1 & -D_1 D_2^{-1} & \dots & -D_1 D_K^{-1} \\ 0 & I & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & I \end{bmatrix}$$

$$W^{-1} = \begin{bmatrix} D_1^{-1} & D_2^{-1} & \dots & D_K^{-1} \\ 0 & I & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & I \end{bmatrix}$$

meaning that

$$\begin{aligned} W(z) &= \left(D_1(z_1 - \sum_{i=2}^K D_i^{-1}(z_i)), z_2, \dots, z_K \right) \\ W^{-1}(z) &= \left(\sum_{i=1}^K D_i^{-1}(z_i), z_2, \dots, z_K \right). \end{aligned}$$

We next introduce a change of variables,

$$x = W^{-1}(z), \quad (2)$$

and with a slight abuse of notation denote $W(x)$, $W^{-1}(x)$ and $W^{\text{adj}}(x)$ by Wx , $W^{-1}x$ and $W^T x$, respectively, for the benefit of a simpler notation in the following. We can now rewrite the compression problem in a convenient form, that is

$$\min_{x \in Q'_1} \max_{u \in Q_2} u^T Wx \quad (3)$$

where

$$\begin{aligned} Q'_1 &= \{x \mid \|x_1 - y\|_2 \leq \delta, \|(x_2, \dots, x_K)\|_2 \leq \gamma\} \\ Q_2 &= \{u \mid \|u\|_\infty \leq 1\} \end{aligned}$$

which is easier to solve using Nesterov's method; in particular, the solutions to subproblems 2) and 3) in the following can be found

analytically with complexity $O(N)$. The associated dual problem of (3) is

$$\max_{u \in Q_2} -\delta \|(W^T u)_1\|_2 + y^T (W^T u)_1 - \gamma \|(W^T u)_{2:K}\|_2 \quad (4)$$

where $(W^T u)_1$ denotes the first block of $(W^T u)$ and $(W^T u)_{2:K}$ denotes the remaining the $K - 1$ blocks, partitioned conformly with x and z .

In the following we review the steps in Nesterov's method for solving (3). To both sets Q'_1 and Q_2 we associate so-called *prox-functions*. As a prox-function for Q'_1 we choose

$$d_1(x) = (1/2)\|x_1 - y\|_2^2 + (1/2) \sum_{i=2}^K \|x_i\|_2^2.$$

The prox-function is upper bounded by

$$\Delta_1 := \max_{x \in Q'_1} d_1(x) = \frac{\gamma^2 + \delta^2}{2}.$$

Similarly, as a prox-function for Q_2 we choose

$$d_2(u) = (1/2)\|u\|_2^2$$

and upper bound

$$\Delta_2 := \max_{u \in Q_2} d_2(u) = \frac{KM}{2}.$$

As a smooth approximation for $f(x) = \|W(x)\|_1$ we use

$$f_\mu(x) = \max_{u \in Q_2} \{u^T Wx - \mu d_2(u)\}$$

which bounds $f(x)$ as

$$f_\mu(x) \leq f(x) \leq f_\mu(x) + \mu \Delta_2,$$

i.e., for $\epsilon = \frac{\mu}{2\Delta_2}$ we have an $\frac{\epsilon}{2}$ -approximation of $f(x)$. Furthermore, it can be shown that $f_\mu(x)$ has Lipschitz continuous derivatives with constant $L_\mu = \frac{1}{\mu} \|W\|_2^2$.

Nesterov's first-order method for minimizing the strongly convex function $f_\mu(x)$ with Lipschitz continuous derivatives is given below.

NESTEROV'S METHOD

given a feasible $x^{[0]}$ and a smoothing parameter $\mu = \epsilon/(2\Delta_2)$.

for $k \geq 0$

1. Evaluate $g^{[k]} = \nabla f_\mu(x^{[k]})$.

2. Find

$$v^{[k]} = \arg \min_{x \in Q'_1} \{(x - x^{[k]})^T g^{[k]} + \frac{L_\mu}{2} \|x - x^{[k]}\|_2^2\}.$$

3. Find

$$s^{[k]} = \arg \min_{x \in Q'_1} \{L_\mu d_1(x) + \sum_{i=0}^k \frac{i+1}{2} (x - x^{[i]})^T g^{[i]}\}.$$

4. Update $x^{[k+1]} = \frac{2}{k+3} v^{[k]} + \frac{k+1}{k+3} s^{[k]}.$

As a feasible starting point we can use $x^{[0]} = (y, 0, \dots, 0)$. We terminate the algorithm when the duality gap

$$\|Wx\|_1 + \delta\|(W^T u)_1\|_2 - y^T(W^T u)_1 + \gamma\|(W^T u)_{2:K}\|_2 < \epsilon.$$

Nesterov shows in [4] that it takes at most

$$N_{it} = 4\|W\|_2\sqrt{\Delta_1\Delta_2} \cdot \frac{1}{\epsilon}$$

iterations for the algorithm to produce an ϵ -optimal solution. Using the fact that the transforms D_i are orthogonal ($D_i^{-1} = D_i^T$), the norm $\|W\|_2^2$ is easily found by considering the possible solutions λ to the characteristic equation,

$$WW^T x = \lambda x$$

which shows that WW^T has only two distinct eigenvalues,

$$\lambda = \frac{(K+1)^2 \pm \sqrt{(K+1)^2 - 4}}{4}$$

i.e., $\|W\|_2^2 = \frac{(K+1)^2 + \sqrt{(K+1)^2 - 4}}{4}$. Substituting the values of Δ_1 , Δ_2 and $\|W\|_2^2$, we get the iteration complexity bound for ℓ_1 compression,

$$N_{it} = \left((K+1)^2 + \sqrt{(K+1)^2 - 4}\right)^{1/2} (N(\gamma^2 + \delta^2))^{1/2} \cdot \frac{1}{\epsilon}.$$

The three different sub-problems in Nesterov's method are easily solved. In step 1) we evaluate $\nabla f_\mu(x) = W^T u$ where we find u as the solution to

$$\min_{\|u\|_\infty \leq 1} (\mu/2)\|u\|_2^2 - u^T Wx$$

which has a closed-form solution for the i th component (not to be confused with the i th sub-vector),

$$u_i = \min\{1, |(Wx)_i/\mu|\} \text{sign}((Wx)_i).$$

By simple changes of variables the solution to steps 2) and 3) can both be found as the solution to simple quadratically constrained problems

$$\begin{aligned} & \text{minimize} && w^T w - 2c^T w \\ & \text{subject to} && w^T w \leq \delta^2 \end{aligned} \quad (5)$$

with solution $w = \min\{1, \delta/\|c\|_2\}c$.

A remaining issue is to find a bound on γ . For $K = 1$ we obviously have that $\|z_1\|_2 \leq \|y\|_2$. For $K = 2$ the same bound can be used for $\|z_2\|_2$, where the bound can only be reached if $z_1 = 0$ at optimality. In a similar fashion, we can argue that $\|(z_2, \dots, z_K)\|_2 \leq \|y\|_2$.

3. NUMERICAL EXPERIMENTS

We implemented the algorithm in the Python programming language, and for orthogonal transforms we used the discrete cosine transform in FFTW [11] and a 2D wavelet library [12]. For reproducibility we have made the developed code for ℓ_1 compression available for download [13].

3.1. Quality of the approximation

An issue often reported in large-scale implementations of sparse ℓ_1 approximations is that a high accuracy is required to achieve a sparse solution. In the first experiment we compare the quality of the solution as a function of ϵ with that of MOSEK [14], a state-of-the-art commercial convex optimization solver based on a primal-dual interior point algorithm. Thus, by using a primal-dual interior point method we get a very accurate reference solution, but we are only able to solve problems with small images.

For different values of ϵ we randomly generate 100 8bit images of dimensions 32×32 with values between 0 and 255 and we then compute the solution to (3) using Nesterov's method with a value δ corresponding to PSNR=40dB, and we compare the obtained solution with that of MOSEK.

In the examples we use an overcomplete dictionaries formed by two orthogonal transforms; a discrete Haar wavelet transform with two decomposition levels, and a discrete Symlet4 wavelet transform also with two decomposition levels.

	$\epsilon \cdot KM$				
	10^{-3}	$5 \cdot 10^{-4}$	10^{-4}	$5 \cdot 10^{-5}$	10^{-5}
NEST	1027.7	995.7	963.2	961.7	959.5
MOSEK	956.3				
MP	1102.0				

Table 1. Average number of non-zero transform coefficients out of a total of $2 \cdot 32^2 = 2048$ coefficients.

Table 1 shows the average number of non-zero transform coefficients for Nesterov's method and MOSEK, and for comparison we also show the average number of non-zero transform coefficients needed by the standard matching pursuit algorithm [15] to achieve PSNR=40dB. To count the number of transform coefficients produced by MOSEK and Nesterov's method we need to truncate the result in order to remove very small coefficients; this truncation resulted in degradation of the reconstruction of approximately 0.3dB. From the table we see that for moderately high accuracies the sparsity of the solution computed with Nesterov's method is comparable to the MOSEK solution, but as ϵ increases the number of nonzero coefficients also increases.

In the table we specify a relative accuracy normalized by the number of variables; a similar normalization of accuracy by the number of variables is used in most practical optimization solvers including MOSEK.

3.2. Large-scale studies

In the next example we illustrate the performance of Nesterov's method for two standard 512×512 grey-scale test-images, namely LENA and BOAT. In the example we show the effect of increasing the number of bases.

Table 2 shows the number of iterations used by Nesterov's method and the resulting $\|z\|_1$ objective as well as the number of non-zero coefficients of the solution after the truncation of non-zero coefficients (called $\|z\|_0$). For comparison we also show the number of non-zero coefficients of the solution produced by the standard matching pursuit using two bases. The bases used in the experiment were: D_1 : DCT, D_2 : Symlet8 pyramid transform with 6 levels, D_3 : Symlet8 standard transform with 4 levels, and D_4 : Symlet16 standard transform with 3 levels, *i.e.*, MP2 and NE2 used D_1 and D_2 , NE3 used D_1 , D_2 , and D_3 , *etc.*

	It	$\ z\ _1$	$\ z\ _0$
MP2	38949	6247.1	38949
NEST2	3882	5229.9	56205
NEST3	4043	4848.4	61379
NEST4	4244	4402.3	55240
MP2	75468	7735.0	75468
NEST2	2556	6420.8	115798
NEST3	2778	5817.7	121364
NEST4	3378	5279.4	109166

Table 2. Sparsity of solutions z for large images for PSNR=40dB with $\epsilon = 10^{-4} \cdot KM$. Top rows show results for standard LENA test image, and bottom rows show results for standard BOAT test image. NEST K : Nesterov's method with K bases, MP K : matching pursuit with K bases. "It" is the number of iterations used.

From the example we observe that the ℓ_1 measure decreases as we add redundancy to the dictionary by increasing the number of bases. Similarly, the compression rate defined as the ratio of the number non-zero transform coefficients and total number of transform coefficients generally increases as we use more bases.

From the table we observe the somewhat discouraging phenomenon that even though the ℓ_1 objective decreases as we use more bases the cardinality of the solution does not decrease correspondingly. Also, in these examples matching pursuit is actually superior to ℓ_1 compression in terms of sparsity, but the number of iterations is significantly higher for the matching pursuit method; the standard matching pursuit method requires $K + 1$ transforms per iteration, whereas Nesterov's method requires an evaluation of $W(x)$ and $W^{\text{adj}}(x)$ amounting to a total of $3K$ transforms, so the overall complexity of Nesterov's method is much lower than matching pursuit (due to a much lower number of iterations).

4. DISCUSSIONS

In this paper, we developed an efficient first-order scheme for ℓ_1 compression of images using overcomplete dictionaries. The overcomplete dictionaries are formed by combining orthogonal transforms (*i.e.*, they work as operators) and thus have modest memory requirements.

Our approach of combining transforms is by no means unique. The only requirement is that the augmented transform is invertible, so that we can perform the variable change in (2). For example, for two orthogonal transforms D_1 and D_2 a straightforward approach is to define the transform pair as

$$W^{-1} = \frac{1}{\sqrt{2}} \begin{bmatrix} D_1^{-1} & D_2^{-1} \\ -D_1^{-1} & D_2^{-1} \end{bmatrix}, \quad W = \frac{1}{\sqrt{2}} \begin{bmatrix} D_1 & -D_1 \\ D_2 & D_2 \end{bmatrix},$$

resulting in a lower iteration complexity bound since $\|W\|_2 = 1$. Similarly we can augment the transform for any $K = 2^l$. The concept presented in this paper works for any $K \geq 1$, however.

We have demonstrated that ℓ_1 compression for large-scale image coding is in fact tractable; this has so far not been the case with traditional approaches based either on large-scale subgradient schemes, or interior-point with iterative large-scale linear equation solvers.

One experimental observation we have made is that ℓ_1 compression using multiple bases often distributes the transform coefficients evenly across several bases, which is obviously suboptimal seen from a coding perspective. One approach to alleviate this problem is to solve several ℓ_1 compression problems with different weights on

the transform coefficients in the cost function, as proposed by Candes et al. in [16]. Preliminary experiments using this scheme show promising results, *e.g.*, using the reweighting for the compressing LENA with two bases (*cf.*, Table 2) reduces the number of transform coefficients from 56205 to 32959, which is better than matching pursuit in terms of coding gain. The price paid for this substantial improvement is that we must solve several ℓ_1 compression problems; in this particular case we solved 6 problems. It is therefore expected that (improved) ℓ_1 compression algorithms for images will be more efficient than matching pursuit both in terms of complexity and coding gain.

Studies [17] show that the resulting bit-rate is largely proportional to the sparsity of the solution, but more detailed coding considerations would be an important topic for future studies; coding of sparse transforms is largely undeveloped [18], whereas state-of-the-art coding for wavelet transforms (*e.g.*, [19]) is highly sophisticated.

5. REFERENCES

- [1] R. G. Barniuk, E. Candès, R. Nowak, and M. Vetterli, Eds., *IEEE Sig. Proc. Mag.*, vol. 25, 2008.
- [2] E. Candès and M. B. Wakin, "An introduction to compressive sampling," in *IEEE Sig. Proc. Mag.*, 2008, vol. 25, pp. 21–30.
- [3] S. J. Wright, *Primal-Dual Interior-Point Methods*, SIAM, 1997.
- [4] Yu. Nesterov, *Introductory Lectures on Convex Optimization*, Kluwer Academic Publishers, 2004.
- [5] Yu. Nesterov, "Smooth minimization of nonsmooth functions," *Math. Prog. Series A*, vol. 103, no. 127-152, 2005.
- [6] P. Tseng, "On accelerated proximal gradient methods for convex-concave optimization," submitted to SIAM J. Optim., 2008.
- [7] A. d'Aspremont, O. Banerjee, and L. E. Ghaoui, "First-order methods for sparse covariance selection," EECS Department, University of California, Berkeley; to appear in SIAM J. Matrix Anal. Appl.
- [8] A. Gilpin, S. Hoda, and J. Pena, "Gradient-based algorithms for finding nash equilibria in extensive form games," in *Lecture notes in computer science*, 2007, pp. 57–69, Springer Berlin/Heidelberg.
- [9] P. Weiss, G. Aubert, and L. Blanc-Féraud, "Efficient schemes for total variation minimization under constraints in image processing," Tech. Rep., INRIA Sophia Antipolis, France, 2008.
- [10] J. Dahl, P. C. Hansen, S. H. Jensen, and T. L. Jensen, "Algorithms and software for total variation image reconstruction via first-order methods," submitted to Numerical Algorithms, 2008.
- [11] M. Frigo and S. G. Johnson, "The design and implementation of FFTW3," in *Proceedings of the IEEE*, 2005, vol. 93, pp. 216–231.
- [12] "Wavelet - a class library for wavelet transforms on images," Available from <http://sourceforge.net/projects/wavelet>.
- [13] "Python scripts for ℓ_1 compression," electronically available from <http://abel.ee.ucla.edu/cvxopt/applications>.
- [14] E. D. Andersen, C. Roos, and T. Terlaky, "On implementing a primal-dual interior-point method for conic quadratic optimization," *Math. Prog. Series B*, pp. 249–277, 2003.
- [15] S. Mallat and S. Zhang, "Matching pursuit in a time-frequency dictionary," *IEEE Trans. Sig. Proc.*, vol. 41, pp. 3397–3415, 1993.
- [16] E. Candès, M. B. Wakin, and S. P. Boyd, "Enhancing sparsity by reweighted l1 minimization," arXiv:0711.1612v1, 2007.
- [17] H. Zhihai and S. K. Mitra, "A linear source model and a unified rate control algorithm for dct video coding," *IEEE trans. Circuits and Systems for Video Technology*, vol. 12, no. 11, pp. 970–982, 2002.
- [18] V. K. Goyal, A. K. Fletcher, and S. Rangan, "Compressive sampling and lossy compression," in *IEEE Sig. Proc. Mag.*, 2008, vol. 25, pp. 48–56.
- [19] A. Said and W. A. Pearlman, "A new, fast, and efficient image codec based on set partitioning in hierarchical trees," *IEEE Trans. Circuits and Systems for Video Technology*, vol. 6, no. 3, 1996.