

Natural Walking in Virtual Reality

A Review

Nilsson, Niels Chr.; Serafin, Stefania; Steinicke, Franke; Nordahl, Rolf

Published in:
Computers in Entertainment

DOI (link to publication from Publisher):
[10.1145/3180658](https://doi.org/10.1145/3180658)

Publication date:
2018

Document Version
Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

Citation for published version (APA):
Nilsson, N. C., Serafin, S., Steinicke, F., & Nordahl, R. (2018). Natural Walking in Virtual Reality: A Review. *Computers in Entertainment*, 16(2), 7-22. Article 8. <https://doi.org/10.1145/3180658>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Natural Walking in Virtual Reality: A Review

NIELS CHRISTIAN NILSSON and STEFANIA SERAFIN, Aalborg University Copenhagen

FRANK STEINICKE, University of Hamburg

ROLF NORDAHL, Aalborg University Copenhagen

Recent technological developments have finally brought virtual reality (VR) out of the laboratory and into the hands of developers and consumers. However, a number of challenges remain. Virtual travel is one of the most common and universal tasks performed inside virtual environments, yet enabling users to navigate virtual environments is not a trivial challenge—especially if the user is walking. In this article, we initially provide an overview of the numerous virtual travel techniques that have been proposed prior to the commercialization of VR. Then we turn to the mode of travel that is the most difficult to facilitate, that is, walking. The challenge of providing users with natural walking experiences in VR can be divided into two separate, albeit related, challenges: (1) enabling unconstrained walking in virtual worlds that are larger than the tracked physical space and (2) providing users with appropriate multisensory stimuli in response to their interaction with the virtual environment. In regard to the first challenge, we present walking techniques falling into three general categories: repositioning systems, locomotion based on proxy gestures, and redirected walking. With respect to multimodal stimuli, we focus on how to provide three types of information: external sensory information (visual, auditory, and cutaneous), internal sensory information (vestibular and kinesthetic/proprioceptive), and efferent information. Finally, we discuss how the different categories of walking techniques compare and discuss the challenges still facing the research community.

CCS Concepts: • **Human-centered computing** → **Virtual reality**;

Additional Key Words and Phrases: Virtual reality, virtual travel, walking, naturalness

ACM Reference format:

Niels Christian Nilsson, Stefania Serfan, Frank Steinicke, and Rolf Nordahl. 2018. Natural Walking in Virtual Reality: A Review. *ACM Comput. Entertain.* 16, 2, Article 8 (April 2018), 22 pages.

<https://doi.org/10.1145/3180658>

1 INTRODUCTION

Virtual reality (VR) is no longer confined to the laboratories of larger public and private institutions. In 2016, VR entered the homes of consumers for the first time. We use the designation VR to denote systems that, through high-fidelity tracking and displays, allow users to interact naturally within computer-generated environments; that is, VR supports a sensorimotor loop similar to that of the real world and thereby enables users to perceive and act as they would in reality. The popularization of VR was partially instigated by a generation of young entrepreneurs and

Authors' addresses: N. C. Nilsson, Aalborg University Copenhagen, A.C. Meyers Vænge 15, Copenhagen, 2450, Denmark; email: ncn@create.aau.dk; S. Serafin, Aalborg University Copenhagen, A.C. Meyers Vænge 15, Copenhagen, 2450, Denmark; email: sts@create.aau.dk; F. Steinicke, University of Hamburg, Vogt-Kölln-Str. 30, Hamburg, D-22527, Germany; email: rn@create.aau.dk; R. Nordahl, Aalborg University Copenhagen, A.C. Meyers Vænge 15, Copenhagen, 2450, Denmark; email: rn@create.aau.dk.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2018 ACM 1544-3574/2018/04-ART8 \$15.00

<https://doi.org/10.1145/3180658>

crowdfunding campaigns (Morie 2014) and has since been intensified through the involvement of large technology corporations—most prominently Facebook, Samsung, Google, and Sony. Despite its recent popularity, VR is by no means a novelty. In fact, it has been more than 50 years since Sutherland (1965) presented his vision of the ultimate display. Specifically, Sutherland described the ultimate display as “a room within which the computer can control the existence of matter. A chair displayed in such a room would be good enough to sit in. Handcuffs displayed in such a room would be confining, and a bullet displayed in such a room would be fatal. With appropriate programming such a display could literally be the Wonderland into which Alice walked” (Sutherland 1965, p. 508). However, natural walking remains one of the biggest challenges facing researchers and developers aspiring to provide users with access to digital wonderlands such as the ones envisioned by Sutherland.

In this article, we present a review of the various approaches to facilitating natural walking in virtual environments. Unlike critical reviews, the selection of sources did not involve a search of all potentially relevant work based on reproducible criteria (Cook et al. 1997). Instead, the literature forming the basis for the narrative review was identified based on referral sampling of both well-known and recent work detailing surveys of topics relevant to natural walking in virtual environments (Bowman et al. 2004; Fontana and Visell 2012; Nilsson et al. 2016b; Steinicke et al. 2013; Suma et al. 2012; Vasylevska and Kaufmann 2017a).

The general aim of the review is to provide an overview of the large body of work on walking within virtual environments. The review seeks to position virtual walking within the wider category of virtual travel techniques (Section 2) and highlight the challenges that are particularly pertinent in relation to virtual walking (Section 3). The two primary challenges associated with natural walking in VR are (1) enabling unconstrained walking in virtual environments that are larger than the physical tracking space and (2) providing users with appropriate multisensory stimuli in response to their interaction with the virtual environment. Consequently, the review aims to survey and categorize various attempts at meeting these two challenges (Section 4 and 5). Finally, based on the literature surveyed throughout the article, we present current challenges and potential directions for future work (Section 6).

2 VIRTUAL TRAVEL TECHNIQUES

To most people, the act of moving from one place to another is a common everyday activity. We cover shorter distances on foot, and longer distances are traversed with the aid of humanly propelled or motorized vehicles, such as bicycles, cars, and planes. In regard to interaction with three-dimensional interfaces, Bowman et al. (2004) similarly describe virtual travel as one of the most common and universal forms of interaction. Moreover, virtual travel is usually secondary to other tasks, such as exploration, searching, and maneuvering. Thus, it is necessary for users to be able to virtually travel with relative ease and without needing to assign much explicit attention to the act of traveling itself. However, enabling users to do so is not trivial, especially if the person traveling through a virtual environment is doing so using a commercially available VR system set up inside an average living room.

Generally speaking, the task of moving from one place to another in real and virtual environments (i.e., navigation) can be broken down into *wayfinding* (the cognitive component involving path planning and decision making) and *travel* (the motor component) (Bowman et al. 2004). Bowman et al. (1997) describe that travel can be further decomposed into three subtasks: *direction or target selection* (specification of where to move), *velocity/acceleration selection* (specification of movement speed), and *conditions for input* (specification of how travel is instigated, continued, and terminated). For example, when traveling by car, the driver uses the steering wheel to select the direction of heading, and the velocity is selected using a combination of the gas pedal, shift lever,




Fig. 1. Nilsson, Serafin, and Nordahl’s (2016b) taxonomy of virtual travel techniques: The vertical axis subdivides the techniques based on whether the travel technique represents body-centric or vehicular travel. The horizontal subdivides the techniques based on whether the interaction metaphor is mundane or magical. The division of each cell represents the degree of user movement relative to the physical environment.

and breaks, which also define the conditions for input. While this decomposition provides a useful lens through which to view individual travel techniques, it does not provide a broader picture of how virtual travel may be accomplished. Inspired by existing categorizations of travel techniques (Bowman et al. 2004; Slater and Usoh 1994; Suma et al. 2012; Wendt 2010), Nilsson et al. (2016b) divide existing travel techniques into dichotomous categories. Specifically, they distinguish between travel techniques based on whether the user is stationary or moving, whether the techniques involve virtual vehicles or not, and whether the techniques qualify as mundane or magical. Figure 1 visualizes the taxonomy that is described in more detail throughout the following.

2.1 Mobile and Stationary Travel Techniques

The distinction between mobile and stationary travel techniques is inspired by previous work, where travel techniques are categorized based on the presence or absence of physical movement (Bowman et al. 1999; Wendt 2010). This distinction is important because some commercially available VR systems do not include positional tracking. Specifically, this is the case in regard to VR systems powered by mobile phones (e.g., Samsung Gear VR, Google Daydream, and Google Cardboard), which only include tracking of the user’s head orientation. Such systems make it impossible to rely on mobile travel techniques. Instead, direction selection is often accomplished using gaze-directed steering, where the direction is derived from the head orientation, and movement is instigated through button clicks or by sustained fixation on a specific point in the environment. Gaze-directed steering may be awkward if vertical movement is possible (e.g., when flying), and the coupling of travel direction and gaze direction prevents the user from orienting himself or herself while moving (Bowman et al. 2004). The question of whether a travel technique demands physical movement or not is also important in relation to higher-fidelity systems like the HTC Vive and the Oculus Rift. Such systems include positional tracking, and the user is therefore able to change the virtual viewpoint through physical movement. However, these systems only afford

movement within a limited physical space. This is problematic because the user's virtual movement only should be constrained by the virtual architecture and topography. At best, leaving the tracked area may hamper the user's sensation of being in the virtual environment. At worst, it may be dangerous because the user is oblivious to physical obstacles while wearing the head-mounted display (HMD).

2.2 Mundane and Magical Travel Techniques

The distinction between mundane and magical travel techniques has been adopted from Slater and Usoh (1994) and Whitton and Razaque (2008). A travel technique is classified as mundane or magical based on whether movement in the virtual environment is limited by physical constraints, such as the laws of physics, biological evolution, or the current state of technological development. Thus, any technique that allows the user to travel in a manner that cannot be accomplished in the real world qualifies as magical, and techniques that mimic real travel are considered mundane. There are some important differences between magical and mundane travel techniques. First, magical travel techniques may allow users to travel great distances within the virtual environment without requiring any physical movement. Moreover, Bowman et al. (2012) describe that magic interaction techniques may be designed purposely to favor task performance and usability over the familiarity accompanying techniques that mimic real-world interactions. For example, if a user is supposed to traverse great distances within the virtual environment, teleportation will be much faster and less tiring compared to walking or piloting a virtual vehicle. With that being said, sometimes mundane travel techniques are easier to use because they are based on a familiar type of interaction, and the scenario itself may demand a technique that is possible in real life (e.g., during training scenarios or narrative experiences unfolding in a world that adheres to real-world constraints).

2.3 Vehicular and Body-Centric Travel Techniques

Finally, Nilsson et al. (2016b) distinguish between vehicular and body-centric travel techniques, that is, techniques that simulate travel by means of a virtual vehicle and techniques that simulate movement generated by using the body to exert forces to the environment (e.g., walking, running, or swimming). When traveling by means of a virtual vehicle, the user indirectly produces movement by manipulating the controls while remaining stationary relative to the vehicle. Thus, vehicular travel techniques do not require a large tracking space. Even when the user is physically stationary, movement of the virtual viewpoint can produce compelling self-motion illusions (e.g., Hettlinger et al. (2002) and Warren and Wertheim (1990)). However, compelling illusions of self-motion may come at a cost since they are believed to elicit cybersickness (Davis et al. 2014) or VR sickness (Fernandes and Feiner 2016). Particularly, the dominant view holds that cybersickness results from a conflict between external sensory information and vestibular sensations (e.g., the user visually perceives motion but the vestibular system indicates that he or she is stationary) (Davis et al. 2014).

3 NATURAL WALKING IN VIRTUAL ENVIRONMENTS

Humans do, as suggested, routinely navigate their surroundings on foot, and they generally do so with relative ease and without assigning much explicit attention to the performed movements or the sensory stimuli produced as a result of these movements. However, the task of enabling users to walk through virtual worlds is anything but trivial. According to Nordahl et al. (2012b), this task can be broken down into at least two separate, yet interrelated, challenges: (1) creation of travel techniques that mimic the experience of real walking without requiring a physical space of the same size as the virtual environment and (2) provision of appropriate multisensory stimuli




Fig. 2. Three general categories of walking techniques that provide users with relatively natural walking experiences when the virtual environment is smaller than the physical space: repositioning systems, proxy gestures, and redirected walking. It is possible to further distinguish between repositioning systems that are either active or passive, proxy gestures that are based on movement of the legs or upper body, and redirected walking that is based on application of gains or manipulation of the virtual architecture.

resulting from the user's interaction with the virtual environment (e.g., the sight, sound, and touch accompanying each step). Throughout the following, we review work addressing both of these challenges.

4 WALKING TECHNIQUES

Within the academic community, numerous solutions to the problem of allowing users to naturally walk through large virtual environments have been proposed. Generally, these techniques fall into one of three categories: *repositioning systems*, *proxy gestures*, and *redirected walking*. Figure 2 visualizes the three categories and the potential subdivisions that will be described in the following.

4.1 Repositioning Systems

Repositioning systems essentially counteract the forward movement of the user and thereby ensure that he or she remains in a relatively fixed position. Thus, following the taxonomy presented in Section 2, repositioning systems offer stationary virtual travel. It is possible to distinguish between systems that reposition the user actively or passively.

Active repositioning often relies on elaborate mechanical setups in order to cancel the user's forward movement. One of the simplest examples of an active repositioning system is the traditional, linear treadmill (Feasel et al. 2011; Kassler et al. 2010; Powell et al. 2011). An inherent disadvantage of such treadmills is that the user can only walk forward, and if the application requires turning, this will have to be done in an indirect manner (e.g., based on the user's head orientation or using a joystick) (Bowman et al. 2004). Notably, efforts have also been made to facilitate natural walking using omnidirectional treadmills that allow the user to freely walk in any direction (Darken et al. 1997; Iwata 1999; Noma 1998; Souman et al. 2011). A potential limitation of such techniques is that that motion of the treadmill may cause the user to lose his or her balance during turns and sidesteps (Bowman et al. 2004). Other examples of repositioning systems include motorized floor tiles that move in the opposite direction of the walker's direction (Iwata et al. 2005), cancellation of the walker's steps through strings attached to his or her shoes (Iwata et al. 2007), and a human-sized hamster ball (Medina et al. 2008). Three examples of active repositioning systems can be seen in Figures 3(a) to 3(c).

Passive repositioning offers a simpler and less expensive alternative to active repositioning. Generally, passive repositioning systems rely on friction-free platforms that prevent the forces generated during each step from moving the user forward (Avila and Bailey 2014; Cakmak and Hager 2014; Huang 2003; Iwata and Fujii 1996; Swapp et al. 2010; Walther-Franks et al. 2013). The *Virtuix*




Fig. 3. Four examples of repositioning systems: (a) a traditional linear treadmill, (b) motorized floor tiles, (c) a human-sized hamster ball, and (d) a friction-free platform.

Omni, Cyberith's *Virtualizer*, and KatVR's *Kat Walk* are examples of commercial versions of this approach to repositioning users. An example of a friction-free platform can be seen in Figure 3(d).

4.2 Proxy Gestures

Locomotion based on proxy gestures requires the user to perform gestures that serves as a proxy for actual steps. It is possible distinguish between different subcategories depending on what part of the body is used to perform the proxy gesture. In this article, gestures will be classified as upper and lower body gestures for simplicity.

Because the aim is to produce a walking experience that resembles real walking, proxy gestures often rely on lower-body movement. The most common approach is so-called walking-in-place (WIP) techniques. When traveling through virtual worlds using such techniques, the user performs stepping-like movements on the spot. The steps in place may be registered based on a physical interface detecting discrete gait events (e.g., Bouguila et al. (2005, 2003) and Richard et al. (2007)) or using motion tracking systems enabling continuous detection of the position and velocity of limbs (e.g., Bruno et al. (2013), Feasel et al. (2008), Slater et al. (1993), and Wendt et al. (2010)). Even though self-reported measures have revealed that users find real walking more simple, straight-forward, and natural (Usuh et al. 1999), WIP techniques do come with a number of advantages: (1) WIP techniques are convenient and inexpensive (Feasel et al. 2008), (2) WIP techniques can provide some of the proprioceptive feedback inherent to real walking (Slater et al. 1994), (3) WIP techniques may provide an increased sensation of “being there” in the virtual environment compared to techniques where movement is produced by pressing a button (Slater et al. 1995), and (4) WIP techniques may be comparable to real walking in terms of users’ performance on simple spatial orientation tasks (i.e., tasks requiring users to locate objects and point to a specific location once the navigation is completed) (Williams et al. 2011). WIP techniques have been implemented using commercially available hardware such as Microsoft’s *Kinect* (Suma et al. 2011), Nintendo’s *Wii Balance Board* (Filho et al. 2012; Williams et al. 2011), and the inertial data obtained from the sensors of a mobile HMD (Pfeiffer et al. 2016; Tregillus and Folmer 2016). Most WIP techniques involve a gesture reminiscent of marching on the spot or walking up a flight of stairs (Figure 4(a)). However, recent work suggests that the experience of walking may be perceived as more natural if the user performs a gesture that better matches real walking in terms of perceived energy expenditure, such as alternately tapping each heel against the ground (Nilsson et al. 2013) (Figure 4(b)). Notably, tapping in place produces knee movements that have been described as gestural input for virtual locomotion elsewhere (Guy et al. 2015; Punpongson et al. 2016; Templeman et al. 1999).




Fig. 4. Three examples of proxy gestures: (a) the traditional WIP gesture, (b) arm-swinging, and (c) tapping in place. The purple arrows illustrate the movement of the body parts used to perform the gesture.

While steps in place appear to be the most common lower-body gesture, alternatives have been proposed. For example, Zielinski, McMahan, and Brady (2011) combined common WIP locomotion for forward movement with a leg-based pinch gesture for sidestepping (i.e., the user would step to the side with one foot and then slide this foot inward along the floor toward the other foot). Moreover, as part of their efforts to identify nontiring and easily accessible gestures for virtual travel, Guy et al. (2015) and Punpongsanon et al. (2016) explored the use of a number of gestures including placing one foot in front of or behind the center of gravity, hip rotations around the body's longitudinal axis, and sideways hip swings.

At first glance, upper-body gestures seem less suited if one wishes to facilitate a natural walking experience. Nevertheless, it has been proposed that relatively natural experiences can be achieved based on gestures devoid of explicit leg movement, such as swinging one's arms back and forth (McCullough et al. 2015; Nilsson et al. 2013; Wilson et al. 2016) (Figure 4(c)). Moreover, the results of a study performed by Nilsson et al. (2013) suggest that users experience this gesture equally as natural as WIP locomotion and less fatiguing. The authors describe that a possible reason this gesture was perceived as relatively natural is that it involves a rhythmic swinging of the arms similar to the one sometimes occurring during real walking (Zehr and Haridas 2003). An inherent disadvantage of this approach is that it leaves the user unable to interact with his or her arms while walking. Nevertheless, arm swinging may prove to be a meaningful solution for certain applications because systems such as the Oculus Rift currently only support tracking of the head and hands. Notably, an implementation of this locomotion technique, aptly dubbed *ArmSwinger*, is currently available to Unity developers (electricnightowl.com). Other forms of upper-body gestures include head swaying (Terziman et al. 2010), shoulder rotation (Guy et al. 2015), sideways and forward leaning of the torso (Guy et al. 2015; Kitson et al. 2017; Langbehn et al. 2015), and even finger-based gestures (i.e., finger tapping on a touchpad (Yan et al. 2016) and alternating clicks on the trigger buttons of two HTC Vive controllers (Sarupuri et al. 2017)).

4.3 Redirected Walking

Unlike repositioning systems and proxy gestures, redirected walking does involve physical walking and therefore qualifies as mobile travel techniques following the taxonomy outlined in Section 2. Generally speaking, redirected walking refers to a collection of approaches that make it possible to control the user's path through the physical environment by manipulating the stimuli used to represent the virtual environment (Suma et al. 2012). It is possible to distinguish between techniques that accomplish redirection based on either *perspective manipulation* or *environmental manipulation*. The two types of techniques are discussed in turn below.




Fig. 5. The four types of gains used for perspective manipulation: (a) translation gain, (b) rotation gain, (c) curvature gain, and (d) bending gain. Purple and blue lines indicate the real and virtual transformations, respectively.

Redirection techniques relying on perspective manipulation apply changes to the user's virtual point of view (or point of audition). Particularly, the manipulation is accomplished by applying gains that affect the mapping between the user's real virtual movement (e.g., if a gain of 2.0 is applied to the user's forward translation, then he or she will travel twice as fast in the virtual environment). Common ways of redirecting users using this approach include application of imperceptible translation, curvature, rotation, and bending gains to the movement of the virtual camera. The gains scale and bend the walker's path, as well as increase or decrease the virtual rotations resulting from physical rotations (Interrante et al. 2007; Langbehn et al. 2017; Razzaque et al. 2001) (Figure 5)). To exemplify, if the user is asked to walk across a virtual soccer field, it is possible to slowly and imperceptibly rotate the field around the user. This will cause him or her to walk in circles even though he or she thinks he or she is walking along a straight path. It is preferable for redirection techniques relying on perspective manipulation to be subtle because overt manipulation would disrupt the natural experience of walking through the virtual environment (Suma et al. 2012). The maximum and minimum gains that can be applied without the user noticing the manipulation (i.e., the perceptual detection thresholds) have been established through empirical evaluations relying on psychophysical methods (Grechkin et al. 2016; Steinicke et al. 2010). Even though subtlety is preferable, redirection techniques relying on overt perspective manipulation exist. Particularly, overt perspective manipulation may become necessary if the user is dangerously close to the boundary of the walking space. Under such circumstances, the system intervenes, the user is instructed to turn around, and during the turn the visual image may be frozen or a gain applied (Williams et al. 2007). An increasingly growing body of work has explored different approaches to decreasing the likelihood of the user detecting the manipulation by using visual distractors (Peck et al. 2011), by manipulating the user's viewpoint during saccades and eye blinks (Bolte and Lappe 2015; Langbehn et al. 2016), or by using narrative events as opportunities to imperceptibly manipulate the user's path (Grechkin et al. 2015; Neth et al. 2012).

Work on perspective manipulation has primarily relied on manipulation of the visuals presented to the user. Nevertheless, it has been demonstrated that redirection can be accomplished using sound when the user is deprived of visual stimuli (Nogalski and Fohl 2016; Serafin et al. 2013). However, it remains to be seen if the addition of sound can decrease users' ability to detect visual manipulations under certain circumstances (e.g., in a dimly lit or foggy environment) (Meyer




Fig. 6. A visual overview of Waller and Hodgson's (2013) three types of information received by walkers about their environment and their place and movement through it.

et al. 2016; Nilsson et al. 2016). Moreover, the addition of haptic cues in the form of a convex surface wall have been shown to positively influence the ability to redirect users (Matsumoto et al. 2016). Furthermore, several attempts have been made at producing steering algorithms that deploy different types of perspective manipulation to ensure that the user remains within the tracked space (Hodgson and Bachmann 2013; Nescher et al. 2014; Razzaque 2005). However, according to Azmandian, Grechkin, and Rosenberg (2017), the most commonly used algorithm is the *Steer-to-Center* algorithm that continuously tries to steer the user toward the center of the tracking area. Notably, this approach has been combined with overt interventions in order to ensure the safety of the user (Peck et al. 2011). While most research on subtle perspective manipulation has focused on singleuser scenarios, recent work has begun to explore the problem of simultaneously redirecting multiple users in a shared space (Azmandian et al. 2017; Bachmann et al. 2013; Holm 2012).

Redirection techniques relying on environmental manipulation do, as the name implies, accomplish the redirection by changing the properties of the virtual environment. In its simplest form, this type of redirection involves creation of virtual environments that match the physical space in size and in terms of potential obstacles (Simeone et al. 2015; Sra et al. 2016). Presenting virtual objects at the boundaries of the tracking space should be able to contain the movement of most walkers. Suma et al. (2011a) devised an approach redirecting users through subtle manipulation of the virtual architecture inspired by change blindness (i.e., the inability of an individual to detect changes in the environment (Matlin 2009)). Specifically, Suma et al. (2011a) were able to manipulate the orientation of doorways behind users' backs and thereby influence their walking paths. Moreover, Suma et al. (2012) proposed a technique dubbed *Impossible Spaces* that makes it possible to compress virtual interior environments into comparatively smaller physical spaces by means of self-overlapping architecture (e.g., two adjacent virtual rooms may occupy the same physical space). Finally, if the aim is not to replicate the spatial layout of a real space, then the technique *Flexible Spaces* can provide unrestricted walking within a dynamically generated interior virtual environment (Vasylevska and Kaufmann 2017b; Vasylevska et al. 2013).

The fact that redirected walking involves actual walking means that a larger physical space is required. However, it also means that the user receives vestibular self-motion information, which may aid the walker's understanding of the size of the environment and improves spatial understanding (Bowman et al. 2004). Notably, using a specific scenario, researchers have been able to successfully redirect walkers in areas as small as $6\text{m} \times 6\text{m}$ (Suma et al. 2015) and $4\text{m} \times 4\text{m}$ (Langbehn et al. 2017). While these results are encouraging, it should be stressed that redirection techniques relying on environmental manipulation generally are limited to interior environments (Suma et al. 2011a). Contrarily, perspective manipulation using gains can be applied in open environments, such as outdoor scenes. However, this form of redirection requires the user to subconsciously compensate for the introduced manipulation, which may impose additional cognitive load, as demonstrated using verbal and spatial working memory tasks (Bruder et al. 2015).

5 MULTIMODAL FEEDBACK DURING WALKING

Walking is an inherently multisensory activity, and several sources provide the walker with information about the surrounding environment as well as the act of walking itself. Waller and Hodgson (2013) present a discussion of the systems that provide individuals with sensory information about the environment and their movement through it. Inspired by this work, we distinguish between three categories of information: (1) *External sensory information* includes information derived from the visual, auditory, and cutaneous senses. The cutaneous senses provide information about interactions at the level of the skin (Robles-De-La-Torre 2006). (2) *Internal sensory information* is produced by the vestibular and the kinesthetic/proprioceptive system. The vestibular system is located in the inner ear and registers angular and linear acceleration of the head. The kinesthetic/proprioceptive system is responsible for detecting positions, orientations, and movements of the musculature and joints (Waller and Hodgson 2013). (3) Finally, *effluent information* relates to attention allocation and efference copy (the neural representation of motor commands from the central nervous system to the musculature) (Waller and Hodgson 2013). Besides vision, hearing, and the cutaneous senses, other external sources can conceivably also provide the walker with spatial information (e.g., the olfactory or gustatory senses). However, during everyday interactions, their contributions are likely to be negligible (Waller and Hodgson 2013). In what follows, we summarize work aimed at providing users with appropriate multisensory stimuli during virtual walking. First we present work related to external sources of sensory information (i.e., visual, auditory, and haptic feedback), and then the role of internal and efferent information is discussed.

5.1 Visual Feedback

Vision serves as a direct, rich, and precise source of spatial information (Waller and Hodgson 2013), and it is central to how walkers perceive their movement through an environment. Specifically, *optic flow* (i.e., “the pattern of visual motion at the moving eye” (Warren et al. 2001, p. 213)) provides the walker with information about translational and rotational movement. That is, expanding and contracting flow fields are indicative of forward and backward movement, respectively. Laminar flow patterns may indicate either rotational or sideways movement. The interpretation of ambiguous external sensory information, such as laminar flow patterns, may vary depending on the nature of the simultaneous internal and efferent information (see Section 5.4).

Optic flow can become disambiguated by information arriving from other sensory modalities and efferent sources. Nevertheless, research on sensory psychology suggests that in the event of a sensory conflict, vision tends to dominate proprioceptive and vestibular sensations (Dichgans and Brandt 1978). It is arguably this visual dominance that makes it possible to subtly redirect walkers by applying translation, curvature, rotation, and bending gains.

Interestingly, self-motion perception during treadmill and WIP walking is prone to distortion. If a user is walking on a treadmill while viewing a virtual environment using an HMD, then one would expect users to find a match between the visually presented speed and the speed of the treadmill belt to be the most realistic. However, contrary to intuition, it has been demonstrated that individuals tend to underestimate visually presented walking speeds when using linear treadmills for virtual locomotion. In other words, walkers are likely to find visually presented speeds too slow if they correspond to the speed of the treadmill belt (Banton et al. 2005; Kassler et al. 2010; Nilsson et al. 2016a; Powell et al. 2011). All the factors influencing this perceptual distortion remain unknown, but research on self-motion during treadmill walking and WIP locomotion have yielded the following findings: (1) if walkers direct their gaze downward or to the side, the underestimation is eliminated (Banton et al. 2005); (2) the underestimation does not appear to be caused by image jitter (Banton et al. 2005); (3) no effect of increased HMD weight or varying peripheral

occlusion has been found (Nilsson et al. 2015a, 2015b); (4) the amount of underestimation appears to be inversely proportional to the size of the display field of view (Nilsson et al. 2014a); (5) similarly, the degree of underestimation seems to be inversely proportional to the size of the geometric field of view (Nilsson et al. 2015b); (6) the amount of identified underestimation may vary depending on study methods (Nilsson et al. 2015b); (7) high step frequencies may lead to a larger degree of underestimation, but the evidence is somewhat equivocal with respect to this effect (Durgin et al. 2007; Kassler et al. 2010; Nilsson et al. 2014b); (8) finally, the degree of underestimation may vary slightly depending on whether the user is walking on a treadmill or walking in place (Nilsson et al. 2016a).

5.2 Auditory Feedback

Even though vision tends to dominate spatial perception, audition does provide stationary and moving observers with information about the surrounding environment. Particularly, Waller and Hodgson (2013) describe that audition can provide the individual with information about the size of the environment and the position of objects and events within that environment—assuming that they emit sounds, that is. As evident from the literature on self-motion illusions (i.e.,vection), sound sources moving relative to the listener can also influence motion perception. According to Våljamäe (2009), three cues are central for discrimination of auditory motion: binaural cues (e.g., interaural time and level differences), the Doppler effect (i.e., frequency shifts during relative movement between a sound source and listener), and sound intensity (e.g., intensity changes providing an estimate of time to arrival). Larsson et al. (2010) describe that approaches to sound spatialization fall into two general categories: sound-field-related methods (multichannel loudspeaker systems) and head-related methods (spatial rendering of sound delivered via headphones). Rendering and perception of distant auditory objects have been studied extensively. However, comparatively little work has explored how to make the sensation of walking more natural by providing auditory cues related to the interaction between users' feet and the virtual ground.

Footstep sounds are frequently used in movies to provide information about the presence of characters on and off screen, and in case of computer games, such sounds may also be used to inform the player about the surface being traversed and to produce a sense of weight and embodiment. In these cases, footstep sounds are often based on recordings retrieved from sound libraries or produced by Foley artists (Nordahl et al. 2011). An alternative to recordings is physics-based sound synthesis algorithms. Among the pioneers of this approach is Cook (1997), who proposed a number of physically informed stochastic models (PhiSMs) simulating everyday sonic events. Cook's (2002) work includes algorithms for simulating the sound generated when walking on varying surfaces. Similarly, Fontana and Bresin (2003) devised physically informed models with the ability to reproduce the sound of footsteps on several stochastic surfaces.

Visell et al. (2009) distinguish between two broader categories of interfaces for controlling the feedback generated from footsteps: *instrumented floors* (rigid surfaces augmented with sensors and actuators) and *instrumented shoes* (footwear augmented with sensors and actuators). An advantage of instrumented floors is that they do not require users to wear additional equipment. However, unlike wearable solutions, they are likely to limit the user's movement to a relatively small walking area, and current solutions are relatively impractical and expensive. Nordahl et al. (2011) developed a real-time, physics-based sound synthesis engine and integrated it in a VR setup using an instrumented floor. Condenser boundary microphones embedded in the floor detected the user's footsteps, which were used to drive the sound synthesis engine. This system was able to synthesize the sound of walking on different solid and aggregate surfaces, including wood, snow, and grass. The evaluation of the system generally yielded promising results with respect to surface recognition, and when the participants made incorrect judgments, they frequently mistook aggregate and solid surfaces for other surfaces belonging to the same general category. Moreover, an additional

study revealed that participants found it easier to recognize simulated surface materials when these materials were presented alongside semantically congruent environmental sounds (Nordahl et al. 2011). Notably, it has been proposed that ground reaction forces can be derived from microphones placed both on the floor and on shoes (Serafin et al. 2009). Earlier work by Nordahl (2005, 2006), relied on instrumented shoes for detecting foot-ground interactions and demonstrated that simulated footstep sounds can significantly increase participants' sensation of presence in the virtual environment and the amount of movement performed by the user. A similar system for producing footstep sounds was developed by Papetti et al. (2009).

5.3 Haptic Feedback

The third source of external sensory information is the cutaneous senses. Particularly, the somatosensory pressure receptors inform the walker about physical contact with objects on the path (Waller and Hodgson 2013). Haptic feedback is intended to provide such information by reproducing forces, movements, and other cutaneous sensations felt via the sense of touch (Marchal et al. 2013). In a manner similar to Lindeman et al. (1999), we distinguish between two approaches for supplying individuals with cutaneous information during virtual walking. *Passive-haptic* feedback is generated simply by virtue of the objects' physical properties (e.g., its shape and texture). Contrarily, *active-haptic* feedback is controlled using a computer and delivered using a haptic display (e.g., vibrotactile actuators).

Meehan et al. (2002) describe a study combining passive-haptic feedback with a stressful virtual environment. The stressful environment comprised a virtual pit and the participants were required to look over a virtual precipice. The passive-haptic feedback comprised a 1.5" wooden ledge collocated with the virtual precipice. Among other things, the study revealed that the participants exhibited stronger fear responses, as assessed by means of physiological measures, when exposed to the passive-haptic feedback ledge compared to when they were standing on the floor. More recently, Suma et al. (2011b, 2013) developed a virtual environment wherein users are redirected over real-world concrete and gravel using a redirection technique inspired by change blindness (see Section 4.3). Particularly, the redirection ensured that the users would physically step on the correct surface material whenever this material was present in the virtual environment.

With respect to active-haptic feedback, Marchal et al. (2013) stated that the addition of even low-fidelity tactile feedback may increase the sensation of presence in an audiovisual virtual environment. Along similar lines, Srinivasan and Basdogan (1997) suggested that the potential gains of adding such tactile feedback may be larger than improving the quality of the feedback delivered to an existing modality (e.g., the visual display). Passive-haptic feedback will necessarily be floor based. However, like auditory feedback, active-haptic feedback can be delivered based on interaction with either instrumented floors or shoes. In fact, much recent research on auditory and haptic feedback for virtual walking has been performed in parallel using multimodal interfaces. Marchal et al. (2013) describe that because the haptic and auditory stimuli share the same origin (i.e., physical contact between the foot and the ground), the high-frequency information in the mechanical signals of the two are often closely related. For that reason, the same physics-based algorithms have been used to produce the signals fed to both auditory and haptic displays (Nordahl et al. 2012b). Much of the recent work on audiohaptic feedback for virtual walking was performed as part of the Natural Interactive Walking (NIW), FET-Open EU project (FP7-ICT-222107), which explored the use of both instrumented floors and shoes.

Law et al. (2008, 2009) produced a haptic display based on an instrumented floor. Particularly, they developed a system that is able to provide users with active-haptic feedback through actuated floor tiles. The system included 36 square tiles (30.5cm × 30.5cm) arranged in a 6 × 6 matrix

in the center of a CAVE-like environment, including floor projections of the virtual ground surface. Recent work by Kruijff et al. (2016) demonstrated that the addition of, among other things, vibrotactile feedback could improve stationary users' sensation of self-motion.

Much of the work using instrumented shoes for delivering active-haptic feedback has focused on how accurately participants could recognize virtual surfaces rendered using the augmented footwear. Work by Nordahl et al. (2010) suggests that auditory feedback may yield superior recognition performance compared to haptic feedback, and the combination of auditory and haptic feedback did not produce a significant improvement. Serafin et al. (2010) similarly found that auditory feedback was superior to haptic feedback with respect to recognition. However, they did find that audiohaptic feedback improved recognition in some cases. Nordahl et al. (2012a) performed a study exploring whether the addition of audiohaptic simulation of foot-ground interaction influences perceived realism and presence. They used a stressful virtual environment inspired by the pit room used by Meehan et al. (2002). The results did not reveal any significant differences in terms of presence. However, the participants did find that the addition of audiohaptic feedback made the experience seem more realistic (Nordahl et al. 2012a). For a comprehensive overview of audiohaptic feedback for walking and the outcomes of the NIW project, refer to Fontana and Visell (2012).

5.4 Internal and Efferent Information

As suggested, it is possible to distinguish between at least three types of internal sensory information: vestibular, proprioceptive, and kinesthetic information. Aside from contributing to the sensation of self-motion (Riecke et al. 2005), information originating from the vestibular system supports various oculomotor and postural reflexes, and it is thought to play a central role for spatial updating and dead reckoning (Waller and Hodgson 2013). While the terms “kinesthetic” and “proprioceptive” often are used interchangeably, Waller and Hodgson (2013) describe that it is possible to distinguish between kinesthetic and proprioceptive information. Particularly, kinesthetic information relates to “information about the movement of one’s limbs or effectors” [p. 8], whereas proprioceptive information relates to the “relatively static position or attitude of the musculature” [p. 8]. In regard to the act of walking, this implies that kinesthetic information enables the walker to take steps without visually confirming that the action is being performed as intended, and the proprioceptive information makes an individual aware of the position of the lower limbs even in the absence of motion. Especially proprioception is believed to positively influence performance on heading, turn, and distance estimation, as well as spatial updating. The final category of information discussed by Waller and Hodgson (2013) is efferent information. Particularly, *efference copy* is pertinent to the current discussion. Efference copy refers to the neural representation of motor commands from the central nervous system to the musculature (Waller and Hodgson 2013). This simultaneous record of current motor commands is used to predict sensory stimuli and modulate the response of the associated sensory modality (Pynn and DeSouza 2013). Moreover, it is believed that the information provided by efference copy enables predictions about the consequences of performed actions before they have occurred (Harris et al. 2002). Thus, efference copies, among other things, enable individuals to discern stimuli generated by external events in the environments from similar stimuli produced by their own actions (Waller and Hodgson 2013). For example, it is efferent information about one’s own motor commands that makes it possible to disambiguate laminar optic flow produced during head turns from the similar pattern on the retina resulting from circular environmental movement.

Internal and efferent information is particularly relevant when considering how the different walking techniques outlined in Section 4 are experienced. With respect to vestibular stimulation, subtle redirection techniques are generally superior to repositioning systems and WIP techniques.

Because repositioning systems and WIP techniques are designed to limit translational movement, users are guaranteed conflicting visual and vestibular information. Contrarily, redirected walking involves vestibular stimulation, and as long as the applied gains remain low enough, the conflict between vision and the vestibular sense will remain unnoticed. Notably, it has been suggested that forward leaning, which produces vestibular stimulation, may elicit stronger illusions of self-motion on behalf of stationary users (Kruijff et al. 2015). Thus, WIP locomotion involving leaning, such as the technique proposed by Langbehn et al. (2015), could help compensate for the missing vestibular information.

Because subtle redirection involves actual steps, approaches belonging to this category should provide more natural kinesthetic and proprioceptive information than WIP techniques. In this regard, some repositioning systems are also likely to exceed WIP techniques. Moreover, alternative gestural input, such as tapping in place and arm swinging, may be perceived to be at least as natural as the traditional WIP gesture (see Section 4.2). A possible explanation is that tapping in place, like steps in place, results in kinesthetic information reminiscent of that generated during real walking. However, tapping in place better matches real walking in terms of perceived effort (Nilsson et al. 2013). Similarly, arm swinging provides a better match with respect to perceived effort, and relevant kinesthetic information is also generated from rhythmic swinging of the arms, which is known to occur during walking (Zehr and Haridas 2003).

6 CURRENT CHALLENGES AND FUTURE WORK

Recent advances in display and tracking technology have made VR accessible to consumers in an unprecedented manner. The popularization of VR will (hopefully) mean that an increasingly large number of people will be navigating through familiar, foreign, and fantastic virtual environments on a regular basis. Indeed, virtual travel is one of the most common and universal tasks performed inside virtual environments. As pointed out in Section 2, numerous different virtual travel techniques have been proposed. We described that it is possible to distinguish between travel techniques based on whether the user is physically moving or not, whether the techniques involve a virtual vehicle or not, and whether they mimic real-world travel or employ a magical interaction metaphor (Section 2). Techniques involving physical movement are particularly problematic because the user's ability to travel virtually will be constrained by the size of the tracked space. Both vehicular and magical travel techniques largely circumvent this issue. However, many scenarios will demand that the user is able to navigate large virtual environments on foot.

The research community has yet to produce a system that facilitates unconstrained and natural walking within large virtual environments. Specifically, we argued that this task involves two challenges: (1) creation of travel techniques that sufficiently mimic the experience of real walking without requiring a physical space of the same size as the virtual environment and (2) provision of appropriate multisensory stimuli resulting from the user's interaction with the virtual environment. As discussed in Section 4, repositioning systems, proxy gestures, and redirected walking all offer potential solutions to the first of the two challenges.

An advantage of active repositioning systems is that they enable users to take actual steps, thus ensuring correct proprioceptive/kinesthetic feedback. Moreover, such systems can successfully confine the user's movement to an area of limited size. However, most current implementations are relatively cumbersome and expensive, and a limitation of large mechanical setups, such as omnidirectional treadmills, is that they may cause users to lose balance during turns and sidesteps (Bowman et al. 2004). Passive repositioning systems relying on friction-free platforms offer an inexpensive alternative. However, the community has yet to empirically establish how well these systems perform with respect to factors such as perceived naturalness, spatial performance, task performance, and simulator sickness. This is an area ripe for future work.

There is obviously a limit to how well proxy gestures can mimic the experience of real walking. Nevertheless, a considerable advantage of such approaches is that they are relatively inexpensive and require very little physical space. Historically, research has focused on lower-body gestures and particularly WIP techniques. Moreover, much of this work has focused on optimization of algorithms for step detection and velocity estimation and exploration of different hardware for detecting the user's movements. Future work should continue to improve techniques with respect to the virtual locomotion speed control goals introduced by Feasel et al. (2008): smooth between-step locomotion speed, continuous within-step speed control, real-world turning and maneuvering, and low starting and stopping latency. However, previous work has almost exclusively focused on gestural input for forward movement. Future work should establish what upper- and lower-body gestures provide the most natural experience of walking forward, backward, and laterally. Moreover, because many systems do not offer full-body tracking, it is necessary to determine what steering methods users will find the most natural (e.g., gaze-directed steering, torso-directed steering, or hip-directed steering) (Nilsson et al. 2016b). Finally, it remains to be seen whether a sense of ownership of a virtual body exhibiting normal gait behavior can be sustained during locomotion based on proxy gestures.

Because repositioning systems and proxy gestures are designed to limit translational movement, these approaches involve limited vestibular self-motion information. Redirected walking is arguably the most natural of the three general approaches because the user is physically moving. However, this generally means that redirected walking will require a much larger physical space than repositioning systems and proxy gestures. It is well documented that users can be subtly redirected through perspective manipulation (i.e., application of gains) and environmental manipulation (i.e., self-overlapping virtual architecture). However, previous work establishing detection thresholds for perspective manipulation relied on displays that do not compare to current-generation HMDs. Moreover, threshold estimates vary significantly depending on estimation methods, and users' sensitivity to the redirection is likely to vary depending on individual differences and the attentional demands of the virtual task. Thus, estimation of detection thresholds for visual (and acoustic) gains remains an important area of research. Environmental manipulation offers a relatively safe approach to redirected walking, insofar as the interior environment does not exceed the bounds of the tracking space. However, the same cannot be said of perspective manipulation using gains. Thus, it is important for future work to explore nonintrusive ways of intervening when the user walks too close to bounds of the tracked space. Creating opportunities to imperceptively manipulate the user's path using narrative events is a promising direction for future work. A major challenge facing work on redirected walking is generalizability. Ideally, the same redirection algorithm should be applicable across different virtual environments and scenarios. In this regard, automatic calculation of navigable paths and decision points from a given virtual environment and prediction of users' future paths remain major challenges. Finally, we have yet to learn how exactly subtle redirection influences factors such as simulator sickness and cognitive load.

With respect to the second challenge of providing appropriate multisensory stimuli, three issues were emphasized in Section 5: facilitation of natural motion perception, delivery of natural feedback representing foot-ground interaction, and ensuring correct internal and efferent information.

As discussed in Section 5.1, users tend to underestimate visually presented walking speeds during treadmill and WIP locomotion. However, we still do not know exactly what causes this perceptual distortion, or if it is equally prevalent when using current-generation HMDs. As a consequence, it may be necessary to establish HMD-specific guidelines describing what gains to apply in order to produce perceptually natural motion perception. It is worth stressing that underestimations of visual walking speeds generally have been observed when the user is exposed to relatively

artificial scenarios (e.g., walking in a straight line down long corridors while the gaze is fixated on the end of the corridor). Thus, it seems likely that the issue will be far less prevalent, and possibly nonexistent, in relation to more complex scenarios.

Sections 5.2 and 5.3 discussed the use of instrumented floors and footwear for delivering auditory and haptic feedback accompanying foot-ground interactions. Instrumented floors are a promising approach to delivering audio-haptic feedback to users relying on WIP locomotion. However, this approach is not practical in relation to redirected walking, which requires a large walkable area. Instead, it seems possible to combine redirected walking with instrumented footwear. In addition to providing more natural feedback to the user, it also seems possible that instrumented shoes could be used to decrease users' ability to detect perspective manipulations. For example, it has been demonstrated that users walking along a curved path are more likely to believe that they are walking straight when touching a wall that is physically curved but appears straight in the virtual environment (Matsumoto et al. 2016). Audio-haptic feedback delivered at the feet could similarly be used to support visually presented perspective manipulations.

Finally, the internal and efferent information accompanying repositioning systems, proxy gestures, and redirected walking was discussed in Section 5.4. As argued above, the three approaches to virtual walking vary greatly in this regard. Repositioning systems provide relatively accurate proprioceptive/kinesthetic feedback. However, the fact that the user remains stationary comes at a cost since vestibular information is limited. Approaches relying on proxy gestures are for the same reason limited with respect to vestibular feedback. However, these approaches are considerably less expensive and can be implemented using off-the-shelf hardware. With respect to internal and efferent information, redirected walking arguably mimics real walking the best. Nevertheless, this approach requires a considerable amount of space and the community has yet to produce a redirection algorithm that is truly generalizable.

We have yet to see a commercially viable solution that is able to replicate the experience of real walking within a limited physical space while providing high-fidelity multisensory feedback. Nevertheless, great strides have been made since Sutherland (1965) presented his ultimate display that would allow users to step into (and walk around in) a digital wonderland. This article detailed an overview of this work and highlighted some of the challenges that are likely to inform future work on virtual walking.

REFERENCES

- Lisa Avila and Mike Bailey. 2014. Virtual reality for the masses. *IEEE Computer Graphics and Applications* 34, 5 (2014), 103–104.
- Mahdi Azmandian, Timofey Grechkin, and Evan Suma Rosenberg. 2017. An evaluation of strategies for two-user redirected walking in shared physical spaces. In *2017 IEEE Virtual Reality (VR'17)*. IEEE, 91–98.
- Eric R. Bachmann, Jeanette E. Holm, Michael A. Zmuda, and Eric Hodgson. 2013. Collision prediction and prevention in a simultaneous two-user immersive virtual environment. In *2013 IEEE Virtual Reality (VR'13)*. IEEE, 89–90.
- Tom Banton, Jeanine Stefanucci, Frank Durgin, Adam Fass, and Dennis Proffitt. 2005. The perception of walking speed in a virtual environment. *Presence: Teleoperators and Virtual Environments* 14, 4 (2005), 394–406.
- Benjamin Bolte and Markus Lappe. 2015. Subliminal reorientation and repositioning in immersive virtual environments using saccadic suppression. *IEEE Transactions on Visualization and Computer Graphics* 21, 4 (2015), 545–552.
- Laroussi Bouguila, Evequoz Florian, Michele Courant, and Beat Hirsbrunner. 2005. Active walking interface for human-scale virtual environment. In *11th International Conference on Human-Computer Interaction (HCI'05)*, Vol. 5. ACM, 22–27.
- Laroussi Bouguila, Masaru Iwashita, Beat Hirsbrunner, and Makoto Sato. 2003. Virtual locomotion interface with ground surface simulation. In *Proceedings of the International Conference on Artificial Reality and Telexistence (ICAT'03)*.
- Doug A. Bowman, Elizabeth T. Davis, Larry F. Hodges, and Albert N. Badre. 1999. Maintaining spatial orientation during travel in an immersive virtual environment. *Presence: Teleoperators and Virtual Environments* 8, 6 (1999), 618–631.
- Doug A. Bowman, David Koller, and Larry F. Hodges. 1997. Travel in immersive virtual environments: An evaluation of viewpoint motion control techniques. In *IEEE 1997 Virtual Reality Annual International Symposium*. IEEE, 45–52.

- Doug A. Bowman, Ernst Kruijff, Joseph J. LaViola Jr., and Ivan Poupyrev. 2004. *3D User Interfaces: Theory and Practice*. Addison-Wesley Professional, Redwood City, CA.
- Doug A. Bowman, Ryan P. McMahan, and Eric D. Ragan. 2012. Questioning naturalism in 3d user interfaces. *Communications of the ACM* 55, 9 (2012), 78–88.
- Gerd Bruder, Paul Lubos, and Frank Steinicke. 2015. Cognitive resource demands of redirected walking. *IEEE Transactions on Visualization and Computer Graphics* 21, 4 (2015), 539–544.
- Luís Bruno, João Pereira, and Joaquim Jorge. 2013. A new approach to walking in place. In *Human-Computer Interaction (INTERACT'13)*. 370–387.
- Tuncay Cakmak and Holger Hager. 2014. Cyberith virtualizer: A locomotion device for virtual reality. In *ACM SIGGRAPH 2014 Emerging Technologies*. ACM, 6.
- Deborah J. Cook, Cynthia D. Mulrow, and R. Brian Haynes. 1997. Systematic reviews: Synthesis of best evidence for clinical decisions. *Annals of Internal Medicine* 126, 5 (1997), 376–380.
- Perry R. Cook. 1997. Physically informed sonic modeling (PhISM): Synthesis of percussive sounds. *Computer Music Journal* 21, 3 (1997), 38–49.
- Perry R. Cook. 2002. Modeling bill's gait: Analysis and parametric synthesis of walking sounds. *Proceedings of the AES 22nd International Conference on Virtual, Synthetic, and Entertainment Audio*, 73–78.
- Rudolph P. Darken, William R. Cockayne, and David Carmein. 1997. The omni-directional treadmill: A locomotion device for virtual worlds. In *Proceedings of the 10th Annual ACM Symposium on User Interface Software and Technology (UIST'97)*. ACM, 213–221.
- Simon Davis, Keith Nesbitt, and Eugene Nalivaiko. 2014. A systematic review of cybersickness. In *Proceedings of the 2014 Conference on Interactive Entertainment (IE'14)*. ACM, 1–9.
- Johannes Dichgans and Thomas Brandt. 1978. Visual-vestibular interaction: Effects on self-motion perception and postural control. In *Perception: Handbook of Sensory Physiology*, R. Held, H. W. Leibowitz, and H. L. Editors Teuber (Eds.). Vol. VIII. Springer, Berlin, 755–804.
- Frank H. Durgin, Catherine Reed, and Cara Tighe. 2007. Step frequency and perceived self-motion. *ACM Transactions on Applied Perception (TAP)* 4, 1 (2007), 5.
- Jeff Feasel, Mary C. Whitton, Laura Kassler, Frederick P. Brooks, and Michael D. Lewek. 2011. The integrated virtual environment rehabilitation treadmill system. *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 19, 3 (2011), 290–297.
- Jeff Feasel, Mary C. Whitton, and Jeremy D. Wendt. 2008. LLCM-WIP: Low-latency, continuous-motion walking-in-place. In *Proceedings of the 2008 IEEE Symposium on 3D User Interfaces (3DUI'08)*. IEEE, 97–104.
- Ajoy S. Fernandes and Steven K. Feiner. 2016. Combating VR sickness through subtle dynamic field-of-view modification. In *2016 IEEE Symposium on 3D User Interfaces (3DUI'16)*. IEEE, 201–210.
- Hernandi F. K. Filho, Wilson J. Sarmiento, Vitor Jorge, Cesar Collazos, and Nedel Luciana. 2012. Walk in place using a balance board matrix. In *Proceedings of Workshop on Works in Progress (SIBGRAPI'12)*. 1–2.
- Federico Fontana and Roberto Bresin. 2003. Physics-based sound synthesis and control: Crushing, walking and running by crumpling sounds. In *Proceedings of the XIV Colloquium on Musical Informatics (CIM'03)*. 109–114.
- Federico Fontana and Yon Visell. 2012. *Walking with the Senses: Perceptual Techniques for Walking in Simulated Environments*. Logos-Verlag, Berlin, Germany.
- Timofey Grechkin, Mahdi Azmandian, Mark Bolas, and Evan A. Suma. 2015. Towards context-sensitive reorientation for real walking in virtual reality. In *2015 IEEE Virtual Reality (VR'15)*. IEEE, 185–186.
- Timofey Grechkin, Jerald Thomas, Mahdi Azmandian, Mark Bolas, and Evan Suma. 2016. Revisiting detection thresholds for redirected walking: Combining translation and curvature gains. In *Proceedings of the ACM Symposium on Applied Perception (TAP'15)*. ACM, 113–120.
- Emilie Guy, Parinya Punpongsanon, Daisuke Iwai, Kosuke Sato, and Tamy Boubekeur. 2015. LazyNav: 3D ground navigation with non-critical body parts. In *2015 IEEE Symposium on 3D User Interfaces (3DUI'15)*. IEEE, 43–50.
- Laurence R. Harris, Michael R. Jenkin, Daniel Zikovitz, Fara Redlick, Philip Jaekl, Urszula Jasiobedzka, Heather L. Jenkin, and Robert S. Allison. 2002. Simulating self motion I: Cues for the perception of motion. *Virtual Reality* 6, 2 (2002), 75–85.
- Lawrence J. Hettinger, Tarah Schmidt, David L. Jones, Behrang Keshavarz, Rudolph P. Darken, and Barry Peterson. 2002. *Illusory Self-motion in Virtual Environments*. CRC Press, Boca Raton, FL, 471–492.
- Eric Hodgson and Eric Bachmann. 2013. Comparing four approaches to generalized redirected walking: Simulation and live user data. *IEEE Transactions on Visualization and Computer Graphics* 19, 4 (2013), 634–643.
- Jeannette E. Holm. 2012. *Collision Prediction and Prevention in a Simultaneous Multi-User Immersive Virtual Environment*. Ph.D. Dissertation. Miami University.
- Jiung-Yao Huang. 2003. An omnidirectional stroll-based virtual reality interface and its application on overhead crane training. *IEEE Transactions on Multimedia* 5, 1 (2003), 39–51.

- Victoria Interrante, Brian Ries, and Lee Anderson. 2007. Seven league boots: A new metaphor for augmented locomotion through moderately large scale immersive virtual environments. In *Proceedings of the 2007 IEEE Symposium on 3D User Interfaces (3DUI'07)*. IEEE, 167–170.
- Hiroo Iwata. 1999. The torus treadmill: Realizing locomotion in ves. *IEEE Computer Graphics and Applications* 19, 6 (1999), 30–35.
- Hiroo Iwata and Takashi Fujii. 1996. Virtual perambulator: A novel interface device for locomotion in virtual environment. In *Proceedings of the IEEE Virtual Reality Annual International Symposium, 1996*. IEEE, 60–65.
- Hiroo Iwata, Hiroaki Yano, Hiroyuki Fukushima, and Haruo Noma. 2005. CirculaFloor. *IEEE Computer Graphics and Applications* 25, 1 (2005), 64–67.
- Hiroo Iwata, Hiroaki Yano, and Masaki Tomiyoshi. 2007. String walker. In *Proceedings of SIGGRAPH 2007*. ACM, 20.
- Laura Kassler, Jeff Feasel, Michael D. Lewek, Frederick P. Brooks Jr., and Mary C. Whitton. 2010. Matching actual treadmill walking speed and visually perceived walking speed in a projection virtual environment. In *Proceedings of the 7th Symposium on Applied Perception in Graphics and Visualization (APGV'10)*. ACM, 161–161.
- Alexandra Kitson, Abraham M. Hashemian, Ekaterina R. Stepanova, Ernst Kruijff, and Bernhard E. Riecke. 2017. Comparing leaning-based motion cueing interfaces for virtual reality locomotion. In *2017 IEEE Symposium on 3D User Interfaces (3DUI'17)*. IEEE, 73–82.
- Ernst Kruijff, Alexander Marquardt, Christina Trepkowski, Robert W. Lindeman, Andre Hinkenjann, Jens Maiero, and Bernhard E. Riecke. 2016. On your feet!: Enhancing vection in leaning-based interfaces through multisensory stimuli. In *Proceedings of the 2016 Symposium on Spatial User Interaction (SUI'16)*. ACM, 149–158.
- Ernst Kruijff, Bernhard Riecke, Christina Trepkowski, and Alexandra Kitson. 2015. Upper body leaning can affect forward self-motion perception in virtual environments. In *Proceedings of the 3rd ACM Symposium on Spatial User Interaction (SUI'15)*. ACM, 103–112.
- Eike Langbehn, Gerd Bruder, and Frank Steinicke. 2016. Subliminal reorientation and repositioning in virtual reality during eye blinks. In *Proceedings of the 2016 Symposium on Spatial User Interaction (SUI'16)*. ACM, 213–213.
- Eike Langbehn, Tobias Eichler, Sobin Ghose, Kai von Luck, Gerd Bruder, and Frank Steinicke. 2015. Evaluation of an omnidirectional walking-in-place user interface with virtual locomotion speed scaled by forward leaning angle. In *Proceedings of the GI Workshop on Virtual and Augmented Reality (GI VR/AR'15)*. 149–160.
- Eike Langbehn, Paul Lubos, Gerd Bruder, and Frank Steinicke. 2017. Bending the curve: Sensitivity to bending of curved paths and application in room-scale VR. *IEEE Transactions on Visualization and Computer Graphics* 23, 4 (2017), 1389–1398.
- Pontus Larsson, Aleksander Våljamäe, Daniel Västfjäll, Ana Tajadura-jiménez, and Mendel Kleiner. 2010. Auditory-induced presence in mixed reality environments and related technology. *Engineering of Mixed Reality Systems* (2010), 143–163. Retrieved from <http://www.springerlink.com/index/10.1007/978-1-84882-733-2>.
- Alvin W. Law, Jessica W. Ip, Benjamin V. Peck, Yon Visell, Paul G. Kry, and Jeremy R. Cooperstock. 2009. Multimodal floor for immersive environments. In *ACM SIGGRAPH 2009 Emerging Technologies*. ACM, 16.
- Alvin W. Law, Benjamin V. Peck, Yon Visell, Paul G. Kry, and Jeremy R. Cooperstock. 2008. A multi-modal floor-space for experiencing material deformation underfoot in virtual reality. In *IEEE International Workshop on Haptic Audio visual Environments and Games, 2008 (HAVE'08)*. IEEE, 126–131.
- Robert W. Lindeman, John L. Sibert, and James K. Hahn. 1999. Hand-held windows: Towards effective 2D interaction in immersive virtual environments. In *IEEE Proceedings of Virtual Reality (VR'99)*. IEEE, 205–212.
- Maud Marchal, Gabriel Cirio, Yon Visell, Federico Fontana, Stefania Serafin, Jeremy Cooperstock, and Anatole Lécuyer. 2013. Multimodal rendering of walking over virtual grounds. In *Human Walking in Virtual Environments*. Springer, New York, NY, 263–295.
- Margaret W. Matlin. 2009. *Cognition*. Seventh Edition. New York: John Wiley & Sons, Inc., Hoboken, NJ.
- Keigo Matsumoto, Yuki Ban, Takuji Narumi, Tomohiro Tanikawa, and Michitaka Hirose. 2016. Curvature manipulation techniques in redirection using haptic cues. In *2016 IEEE Symposium on 3D User Interfaces (3DUI'16)*. IEEE, 105–108.
- Morgan McCullough, Hong Xu, Joel Michelson, Matthew Jackoski, Wyatt Pease, William Cobb, William Kalescky, Joshua Ladd, and Betsy Williams. 2015. Myo arm: Swinging to explore a VE. In *Proceedings of the ACM SIGGRAPH Symposium on Applied Perception (SAP'15)*. ACM, 107–113.
- Eliana Medina, Ruth Fruland, and Suzanne Weghorst. 2008. Virtusphere: Walking in a human size VR hamster ball. In *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, Vol. 52. SAGE Publications, 2102–2106.
- Michael Meehan, Brent Insko, Mary Whitton, and Frederick P. Brooks Jr. 2002. Physiological measures of presence in stressful virtual environments. *ACM Transactions on Graphics (TOG)* 21, 3 (2002), 645–652.
- Florian Meyer, Malte Nogalski, and Wolfgang Fohl. 2016. Detection thresholds in audio-visual redirected walking. In *Proceedings of the International Conference on Sound and Music Computing 2016 (SMC'16)*. Sound and Music Computing Network, Hamburg, Germany, 293–299.

- Jacquelyn F. Morie. 2014. When VR really hits the streets. In *Proceedings of Photo-Optical Instrumentation Engineers (SPIE'14)*, Vol. 9012. International Society for Optics and Photonics, San Francisco, CA, 0120B1–0120B7. DOI: <http://dx.doi.org/10.1117/12.2042595>
- Thomas Nescher, Ying-Yin Huang, and Andreas Kunz. 2014. Planning redirection techniques for optimal free walking experience using model predictive control. In *2014 IEEE Symposium on 3D User Interfaces (3DUI'14)*. IEEE, 111–118.
- Christian T. Neth, Jan L. Souman, David Engel, Uwe Kloos, Heinrich H. Bulthoff, and Betty J. Mohler. 2012. Velocity-dependent dynamic curvature gain for redirected walking. *IEEE Transactions on Visualization and Computer Graphics* 18, 7 (2012), 1041–1052.
- Niels C. Nilsson, Stefania Serafin, Morten H. Laursen, Kasper S. Pedersen, Erik Sikström, and Rolf Nordahl. 2013. Tapping-in-place: Increasing the naturalness of immersive walking-in-place locomotion through novel gestural input. In *Proceedings of the 2013 IEEE Symposium on 3D User Interfaces (3DUI'13)*. IEEE, 31–38.
- Niels C. Nilsson, Stefania Serafin, and Rolf Nordahl. 2013. The perceived naturalness of virtual locomotion methods devoid of explicit leg movements. In *Proceedings of Motion in Games (MIG'13)*. ACM, 155–164.
- Niels C. Nilsson, Stefania Serafin, and Rolf Nordahl. 2014a. Establishing the range of perceptually natural visual walking speeds for virtual walking-in-place locomotion. *IEEE Transactions on Visualization and Computer Graphics* 20, 4 (2014), 569–578.
- Niels C. Nilsson, Stefania Serafin, and Rolf Nordahl. 2014b. The influence of step frequency on the range of perceptually natural visual walking speeds during walking-in-place and treadmill locomotion. In *Proceedings of the 20th ACM Symposium on Virtual Reality Software and Technology (VRST'14)*. ACM, 187–190.
- Niels C. Nilsson, Stefania Serafin, and Rolf Nordahl. 2015a. The effect of head mounted display weight and locomotion method on the perceived naturalness of virtual walking speeds. In *2015 IEEE Virtual Reality (VR'15)*. IEEE, 249–250.
- Niels C. Nilsson, Stefania Serafin, and Rolf Nordahl. 2015b. The effect of visual display properties and gain presentation mode on the perceived naturalness of virtual walking speeds. In *2015 IEEE Virtual Reality (VR'15)*. IEEE, 81–88.
- Niels C. Nilsson, Stefania Serafin, and Rolf Nordahl. 2016a. The perceived naturalness of virtual walking speeds during WIP locomotion: Summary and meta-analyses. *PsychNology Journal* 14, 1 (2016), 7–39.
- Niels C. Nilsson, Stefania Serafin, and Rolf Nordahl. 2016b. Walking in place through virtual worlds. In *International Conference on Human-Computer Interaction (HCI'16)*. Springer, Cham, Toronto, Canada, 37–48.
- Niels C. Nilsson, Evan Suma, Rolf Nordahl, Mark Bolas, and Stefania Serafin. 2016. Estimation of detection thresholds for audiovisual rotation gains. In *2016 IEEE Virtual Reality (VR'16)*. IEEE, 241–242.
- Malte Nogalski and Wolfgang Fohl. 2016. Acoustic redirected walking with auditory cues by means of wave field synthesis. In *2016 IEEE Virtual Reality (VR'16)*. IEEE, 245–246.
- Haruo Noma. 1998. Design for locomotion interface in a large scale virtual environment ATLAS: ATR locomotion interface for active self motion. In *Proceedings of the AMSE Dynamic System Control Division (DSCD'98)* 64 (1998), 111–118.
- Rolf Nordahl. 2005. Design and evaluation of a multi-modal footstep controller with VR-applications. In *Proceedings of the 2nd International Conference on Enactive Interfaces*. European Enactive Network of Excellence, Genoa, Italy, 57–62.
- Rolf Nordahl. 2006. Increasing the motion of users in photo-realistic virtual environments by utilising auditory rendering of the environment and ego-motion. In *The 9th Annual International Workshop on Presence (PRESENCE'06)*. International Society for Presence Research, Cleveland, OH, 57–63.
- Rolf Nordahl, Amir Berrezag, Smilen Dimitrov, Luca Turchet, Vincent Hayward, and Stefania Serafin. 2010. Preliminary experiment combining virtual reality haptic shoes and audio synthesis. In *International Conference on Human Haptic Sensing and Touch Enabled Computer Applications (Eurohaptics'10)*. Springer, Amsterdam, Netherlands, 123–129.
- Rolf Nordahl, Stefania Serafin, Niels C. Nilsson, and Luca Turchet. 2012a. Enhancing realism in virtual environments by simulating the audio-haptic sensation of walking on ground surfaces. In *2012 IEEE Virtual Reality Short Papers and Posters (VRW'12)*. IEEE, 73–74.
- Rolf Nordahl, Serafin Serafin, Luca Turchet, and Niels C. Nilsson. 2012b. A multimodal architecture for simulating natural interactive walking in virtual environments. *PsychNology* 9, 3 (2012), 245–268.
- Rolf Nordahl, Luca Turchet, and Stefania Serafin. 2011. Sound synthesis and evaluation of interactive footsteps and environmental sounds rendering for virtual reality applications. *IEEE Transactions on Visualization and Computer Graphics* 17, 9 (2011), 1234–1244.
- Stefano Papetti, Federico Fontana, and Marco Civolani. 2009. A shoe-based interface for ecological ground augmentation. In *Proceedings of the 4th International Haptic and Auditory Interaction Design Workshop (HAID'09)*, Vol. 2. Springer, Dresden, Germany, 44.
- Tabitha C. Peck, Henry Fuchs, and Mary C. Whitton. 2011. An evaluation of navigational ability comparing redirected free exploration with distractors to walking-in-place and joystick locomotion interfaces. In *Proceedings of the 2011 IEEE Virtual Reality (VR'11)*. IEEE, 55–62.
- Thies Pfeiffer, Aljoscha Schmidt, and Patrick Renner. 2016. Detecting movement patterns from inertial data of a mobile head-mounted-display for navigation via walking-in-place. In *2016 IEEE Virtual Reality (VR'16)*, 263–264.

- Wendy Powell, Brett Stevens, Steve Hand, and Maureen Simmonds. 2011. Blurring the boundaries: The perception of visual gain in treadmill-mediated virtual environments. In *Proceedings of the 3rd IEEE VR Workshop on Perceptual Illusions in Virtual Environments (PIVE'11)*. IEEE, 4–8.
- Parinya Punpongsanon, Emilie Guy, Daisuke Iwai, Kosuke Sato, and Tamy Boubekeur. 2016. Extended LazyNav: Virtual 3D ground navigation for large displays and head-mounted displays. *IEEE Transactions on Visualization and Computer Graphics* 23, 8 (2016), 1952–1963.
- Laura K. Pynn and Joseph F. X. DeSouza. 2013. The function of efference copy signals: Implications for symptoms of schizophrenia. *Vision Research* 76 (2013), 124–133.
- Sharif Razzaque. 2005. *Redirected Walking*. Ph.D. Dissertation. University of North Carolina at Chapel Hill, Chapel Hill, NC. Advisor(s) Fredrick P. Brooks Jr.
- Sharif Razzaque, Zachariah Kohn, and Mary C. Whitton. 2001. Redirected walking. In *Proceedings of Eurographics*, Vol. 9. Eurographics Association, Manchester, England, 105–106.
- Paul Richard, Laroussi Bouguila, Michele Courant, and Beat Hirsbrunner. 2007. Enactive navigation in virtual environments: Evaluation of the walking PAD. In *Proceedings of the 4th International Conference on Enactive Interfaces*. Association ACROE, Grenoble, France, 225–228.
- Bernhard E. Riecke, Jörg Schulte-Pelkum, Marios N. Avraamides, Markus von der Heyde, and Heinrich H. Bühlhoff. 2005. Scene consistency and spatial presence increase the sensation of self-motion in virtual reality. In *Proceedings of the 2nd Symposium on Applied Perception in Graphics and Visualization (APGV'05)*. ACM, A Corona, Spain, 111–118.
- Gabriel Robles-De-La-Torre. 2006. The importance of the sense of touch in virtual and real environments. *Ieee Multimedia* 13, 3 (2006), 24–30.
- Bhuvaneswari Sarupuri, Miriam Luque Chipana, and Robert W. Lindeman. 2017. Trigger walking: A low-fatigue travel technique for immersive virtual reality. In *2017 IEEE Symposium on 3D User Interfaces (3DUI'17)*. IEEE, 227–228.
- Stefania Serafin, Niels C. Nilsson, Erik Sikstrom, Amalia De Goetzen, and Rolf Nordahl. 2013. Estimation of detection thresholds for acoustic based redirected walking techniques. In *2013 IEEE Virtual Reality (VR'13)*. IEEE, 161–162.
- Stefania Serafin, Luca Turchet, and Rolf Nordahl. 2009. Extraction of ground reaction forces for real-time synthesis of walking sounds. *Audio Mostly 1* (2009), 99–105.
- Stefania Serafin, Luca Turchet, Rolf Nordahl, Smilen Dimitrov, Amir Berrezag, and Vincent Hayward. 2010. Identification of virtual grounds using virtual reality haptic shoes and sound synthesis. In *Proceedings of Eurohaptics Symposium on Haptic and Audio-Visual Stimuli: Enhancing Experiences and Interaction*. 61–70.
- Adalberto L. Simeone, Eduardo Velloso, and Hans Gellersen. 2015. Substitutional reality: Using the physical environment to design virtual reality experiences. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI'15)*. ACM, 3307–3316.
- Mel Slater, Anthony Steed, and Martin Usoh. 1993. The virtual treadmill: A naturalistic metaphor for navigation in immersive virtual environments. In *First Eurographics Workshop on Virtual Reality*, M. Goebel (Ed.). Springer, Vienna, Barcelona, Spain, 71–86.
- Mel Slater and Martin Usoh. 1994. Body centred interaction in immersive virtual environments. *Artificial Life and Virtual Reality 1* (1994), 125–148.
- Mel Slater, Martin Usoh, and Anthony Steed. 1994. Steps and ladders in virtual reality. In *Proceedings of the ACM Conference on Virtual Reality Software and Technology (VRST'94)*. ACM, 45–54.
- Mel Slater, Martin Usoh, and Anthony Steed. 1995. Taking steps: The influence of a walking technique on presence in virtual reality. *ACM Transactions on Computer-Human Interaction* 2, 3 (1995), 201–219.
- Jan L. Souman, P. Robuffo Giordano, M. Schwaiger, Ilja Frissen, Thomas Thümmel, Heinz Ulbrich, A. De Luca, Heinrich H. Bühlhoff, and Marc O. Ernst. 2011. CyberWalk: Enabling unconstrained omnidirectional walking through virtual environments. *ACM Transactions on Applied Perception (TAP)* 8, 4 (2011), 25.
- Misha Sra, Sergio Garrido-Jurado, Chris Schmandt, and Pattie Maes. 2016. Procedurally generated virtual reality from 3D reconstructed physical space. In *Proceedings of the 22nd ACM Conference on Virtual Reality Software and Technology (VRST'16)*. ACM, 191–200.
- Mandayam A. Srinivasan and Catagay Basdogan. 1997. Haptics in virtual environments: Taxonomy, research status, and challenges. *Computers & Graphics* 21, 4 (1997), 393–404.
- Frank Steinicke, Gerd Bruder, Jason Jerald, Harald Frenz, and Markus Lappe. 2010. Estimation of detection thresholds for redirected walking techniques. *IEEE Transactions on Visualization and Computer Graphics* 16, 1 (2010), 17–27.
- Frank Steinicke, Yon Visell, Jennifer Campos, and Anatole Lécuyer. 2013. *Human Walking in Virtual Environments: Perception, Technology, and Applications*. Springer, New York, NY.
- Evan A. Suma, Mahdi Azmandian, Timofey Grechkin, Thai Phan, and Mark Bolas. 2015. Making small spaces feel large: Infinite walking in virtual reality. In *ACM SIGGRAPH 2015 Emerging Technologies*. ACM, Los Angeles, CA, 16.
- Evan A. Suma, Gerd Bruder, Frank Steinicke, David M. Krum, and Mark Bolas. 2012. A taxonomy for deploying redirection techniques in immersive virtual environments. In *2012 IEEE Virtual Reality Short Papers and Posters (VRW'12)*. IEEE, Costa Mesa, CA, 43–46.

- Evan A. Suma, Seth Clark, Samantha Finkelstein, Zachary Warte, David Krum, and M. Bolas. 2011a. Leveraging change blindness for redirection in virtual environments. In *2011 IEEE Virtual Reality Conference (VR'11)*. IEEE, 159–166.
- Evan A. Suma, David M. Krum, and Mark Bolas. 2011b. Redirection on mixed reality walking surfaces. In *IEEE VR Workshop on Perceptual Illusions in Virtual Environments (PIVE'11)*. IEEE, 33–35.
- Evan A. Suma, David M. Krum, and Mark Bolas. 2013. Redirected walking in mixed reality training applications. In *Human Walking in Virtual Environments*. Springer, New York, NY, 319–331.
- Evan A. Suma, Belinda Lange, Albert S. Rizzo, David M. Krum, and Mark Bolas. 2011. Faast: The flexible action and articulated skeleton toolkit. In *2011 IEEE Virtual Reality (VR'11)*. IEEE, 247–248.
- Evan A. Suma, Zachary Lipps, Samantha Finkelstein, David M. Krum, and Mark Bolas. 2012. Impossible spaces: Maximizing natural walking in virtual environments with self-overlapping architecture. *IEEE Transactions on Visualization and Computer Graphics* 18, 4 (2012), 555–564.
- Ivan E. Sutherland. 1965. The ultimate display. In *Proceedings of the IFIP Congress*. Spartan Books, Washington, DC, 506–508.
- David Swapp, Julian Williams, and Anthony Steed. 2010. The implementation of a novel walking interface within an immersive display. In *Proceedings of the 2010 IEEE Symposium on 3D User Interfaces (3DUI'10)*. IEEE, 71–74.
- James N. Templeman, Patricia S. Denbrook, and Linda E. Sibert. 1999. Virtual locomotion: Walking in place through virtual environments. *Presence* 8, 6 (1999), 598–617.
- Leo Terziman, Maud Marchal, Mathieu Emily, Franck Multon, Bruno Arnaldi, and Anatole Lécuyer. 2010. Shake-your-head: Revisiting walking-in-place for desktop virtual reality. In *Proceedings of the 17th ACM Symposium on Virtual Reality Software and Technology (VRST'10)*. ACM, 27–34.
- Sam Tregillus and Eelke Folmer. 2016. Vr-step: Walking-in-place using inertial sensing for hands free navigation in mobile vr environments. In *Proceedings of the 2016 Conference on Human Factors in Computing Systems (CHI'16)*. ACM, 1250–1255.
- Martin Usoh, Kevin Arthur, Mary C. Whitton, Rui Bastos, Anthony Steed, Mel Slater, and Frederick P. Brooks Jr. 1999. Walking–walking-in-place–flying, in virtual environments. In *Proceedings of the 26th Annual Conference on Computer Graphics and Interactive Techniques (SIGGRAPH'99)*. ACM Press/Addison-Wesley Publishing Co., Los Angeles, CA, 359–364.
- Aleksander Väljamäe. 2009. Auditorily-induced illusory self-motion: A review. *Brain Research Reviews* 61, 2 (2009), 240–255.
- Khrystyna Vasylevska and Hannes Kaufmann. 2017a. Compressing VR: Fitting large virtual environments within limited physical space. *IEEE Computer Graphics and Applications* 37, 5 (2017), 85–91.
- Khrystyna Vasylevska and Hannes Kaufmann. 2017b. Towards efficient spatial compression in self-overlapping virtual environments. In *2017 IEEE Symposium on 3D User Interfaces (3DUI'17)*. IEEE, 12–21.
- Khrystyna Vasylevska, Hannes Kaufmann, Mark Bolas, and Evan A. Suma. 2013. Flexible spaces: Dynamic layout generation for infinite walking in virtual environments. In *2013 IEEE Symposium on 3D User Interfaces (3DUI'13)*. IEEE, 39–42.
- Yon Visell, Federico Fontana, Bruno L. Giordano, Rolf Nordahl, Stefania Serafin, and Roberto Bresin. 2009. Sound design and perception in walking interactions. *International Journal of Human-Computer Studies* 67, 11 (2009), 947–959.
- David Waller and Eric Hodgson. 2013. Sensory contributions to spatial knowledge of real and virtual environments. In *Human Walking in Virtual Environments*, Frank Steinicke, Yon Visell, Jennifer Campos, and Anatole Lécuyer (Eds.). Springer, New York, 3–26.
- Benjamin Walther-Franks, Dirk Wenig, Jan Smeddinck, and Rainer Malaka. 2013. Suspended walking: A physical locomotion interface for virtual reality. In *Entertainment Computing (ICEC'13)*. Springer, 185–188.
- Rik Warren and Alexander H. Wertheim. 1990. *Perception & Control of Self-Motion*. Lawrence Erlbaum Associates, London.
- William H. Warren, Bruce A. Kay, Wendy D. Zosh, Andrew P. Duchon, and Stephanie Sahuc. 2001. Optic flow is used to control human walking. *Nature Neuroscience* 4, 2 (2001), 213–216.
- Jeremy D. Wendt. 2010. *Real-Walking Models Improve Walking-in-Place Systems*. Ph.D. Dissertation. University of North Carolina at Chapel Hill.
- Jeremy D. Wendt, Mary C. Whitton, and Frederick P. Brooks. 2010. GUD WIP: Gait-understanding-driven walking-in-place. In *Proceedings of the 2010 IEEE Virtual Reality (VR'10)*. IEEE, 51–58.
- Mary C. Whitton and Sharif Razzaque. 2008. *Locomotion Interfaces*. Morgan Kaufmann, San Francisco, CA, 107–146.
- Betsy Williams, Stephen Bailey, Gayathri Narasimham, Muqun Li, and Bobby Bodenheimer. 2011. Evaluation of walking in place on a Wii balance board to explore a virtual environment. *Proceedings of the ACM Transactions on Applied Perception* 8, 3 (2011), 19.
- Betsy Williams, Gayathri Narasimham, Bjoern Rump, Timothy P. McNamara, Thomas H. Carr, John Rieser, and Bobby Bodenheimer. 2007. Exploring large virtual environments with an HMD when physical space is limited. In *Proceedings of the 4th Symposium on Applied Perception in Graphics and Visualization (APGV'07)*. ACM, 41–48.
- Preston Tunnell Wilson, William Kalescky, Ansel MacLaughlin, and Betsy Williams. 2016. VR locomotion: Walking> walking in place> arm swinging. In *Proceedings of the 15th ACM SIGGRAPH Conference on Virtual-Reality Continuum and Its Applications in Industry*, Vol. 1. ACM, 243–249.

- Zhixin Yan, Robert W. Lindeman, and Arindam Dey. 2016. Let your fingers do the walking: A unified approach for efficient short-, medium-, and long-distance travel in VR. In *2016 IEEE Symposium on 3D User Interfaces (3DUI'16)*. IEEE, 27–30.
- Paul Zehr and Carlos Haridas. 2003. Modulation of cutaneous reflexes in arm muscles during walking: Further evidence of similar control mechanisms for rhythmic human arm and leg movements. *Experimental Brain Research* 149, 2 (2003), 260–266.
- David J. Zielinski, Ryan P. McMahan, and Rachael B. Brady. 2011. Shadow walking: An unencumbered locomotion technique for systems with under-floor projection. In *2011 IEEE Virtual Reality Conference (VR'11)*. IEEE, 167–170.

Received April 2017; revised December 2017; accepted December 2017