



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Can Machine-learning Algorithms Predict Early Revision TKA in the Danish Knee Arthroplasty Registry?

El-Galaly, Anders Raouf; Grazal, Clare; Kappel, Andreas; Nielsen, Poul Torben; Jensen, Steen Lund; Forsberg, Jonathan A

Published in:
Abstracts - Oktober 2020

Creative Commons License
CC BY 4.0

Publication date:
2020

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

El-Galaly, A. R., Grazal, C., Kappel, A., Nielsen, P. T., Jensen, S. L., & Forsberg, J. A. (2020). Can Machine-learning Algorithms Predict Early Revision TKA in the Danish Knee Arthroplasty Registry? In *Abstracts - Oktober 2020: DOS Bulletin* (pp. 164). Article 143. Dansk Ortopædisk Selskab. <https://ortopaedi.dk/abstractbog/2020/164/>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Can Machine-learning Algorithms Predict Early Revision TKA in the Danish Knee Arthroplasty Registry?

143.

Anders El-Galaly, Clare Grazal, Andreas Kappel, Poul Torben Nielsen, Steen Lund Jensen, Jonathan A. Forsberg

Department of Orthopaedic Surgery, Aalborg University Hospital; Department of Surgery, Uniformed Services University-Walter Reed

Background: TKA revision is a serious adverse event and as the demand for TKA rises, reducing the risk of revision TKA is increasingly important. Predictive tools based on machine-learning algorithms could reform clinical practice. Few attempts have been made to combine machine-learning algorithms with nationwide arthroplasty registries and, to the authors' knowledge, none have tried to predict early TKA revision.

Purpose / Aim of Study: Can we build a preoperative clinical tool capable of predicting early TKA revision?

Materials and Methods: From the Danish Knee Arthroplasty Registry (DKR), we retrieved all available preoperative variables of 25,104 TKAs conducted from 2012 to 2015 and 6,170 TKAs conducted in 2016. All TKAs were followed for 2 years with revision for any indication as outcome. The models were trained on data from 2012-2015 and temporal validated on data from 2016. We created four different predictive models; a logistic regression-based model (LASSO), two classification tree models (Random Forest and Gradient Boosting Model) and a supervised neural network. The models were compared with each other and with a non-informative model estimating no revisions for all observations. The models' performance was evaluated by calibration plot, accuracy, Brier's score, ROC-curve and area under the curve (AUC). The AUC depicts the models' discriminative capacity and, a priori, an AUC of 0.7 was chosen as threshold for a clinical meaningful model.

Findings / Results: The models' calibration plot, accuracy and Brier's score was not significantly better than the non-informative model and with AUCs ranging from 0.55-0.60, none of the models reached the predefined threshold for a successful model.

Conclusions: The inability to predict early TKA revision from pre-operative information in the DKR highlighted that (1) the rarity of revision makes it difficult to predict and (2) the preoperative variables collected in the DKR are not strongly associated with early revision. Future models might benefit from including other pre- and intraoperative information, while the arthroplasty registries might aid future models by providing an anonymous surgeon identification variable.