

Aalborg Universitet

Translational research on neuropathic pain and headache

Owoyele, Bamidele Victor; Treister, Roi; Nguelefack, Télesphore Benoît; Andrade, Daniel Ciampi De

Published in: Frontiers in Neurology

DOI (link to publication from Publisher): 10.3389/fneur.2022.1024033

Creative Commons License CC BY 4.0

Publication date: 2022

Document Version Publisher's PDF, also known as Version of record

Link to publication from Aalborg University

Citation for published version (APA):

Owoyele, B. V., Treister, R., Ngueléfack, T. B., & Andrade, D. C. D. (2022). Translational research on neuropathic pain and headache. Frontiers in Neurology, 13, Article 1024033. https://doi.org/10.3389/fneur.2022.1024033

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from vbn.aau.dk on: December 05, 2025





OPEN ACCESS

EDITED AND REVIEWED BY
Simona Sacco,
University of L'Aquila, Italy

*CORRESPONDENCE
Bamidele Victor Owoyele

Bamidele Victor Owoyele owoyele@unilorin.edu.ng; deleyele@yahoo.com

†PRESENT ADDRESS

Daniel Ciampi De Andrade, Department of Health Science and Technology, Center for Neuroplasticity and Pain (CNAP), Faculty of Medicine, Aalborg University, Aalborg, Denmark

SPECIALTY SECTION

This article was submitted to Headache and Neurogenic Pain, a section of the journal Frontiers in Neurology

RECEIVED 20 August 2022 ACCEPTED 25 August 2022 PUBLISHED 08 September 2022

CITATION

Owoyele BV, Treister R, Nguelefack TB and Andrade DCD (2022) Editorial: Translational research on neuropathic pain and headache. *Front. Neurol.* 13:1024033.

doi: 10.3389/fneur.2022.1024033

COPYRIGHT

© 2022 Owoyele, Treister, Nguelefack and Andrade. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Editorial: Translational research on neuropathic pain and headache

Bamidele Victor Owoyele^{1*}, Roi Treister², Télesphore Benoît Nguelefack³ and Daniel Ciampi De Andrade^{4†}

¹Neuroscience and Inflammation Unit, Department of Physiology, Faculty of Basic Medical Sciences, College of Medicine, University of Ilorin, Ilorin, Nigeria, ²Department of Nursing, Faculty of Social Welfare and Health Sciences, University of Haifa, Haifa, Israel, ³Research Unit of Neuro-inflammatory and Cardiovascular Pharmacology, Department of Animal Biology, Faculty of Science, University of Dschang, Dschang, Cameroon, ⁴Department of Neurology, School of Medicine, University of São Paulo, São Paulo, Brazil

KEYWORDS

animals, headache, migraine, neuropathic pain, translational research

Editorial on the Research Topic

Translational research on neuropathic pain and headache

Pain is the most common factor that drives hospital and healthcare facility visits by patients (1-3). It has also been estimated that 1 out of 5 adults suffer pain worldwide and 10% of adults are diagnosed with at least one form of chronic pain (4). Among the different types of chronic pain, neuropathic pain, and headache are considered to be the most intractable (5, 6). Neuropathic pain formerly known as "pain initiated or caused by a primary lesion, dysfunction or transitory perturbation of the peripheral or central nervous system" has been reshaped by the International Association for the Study of Pain as "pain caused by a lesion or disease of the somatosensory nervous system" (7). The number of patients with neuropathic pain is increasing astronomically worldwide probably due to causes such as exposure to environmental toxins, drugs, metabolic derangements, infections, and surgeries (8). A headache is also a form of pain with high incident rates and different causes. Headache disorders have been reported to be among the most prevalent and disabling ailments globally (9). The morbidity caused by headache and neuropathic pain has significant effects on labor and productivity as precious hours are lost when individuals and workers are incapacitated by these conditions (8-10). Besides, these pathologies drastically affect the quality of life since patients usually undergo episodic and recurring manifestations. Because of the complexity of the two diseases, their classifications have been a challenge and their physiopathology is poorly understood, despite the large amount of related physiological and biochemical research works. Headache especially migraine is regarded as part of neuropathic pain. In fact, migraine is considered a neurogenic disorder associated with secondary changes in brain perfusion (11-13).

With such limits and ambiguity in the understanding of the physiopathology and defining neuropathic pain and headache, the management of the diseases becomes

Owoyele et al. 10.3389/fneur.2022.1024033

difficult. In addition, as the two pathologies are resistant to the existing drugs, new strategies and alternatives are necessary to overcome the therapeutic difficulties (14, 15). Thus, translational research should address these gaps to better the quality of life of neuropathic pain and headache patients.

The aim of this Research Topic was to gather information on neuropathic pain and headache, which both lead to chronic pain. It was also envisaged that manuscripts published under this Research Topic would shed light on new insights into the physiopathology and on novel treatments for both types of pain.

Concerning the physiopathology, Lin et al. showed that the tension of the cervical extensor muscle contributes to the cervicogenic headache. This is supported by the fact that stiffness in the superficial extensor muscles was significantly higher on the side of the headache than on the contralateral side. More, there was a significantly higher tension in the unaffected side of the patients than in the control subjects. The stiffness of semispinalis cervicis was positively correlated with VAS scores in cervicogenic headache patients. Li et al. shed light on the probable mechanisms underlying chronic pain due to Postherpetic Neuralgia (PHN), which arises as a complication of herpes zoster. The experimental study in mice showed that the injection of Varicella-Zooster Virus (VZV) to the footpads of mice led to upregulation of T-Type calcium channel Cav 3.2 expression in the dorsal root ganglia and spinal dorsal horn of these mice. The injection of Cav.3.2 channel blocker (2R/S)-6-prenylnaringenin relieved the pain associated with VZV injection. The findings showed that Cav. 3.2 channel could be a putative therapeutic channel for the treatment of PHN.

Yang et al., provided insight into the identification of possible blood biomarkers for all types of migraine and the critical role that oxidative stress might be playing in the pathogenesis of the disease. The findings from their study highlighted the potential role of serum levels of Uric Acid (UA), Total bilirubin (TBil), Albumin (ALB), and Creatinine (CRE) in migraine. Specifically, ALB, TBil, and UA were independently related to migraine. They concluded that oxidative stress is a factor to be considered in the etiology and pathogenesis of migraine.

Some of the papers published in this special topic highlight new therapeutic and alternative approaches. In fact, Anand et al. exhibited the beneficial effects of capsaicin 8% patch for the treatment of Non-Freezing Cold Injury. Their findings showed that capsaicin 8% patch reduced spontaneously evoked pain. This interesting therapeutic approach not only alleviates

neuropathic pain but is able to induce nerve regeneration and restoration. Malfitano et al. reported a case study involving a patient with thalamic stroke presenting with acute onset pain and paresthesia. The observations showed that the patient responded well to repetitive transcranial magnetic stimulation (rTMS) applied to the hand area of the primary motor cortex. The significantly ameliorated pain was also accompanied by a decreased motor cortex excitability. The findings represent the first report on the use of rTMS for the treatment of acute central post-stroke pain.

In conclusion, this Research Topic has collated both basic and clinical research. The findings of the published articles are of good translational value but call upon additional works on both the physiopathology pathways and therapeutical approaches to neuropathic pain and headache.

Author contributions

BO produced the first draft. RT, TN, and DA revised the draft. All authors approved the submission.

Funding

BO is supported by Tertiary Education Trust Fund (TETFund) of the Federal Government of Nigeria under Grant No. TETFUND/DESS/NRF/STI/11/Vol.1. DA is supported by a Novo Nordisk Grant (NNF21OC0072828).

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

1. Schiller EY, Goyal A, Mechanic OJ. Opioid overdose. In: StatPearls. Treasure Island, FL: StatPearls Publishing (2022).

2. Vader K, Donnelly C, French SD, Grady C, Hill JC, Tripp DA, et al. Implementing a new physiotherapist-led primary care model for low back pain:

Owovele et al. 10.3389/fneur.2022.1024033

a qualitative study of patient and primary care team perspectives. $BMC\ Prim\ Care.\ (2022)\ 23:201.\ doi: 10.1186/s12875-022-01817-5$

- 3. Owoyele BV, Yakubu MT, Treister R. Pain and inflammation: update on emerging phytotherapy, zootherapy, and nutritional therapies. *Evid Based Complement Alternat Med.* (2016) 2016:2520371. doi:10.1155/2016/2520371
- 4. Goldberg DS, McGee SJ. Pain as a global public health priority. $BMC\ Public\ Health.\ (2011)\ 11:770.\ doi: 10.1186/1471-2458-11-770$
- 5. Silberstein SD, Dodick DW, Pearlman S. Defining the pharmacologically intractable headache for clinical trials and clinical practice. *Headache*. (2010) 50:1499–506. doi: 10.1111/j.1526-4610.2010.01764.x
- 6. Nishikawa N, Nomoto M. Management of neuropathic pain. J Gen Fam Med. (2017) 18:56–60. doi: 10.1002/jgf2.5
- 7. International Association for the Study of Pain. *IASP Taxonomy. Pain Terms. Neuropathic Pain.* (2020). Avaialble online at: www.iasp-pain.org/Taxonomy#Neuropathicpain
- 8. Finnerup NB, Kuner R, Jensen TS. Neuropathic pain: from mechanisms to treatment. *Physiol Rev.* (2021) 101:259–301. doi: 10.1152/physrev.00045.2019
- 9. Stovner LJ, Hagen K, Linde M, Steiner TJ. The global prevalence of headache: an update, with analysis of the influences of methodological factors on prevalence estimates. *J Headache Pain*. (2022) 23:34. doi: 10.1186/s10194-022-01402-2

- 10. World Health Organization. *Headache Disorders*, (2016). Avaialble online at: https://www.who.int/news-room/fact-sheets/detail/headache-disorders
- 11. Hougaard A, Amin FM, Christensen CE, Younis S, Wolfram F, Cramer SP, et al. Increased brainstem perfusion, but no blood-brain barrier disruption, during attacks of migraine with aura. *Brain*. (2017) 140:1633–42. doi: 10.1093/brain/awx089
- 12. Mayà-Casalprim G, Rudilosso S, Serrano E, Reyes-Leiva D, Escudero-Rubí D, Obach-Baurier V. Late-onset migraine equivalent with prolonged aura and altered brain perfusion. *Rev Neurol.* (2020) 70:430–2. doi: 10.33588/rn.7011.2019333
- 13. De Simone R, Sansone M, Russo C, Miele A, Stornaiuolo A, Braca S. The putative role of trigemino-vascular system in brain perfusion homeostasis and the significance of the migraine attack. *Neurol Sci.* (2022) 43:5665–72. doi:10.1007/s10072-022-06200-x
- 14. Singh M, Karri J, Orhurhu V, Lachman L, Abd-Elsayed A. Radiofrequency ablation for thoracic and abdominal chronic pain syndromes. *Phys Med Rehabil Clin N Am.* (2021) 32:647–66. doi: 10.1016/j.pmr.2021.05.004
- 15. Sacco S, Lampl C, Maassen van den Brink A, Caponnetto V, Braschinsky M, Ducros A, et al. Burden and attitude to resistant and refractory migraine: a survey from the European Headache Federation with the endorsement of the European Migraine & Headache Alliance. *J Headache Pain*. (2021) 22:39. doi: 10.1186/s10194-021-01252-4