Aalborg Universitet



Detection of microorganisms involved in airway infection of cystic fibrosis patients by standard culturing and molecular methods

Rudkjøbing, Vibeke Børsholt; Thomsen, Trine Rolighed; Nielsen, Per Halkjær; Alhede, Morten; Johansen, Ulla; Høiby, Niels; Bjarnsholt, Thomas

Publication date: 2010

Document Version Early version, also known as pre-print

Link to publication from Aalborg University

Citation for published version (APA): Rudkjøbing, V. B., Thomsen, T. R., Nielsen, P. H., Alhede, M., Johansen, U., Høiby, N., & Bjarnsholt, T. (2010). Detection of microorganisms involved in airway infection of cystic fibrosis patients by standard culturing and molecular methods. Poster presented at The 24th annual north American Cystic Fibrosis Conference 2010, Baltimore, Maryland, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal -

Take down policy If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

The 24th annual north American cystic fibrosis conference, 2010, Baltimore, Maryland

Poster: Detection of microorganisms involved in airway infection of cystic fibrosis patients by standard culturing and molecular methods.

Vibeke B. Rudkjøbing1, Trine R. Thomsen1,2, Per H. Nielsen1, Morten Alhede3, Ulla R Johansen, Niels Høiby4 and Thomas Bjarnsholt4,5*

The lungs of chronically infected Cystic fibrosis (CF) patients have been intensively studied. *Pseudomonas aeruginosa* is reported to be the predominant pathogen in CF (*Baurnfeind et al. 1987, Koch 2002*), however lately a debate of the true bacterial load has occurred. The diagnostics for CF rely mainly on culture based techniques performed on expectorated sputum samples, and most studies are centered on this sample type. Using molecular methods researchers have detected many more bacteria, especially many anaerobes in sputum and BAL samples. It is however problematic since it is possible that the samples may have been contaminated by oral flora during expectoration and BAL sampling. We have in a recent publication only detected *P. aeruginosa* by PNA FISH (Bjarnsholt 2009) in tissue samples of explanted CF lungs. To study the true bacterial load in CF patients at the Copenhagen CF Center we investigated direct sampled material from explanted lungs (n=4) of CF patients by both culturing and PCR.