

Robustness-by-Construction Synthesis

Adapting to the Environment at Runtime

Nayak, Satya Prakash; Neider, Daniel; Zimmermann, Martin

Published in:

Leveraging Applications of Formal Methods, Verification and Validation. Verification Principles - 11th International Symposium, ISoLA 2022, Proceedings

DOI (link to publication from Publisher):

[10.1007/978-3-031-19849-6_10](https://doi.org/10.1007/978-3-031-19849-6_10)

Publication date:

2022

Document Version

Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Nayak, S. P., Neider, D., & Zimmermann, M. (2022). Robustness-by-Construction Synthesis: Adapting to the Environment at Runtime. In T. Margaria, & B. Steffen (Eds.), *Leveraging Applications of Formal Methods, Verification and Validation. Verification Principles - 11th International Symposium, ISoLA 2022, Proceedings* (pp. 149-173). Springer. https://doi.org/10.1007/978-3-031-19849-6_10

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Robustness-by-Construction Synthesis: Adapting to the Environment at Runtime

Satya Prakash Nayak¹[0000–0002–4407–8681], Daniel Neider²[0000–0001–9276–6342],
and Martin Zimmermann³[0000–0002–8038–2453]

¹ Max Planck Institute for Software Systems, Kaiserslautern, Germany
`sanayak@mpi-sws.org`

² Safety and Explainability of Learning Systems Group
Carl von Ossietzky Universität Oldenburg, Oldenburg, Germany
`daniel.neider@uni-oldenburg.de`

³ Aalborg University, Aalborg, Denmark
`mzi@cs.aau.dk`

Abstract. While most of the current synthesis algorithms only focus on correctness-by-construction, ensuring robustness has remained a challenge. Hence, in this paper, we address the robust-by-construction synthesis problem by considering the specifications to be expressed by a robust version of Linear Temporal Logic (LTL), called robust LTL (rLTL). rLTL has a many-valued semantics to capture different degrees of satisfaction of a specification, i.e., satisfaction is a quantitative notion.

We argue that the current algorithms for rLTL synthesis do not compute optimal strategies in a non-antagonistic setting. So, a natural question is whether there is a way of satisfying the specification “better” if the environment is indeed not antagonistic. We address this question by developing two new notions of strategies. The first notion is that of adaptive strategies, which, in response to the opponent’s non-antagonistic moves, maximize the degree of satisfaction. The idea is to monitor non-optimal moves of the opponent at runtime using multiple parity automata and adaptively change the system strategy to ensure optimality. The second notion is that of strongly adaptive strategies, which is a further refinement of the first notion. These strategies also maximize the opportunities for the opponent to make non-optimal moves. We show that computing such strategies for rLTL specifications is not harder than the standard synthesis problem, e.g., computing strategies with LTL specifications, and takes doubly-exponential time.

1 Introduction

Formal methods have focused on the paradigm of correctness-by-construction, i.e., ensuring that systems are guaranteed to meet their design specifications. While correctness is necessary, it has widely been acknowledged that this property alone is insufficient for a good design when a reactive system interacts with an ever-changing, uncontrolled environment. To illustrate this point, consider a typical correctness specification $\varphi \Rightarrow \psi$ of a reactive system, where φ is an

environment assumption and ψ the system’s desired guarantee. Thus, if the environment violates φ , the entire implication becomes vacuously true, regardless of whether the system satisfies ψ . In other words, if the assumption about the environment is violated, the system may behave arbitrarily. This behavior is clearly undesirable as modeling any reasonably complex environment accurately and exhaustively is exceptionally challenging, if not impossible.

The example above shows that reactive systems must not only be correct but should also be *robust* to unexpected environment behavior. The notion of robustness we use in this paper is inspired by concepts from control theory [19,30,31,33] and requires that deviations from the environment assumptions result in at most proportional violations of the system guarantee. More precisely, “minor” violations of the environment assumption should only cause “minor” violations of the system guarantee, while “major” violations of the environment assumption allow for “major” violations of the system guarantee.

To capture different degrees of violation (or satisfaction) of a specification, we rely on a many-valued extension of Linear Temporal Logic (LTL) [26], named *robust Linear Temporal Logic (rLTL)*, which has recently been introduced by Tabuada and Neider [34]. The basic idea of this logic can best be illustrated by considering the prototypical environment assumption $\varphi := \Box p$ (“always p ”), which demands that the environment ensures that an atomic proposition p holds at every step during its interaction with the system. Clearly, φ is violated even if p does not hold at a single step, which is a “minor” violation. However, the classical Boolean semantics of LTL cannot distinguish between this case and the case where p does not hold at any position, which is a “major” violation. To distinguish these (and more) degrees of violations, rLTL adopts a five-valued semantics with truth values $\mathbb{B}_4 = \{1111, 0111, 0011, 0001, 0000\}$. The set \mathbb{B}_4 is ordered according to $1111 > 0111 > 0011 > 0001 > 0000$, where 1111 is interpreted as *true* and all other values as increasing shades of *false*. In case of the formula φ , for instance, the interpretation of these five truth values is as follows: φ evaluates to 1111 if the environment ensures p at every step of the interaction, φ evaluates to 0111 if p holds almost always, φ evaluates to 0011 if p holds infinitely often, φ evaluates to 0001 if p holds at least once, and φ evaluates to 0000 if p never holds. The semantics of rLTL is then set up so that $\varphi \Rightarrow \psi$ evaluates to 1111 if any violation of the environment assumption φ causes at most a proportional violation of the system guarantee ψ (i.e., if φ evaluates to truth value $b \in \mathbb{B}_4$, then ψ must evaluate to a truth value $b' \geq b$).

Here, we are interested in the synthesis problem for rLTL specifications. As usual, we model such a synthesis problem as an infinite-duration two-player game. Since we study rLTL synthesis, we consider games with rLTL winning conditions, so-called rLTL games.

rLTL games with a Boolean notion of winning strategy for the system player have already been studied by Tabuada and Neider [34]. In their setting, the objective for the system player is as follows: given a truth value $b \in \mathbb{B}_4$, he must react to the actions of the environment player in such a way that the specification is satisfied with a value of at least b . As for ω -regular games, a winning strategy

for the system player can immediately be implemented in hardware or software. This implementation then results in a reactive system that is guaranteed to satisfy the given specification with at least a given truth value $b \in \mathbb{B}_4$, regardless of how the environment acts.

While rLTL games provide an elegant approach to robustness-by-construction synthesis, the Boolean notion of winning strategies that Tabuada and Neider adopt has a substantial drawback: it does not incentivize the system player to satisfy the specification with a value better than b , even if the environment player allows this. Of course, one can (and should) statically search for the largest $b \in \mathbb{B}_4$ such that the system player can win the game. However, this traditional worst-case view does not account for many practical situations where the environment is not antagonistic, e.g., in the presence of intermittent disturbances or noise, or when the environment cannot be modeled entirely [15,16,22,23,35]. In such situations, the system player should exploit the environment’s “bad” moves, i.e., actions that permit the system player to achieve a value greater than b , and adapt its strategy at runtime.

We present two novel synthesis algorithms for rLTL specifications that ensure that the resulting systems are *robust by construction* (in addition to being correct by construction). These are based on two refined non-Boolean notions of strategies for rLTL games which both optimize the satisfaction of the specification.

The first notion, named *adaptive strategies*, uses automata-based runtime verification techniques [6] to monitor plays, detect bad moves of the environment, and adapt the actions of the system player to optimize the satisfaction of the winning condition. The second notion, named *strongly adaptive strategies*, is an extension of the first one that, in addition to being adaptive, also seeks to maximize the opportunity for the environment player to make bad moves. We show that both types of strategies can be computed using methods from automata theory and result in effective synthesis algorithms for reactive systems that are robust by construction and adapt to the environment at runtime.

After recapitulating rLTL in Section 2, we introduce adaptive strategies in Section 3 and show that one can compute such strategies in rLTL games in doubly-exponential time by reducing the problem to solving parity games [10]. In Section 4, we then turn to strongly adaptive strategies. It turns out that this type of strategy does not always exist, which we demonstrate through an example. Nevertheless, we give a doubly-exponential time algorithm that decides whether a strongly adaptive strategy exists, and, if this is the case, computes one. Our algorithm is based on reductions to a series of parity and obliging games [14]. As the LTL synthesis problem is 2EXPTIME-complete [27], which is a special case of the problems we consider here, computing both types of adaptive strategies is 2EXPTIME-complete as well. Furthermore, the size of the (strongly) adaptive strategies our algorithms compute is at most doubly exponential, matching the corresponding lower bound for LTL games, demonstrating that this bound is tight. Thus, our results show that adaptive robust-by-construction synthesis is asymptotically not harder than classical LTL synthesis.

All proofs omitted due to space restrictions can be found in the appendix.

Related Work. Robustness in reactive synthesis has been addressed in various forms. A prominent example is work by Bloem et al. [7], which considers the synthesis of robust reactive systems from GR(1)-specifications. In subsequent work, Bloem et al. [9] have surveyed a large body of work on robustness in reactive synthesis and distilled three general categories: (i) “fulfill the guarantee as often as possible even if the environment assumption is violated”, (ii) “if it is impossible to fulfill the guarantee, try to fulfill it whenever possible” and (iii) “help the environment to fulfill the assumption if possible”. Prototypical examples include the work by Topcu et al. [35], Ehlers and Topcu [16], Chatterjee and Henzinger [12], Chatterjee et al. [14], and Bloem et al. [8].

The work of Almagor and Kupferman [1] is very similar to our notion of adaptive strategies. They introduced the notion of good-enough synthesis that is considered over a multi-valued semantics where the goal is to compute a strategy that achieves the highest possible satisfaction value. While some of the methods mentioned above do adapt to non-antagonistic behavior of the environment, we are not aware of any approach that would additionally optimize for the opportunities of the environment to act non-antagonistically, as our notion of strongly adaptive strategies does.

Quantitative objectives in graph-based games (and their combination with qualitative ones) have a rich history. Among the most prominent examples are mean-payoff parity games [13] and energy parity games [11]. The former type of game combines a parity winning condition (as the canonical representation for ω -regular properties) with a real-valued payout whose mean is to be maximized, while the latter type seeks to satisfy an ω -regular winning condition with the quantitative requirement that the level of energy during a play must remain positive. However, to the best of our knowledge, research in this field has focused on worst-case analyses with antagonistic environments.

Our notion of (strongly) adaptive strategies relies on central concepts introduced in the logic rLTL [34], a robust, many-valued extension of Linear Temporal Logic [26]. One of rLTL’s key features is its syntactic similarity to LTL, which allows for a seamless and transparent transition from specifications expressed in LTL to specifications expressed in rLTL. Moreover, it is worth mentioning that rLTL has spawned numerous follow-up works, including rLTL model checking [2,3,4], rLTL runtime monitoring [20], and robust extensions of prompt LTL and Linear Dynamic Logic [24,25].

Finally, let us highlight that preliminary results on adaptive strategies have been presented as a poster at the 24th ACM International Conference on Hybrid Systems: Computation and Control [21].

2 Preliminaries

In this section, we describe the syntax and semantics of Robust LTL and how it is different from classical LTL. Moreover, we discuss some important results on rLTL and introduce games with rLTL specifications.

173 *Robust Linear Temporal Logic.* We assume that the reader is familiar with Linear
 174 Temporal Logic [26]. We fix a finite non-empty set \mathcal{P} of atomic propositions. The
 175 syntax of rLTL is similar to that of LTL with the only difference being the use
 176 of dotted temporal operators in order to distinguish them from LTL operators.
 177 More precisely, rLTL formulas are inductively defined as follows:

- 178 – each $p \in \mathcal{P}$ is an rLTL formula, and
- 179 – if φ and ψ are rLTL formulas, so are $\neg\varphi$, $\varphi \vee \psi$, $\varphi \wedge \psi$, $\varphi \Rightarrow \psi$, $\odot\varphi$ (“next”),
 180 $\Box\varphi$ (“always”), $\Diamond\varphi$ (“eventually”), $\varphi \mathbf{R} \psi$ (“release”) and $\varphi \mathbf{U} \psi$ (“until”).

181 As already discussed, rLTL uses the set $\mathbb{B}_4 = \{1111, 0111, 0011, 0001, 0000\}$
 182 of truth values, which are ordered as follows:

$$183 \quad 1111 > 0111 > 0011 > 0001 > 0000.$$

184 Intuitively, 1111 corresponds to “true”, and the other four values correspond to
 185 different degrees of “false”.

The rLTL semantics is a mapping \mathcal{V} , called *valuation*, that maps an infinite word $\alpha \in (2^{\mathcal{P}})^\omega$ and an rLTL formula φ to an element of \mathbb{B}_4 . Before we define the semantics, we need to introduce some useful notation. Let $\alpha = \alpha_0\alpha_1\cdots \in (2^{\mathcal{P}})^\omega$ be an infinite word. For $i \in \mathbb{N}$, let $\alpha_{i..} = \alpha_i\alpha_{i+1}\cdots$ be the (infinite) suffix of α starting at position i . Also, for $1 \leq k \leq 4$, we let $V_k(\alpha, \varphi)$ denote the k -th entry of $\mathcal{V}(\alpha, \varphi)$, i.e., $\mathcal{V}(\alpha, \varphi) = V_1(\alpha, \varphi)V_2(\alpha, \varphi)V_3(\alpha, \varphi)V_4(\alpha, \varphi)$. Now, \mathcal{V} is defined inductively as follows, where the semantics of Boolean connectives relies on *da Costa algebras* [29]:

$$\begin{aligned} \mathcal{V}(\alpha, p) &= \begin{cases} 0000 & \text{if } p \notin \alpha_0 \\ 1111 & \text{if } p \in \alpha_0 \end{cases} & \mathcal{V}(\alpha, \neg\varphi) &= \begin{cases} 0000 & \text{if } \mathcal{V}(\alpha, \varphi) = 1111 \\ 1111 & \text{otherwise} \end{cases} \\ \mathcal{V}(\alpha, \varphi \vee \psi) &= \max\{\mathcal{V}(\alpha, \varphi), \mathcal{V}(\alpha, \psi)\} & \mathcal{V}(\alpha, \varphi \Rightarrow \psi) &= \begin{cases} 1111 & \text{if } \mathcal{V}(\alpha, \varphi) \leq \mathcal{V}(\alpha, \psi) \\ \mathcal{V}(\alpha, \psi) & \text{otherwise} \end{cases} \\ \mathcal{V}(\alpha, \varphi \wedge \psi) &= \min\{\mathcal{V}(\alpha, \varphi), \mathcal{V}(\alpha, \psi)\} & \mathcal{V}(\alpha, \odot\varphi) &= \mathcal{V}(\alpha_{1..}, \varphi) \\ \mathcal{V}(\alpha, \Box\varphi) &= \left(\inf_{i \geq 0} V_1(\alpha_{i..}, \varphi), \sup_{j \geq 0} \inf_{i \geq j} V_2(\alpha_{i..}, \varphi), \inf_{j \geq 0} \sup_{i \geq j} V_3(\alpha_{i..}, \varphi), \sup_{i \geq 0} V_4(\alpha_{i..}, \varphi) \right) \\ \mathcal{V}(\alpha, \Diamond\varphi) &= \left(\sup_{i \geq 0} V_1(\alpha_{i..}, \varphi), \sup_{i \geq 0} V_2(\alpha_{i..}, \varphi), \sup_{i \geq 0} V_3(\alpha_{i..}, \varphi), \sup_{i \geq 0} V_4(\alpha_{i..}, \varphi) \right) \end{aligned}$$

186 The semantics for the temporal operators \mathbf{U} and \mathbf{R} can be generalized similarly.
 187 We refer the reader to Tabuada and Neider [34] for more details.

188 *Example 1.* We can see that for the formula $\Box p$, the valuation $\mathcal{V}(\alpha, \Box p)$ can be
 189 expressed in terms of the LTL valuation function W by

$$190 \quad \mathcal{V}(\alpha, \Box p) = W(\alpha, \Box p)W(\alpha, \Diamond\Box p)W(\alpha, \Box\Diamond p)W(\alpha, \Diamond p).$$

191 This evaluates to different values in \mathbb{B}_4 distinguishing various degrees of violations
 192 as seen in Section 1.

193 *Example 2.* Now let us see how the rLTL semantics for a specification of the
 194 form $\varphi \Rightarrow \psi$ captures robustness. Consider an instance where the environment
 195 assumption φ is $\Box p$ and the system guarantee ψ is $\Box q$ and assume the specification
 196 $\Box p \Rightarrow \Box q$ evaluates to 1111 for some infinite word. Let us see how the system
 197 behaves in response to various degrees of violation of the environment assumption.

- 198 – If p holds at all positions, then $\Box p$ evaluates to 1111. Hence, by the semantics
 199 of implication, $\Box q$ also evaluates to 1111, which means q holds at all positions.
 200 Therefore, the desired behavior of the system is retained when the environment
 201 assumption holds with no violation.
- 202 – If p holds eventually always but not always (a minor violation of $\Box p$), then
 203 $\Box p$ evaluates to 0111. Hence, $\Box q$ evaluates to 0111 or higher, meaning that
 204 q also needs to hold eventually always.
- 205 – Similarly, if p holds at infinitely (finitely) many positions, then q needs to
 206 hold at infinitely (finitely) many positions.

207 Hence, the semantics of $\Box p \Rightarrow \Box q$ captures the robustness property as desired.
 208 Furthermore, if $\Box p \Rightarrow \Box q$ evaluates to $b < 1111$, then $\Box p$ evaluates to a higher
 209 value than b , whereas $\Box q$ evaluates to b . So, the desired system guarantee is
 210 not satisfied. However, the value of $\Box p \Rightarrow \Box q$ still describes which weakened
 211 guarantee follows from the environment assumption.

212 *From rLTL to Büchi Automata.* Given an LTL formula φ , a generalized Büchi
 213 automaton (see [32] for a definition) with $O(2^{|\varphi|})$ states and $O(|\varphi|)$ accepting
 214 sets can be constructed that recognizes the infinite words satisfying φ [5]. Using
 215 a similar method, Tabuada and Neider obtained the following result.

216 **Theorem 1 ([34]).** *Given an rLTL formula φ and a set of truth values $B \subseteq \mathbb{B}_4$,
 217 one can construct a generalized Büchi automaton \mathcal{A} with $2^{O(|\varphi|)}$ states and $O(|\varphi|)$
 218 accepting sets that recognizes the infinite words on which the value of φ belongs
 219 to B , i.e., $L(\mathcal{A}) = \{w \in (2^{\mathcal{P}})^\omega \mid \mathcal{V}(\alpha, \varphi) \in B\}$.*

220 *rLTL Games.* We consider infinite-duration two-player games over finite graphs
 221 with rLTL specifications. Here, we assume basic familiarity with games on graphs.
 222 Formally, an rLTL game $\mathcal{G} = (\mathcal{A}, \varphi)$ consists of (i) a finite, directed, labelled arena
 223 $\mathcal{A} = (V, E, \lambda)$ with $V = V_0 \cup V_1$, an edge relation $E \subseteq V \times V$, and a labelling
 224 function $\lambda: V \rightarrow 2^{\mathcal{P}}$, and (ii) an rLTL formula φ over \mathcal{P} . The game is played
 225 by two players, Player 0 and Player 1, who construct a *play* $\rho = v_0 v_1 \dots \in V^\omega$
 226 by moving a token along the edges of the arena. A play $\rho = v_0 v_1 \dots$ induces an
 227 infinite word $\lambda(\rho) = \lambda(v_0)\lambda(v_1)\dots \in (2^{\mathcal{P}})^\omega$, and the *value* of the play, denoted
 228 by $\mathcal{V}(\rho)$, is the value of the formula φ on $\lambda(\rho)$. Player 0's objective is to maximize
 229 this value, while Player 1's objective is to minimize it.

230 *Strategies.* A *play prefix* is a finite, nonempty path $\mathbf{p} \in V^*$ in the arena. Then, a
 231 *strategy* for Player i , $i \in \{0, 1\}$, is a function $\sigma: V^* V_i \rightarrow V$ mapping each play
 232 prefix \mathbf{p} ending in a vertex in V_i to one of its successors. Intuitively, a strategy
 233 prescribes Player i 's next move depending on the play prefix constructed so far.

234 A strategy σ is *memoryless* if it only depends on the last vertex, i.e., for
 235 any prefix \mathbf{p} ending in vertex v , it holds that $\sigma(\mathbf{p}) = \sigma(v)$. Moreover, we say a
 236 strategy has *memory size* m if there exists a finite state machine with output
 237 with m states computing the strategy (see Grädel et al. [18] for more details).

238 Next we define the plays that are consistent with a given strategy for Player i .
 239 Typically, this means that the token is placed at some initial vertex and then,
 240 whenever a vertex of Player i is reached, then Player i uses the move prescribed
 241 by the strategy for the current play prefix to extend this prefix. Note that the
 242 strategy does not have control over the initial placement of the token.

243 Here we will use a more general notion, inspired by previous work in optimal
 244 strategies for Muller games [17]: the initial prefix over which the strategy does
 245 not have control over might be longer than just the initial vertex. This means
 246 strategies are also applicable to prefixes that were not constructed according
 247 to the strategy. However, crucially, the strategy still gets access to that prefix
 248 and therefore can base its decisions on the prefix it had no control over. This
 249 generality will turn out to be useful both when defining adaptive strategies and
 250 when combining strategies to obtain adaptive strategies.

251 Formally, for a play prefix $\mathbf{p} = v_0v_1 \cdots v_n$ and a strategy σ for Player i , a
 252 play ρ is a (σ, \mathbf{p}) -play if $\rho = \mathbf{p}v_{n+1}v_{n+2} \cdots$ with $v_{k+1} = \sigma(v_0v_1 \cdots v_k)$ for all
 253 $v_k \in V_i$ with $k \geq n$. Note that the prefix \mathbf{p} is arbitrary here, i.e., it might not
 254 have been constructed following the strategy σ . Moreover, a (σ, \mathbf{p}) -play prefix
 255 \mathbf{pp}' is a prefix of a (σ, \mathbf{p}) -play. We say that a play ρ starting in some vertex v is
 256 consistent with σ , if it is a (σ, v) -play (which is the classical notion of consistency).
 257 Finally, a play prefix \mathbf{p} is consistent with σ if it is the prefix of some play that is
 258 consistent with σ .

259 In the paper introducing rLTL [34], Tabuada and Neider gave a doubly-
 260 exponential time algorithm that solves the classical rLTL synthesis problem,
 261 which is equivalent to solving the following problem.

262 *Problem 1.* Given an rLTL game \mathcal{G} , an initial vertex v_0 and a truth value $b \in \mathbb{B}_4$,
 263 compute a strategy σ (if one exists at all) for Player 0 such that every (σ, v_0) -play
 264 has value at least b .

265 Note that Tabuada and Neider were interested in strategies for Player 0 that
 266 enforce the value b from v_0 , i.e., strategies such that every consistent play starting
 267 in the given initial vertex has at least value b . In contrast, we will compute
 268 strategies that are improvements in two dimensions: (i) they enforce the optimal
 269 value rather than a given one, and (ii) they do so from every possible play prefix,
 270 even if they did not have control over the prefix.

271 3 Adaptive Strategies

272 In this section, we start by presenting a motivating example, a game in which
 273 classical strategies for Player 0 are not necessarily optimal (in an intuitive sense).
 274 We then formalize this intuition by introducing adaptive strategies and give a
 275 doubly-exponential time algorithm to compute such strategies.




Fig. 1. First motivating example for adaptive strategies

276 *Motivating Example.* Consider the arena given in Figure 1 (where Player 0's
 277 vertices are shown as circles and Player 1's vertices are shown as squares) with
 278 the rLTL specification $\varphi = \Box p$.

279 Suppose the token is initially placed at vertex 0. Considering Player 1 plays
 280 optimally, the token would eventually reach vertex 2, from which the best possible
 281 scenario for Player 0 is to enforce a play where p holds at infinitely many positions.
 282 As the classical problem only considers the worst-case analysis, a classical strategy
 283 for Player 0 is to try to visit vertex 2 infinitely often. That can be done by moving
 284 the token along one of the following edges every time the token reaches Player 0's
 285 vertices: $\{0 \rightarrow 1; 3 \rightarrow 2; 4 \rightarrow 0\}$. Note that the move $4 \rightarrow 0$ is irrelevant in this
 286 worst-case analysis, as vertex 4 is never reached if Player 1 plays optimally.

287 Suppose Player 1 makes a bad move by moving along $1 \rightarrow 4$. Then, Player 0
 288 can force the play to eventually just stay at vertex 5, and hence, p holds almost
 289 always. However, the above classical strategy for Player 0 moves the play back to
 290 vertex 0, from which p might not hold almost always. Therefore, a better strategy
 291 for Player 0 is to move along $4 \rightarrow 5$ if the token reaches vertex 4 to get a play
 292 where p holds almost always; otherwise, enforce a play where p holds at infinitely
 293 many positions as earlier by moving along $0 \rightarrow 1$ and then $3 \rightarrow 2$ repeatedly.

294 In the worst case, i.e., if Player 1 does not make a bad move by reaching
 295 vertex 4, both strategies yield value 0011. However, if Player 1 does make a bad
 296 move by reaching vertex 4, the second strategy achieves value 0111 on some plays,
 297 while the second one does not. So, in the worst case analysis, both strategies are
 298 equally good, but if we assume that Player 1 is not necessarily antagonistic, then
 299 the second strategy is better as it is able to exploit the bad move by Player 1. We
 300 call such a strategy *adaptive* as it adapts its moves to achieve the best possible
 301 outcome after each bad move of the opponent. We will formalize this shortly.

302 To illustrate the notion of adaptive strategies, consider another game with the
 303 arena shown in Figure 2 and with rLTL specification $\varphi' = (\odot \neg q \Rightarrow \Box p) \wedge (\odot q \Rightarrow$




Fig. 2. Second motivating example for adaptive strategies

304 $\Box r$). In this example, Player 1 has only two strategies starting from vertex 0:
 305 one moving the token along $0 \rightarrow 1$ and one moving the token along $0 \rightarrow 2$.

306 The best truth value Player 0 can enforce in this game is 0011. This is because
 307 Player 1 can move along the edge $0 \rightarrow 2$, which satisfies the second implication
 308 with value 1111 (as q does not occur), but also satisfies the premise of the first
 309 implication with value 1111. Hence, the value of the whole formula is the value
 310 of the subformula $\Box p$. The best value Player 0 can achieve for it is indeed 0011
 311 by looping between vertices 3 and 2. His only other choice, i.e., to move to 4
 312 eventually, only results in the value 0001.

313 However, if Player 1 does not take the edge $0 \rightarrow 2$ but instead moves to
 314 vertex 2 via vertex 1, Player 0 can gain from this *bad move* by instead moving
 315 to vertex 4. In that case, the formula is satisfied with truth value 1111. Thus,
 316 a strategy that adapts to the bad move by the opponent can achieve a better
 317 value than one that does not, if she does make a bad move.

318 3.1 Definitions

319 Recall that a (σ, \mathbf{p}) -play for a strategy σ for Player i and a play prefix \mathbf{p} (not
 320 necessarily consistent with σ) is an extension of \mathbf{p} by σ , i.e., Player i uses the
 321 strategy σ to extend the play prefix \mathbf{p} he had not control over, while still taking
 322 the prefix \mathbf{p} into account when making his decisions. We say that a strategy σ for
 323 Player 0 *enforces* a truth value of b from a play prefix \mathbf{p} , if we have $\mathcal{V}(\rho) \geq b$ for
 324 every (σ, \mathbf{p}) -play ρ . Similarly, we say a strategy τ for Player 1 enforces a truth
 325 value of b from a play prefix \mathbf{p} , if we have $\mathcal{V}(\rho) \leq b$ for every (τ, \mathbf{p}) -play ρ . This
 326 conforms to our intuition that Player 0 tries to maximize the truth value while
 327 Player 1 tries to minimize it. Moreover, we say Player i can enforce a value b
 328 from some prefix \mathbf{p} if he has a strategy that enforces b from \mathbf{p} .

329 *Remark 1.* Let \mathbf{p} be a play prefix. If Player 0 can enforce value b_0 from \mathbf{p} and
 330 Player 1 can enforce value b_1 from \mathbf{p} then $b_0 \leq b_1$.

331 For example, consider the game given in Figure 1 with the rLTL specifica-
 332 tion $\Box p$. Using the analysis given in Section 3, we can see that Player 0 can
 333 enforce 0111 and 0011 from prefixes 014 and 012, respectively, by moving the
 334 token along $\{0 \rightarrow 1, 4 \rightarrow 5, 3 \rightarrow 2\}$. It is easy to check that these are the best
 335 values Player 0 can enforce from those prefixes as Player 1 can enforce the same
 336 values from these prefixes.

337 We are interested in a strategy that enforces the best possible value from
 338 each play prefix. This is formalized as follows.

339 **Definition 1 (Adaptive Strategies).** *In an rLTL game, a strategy σ_0 for*
 340 *Player 0 is adaptive if from any play prefix \mathbf{p} , no strategy for Player 0 enforces*
 341 *a better truth value than σ_0 , that is, if some strategy σ for Player 0 enforces a*
 342 *truth value of b from \mathbf{p} , then σ_0 also enforces the value b from \mathbf{p} .*

343 Note that \mathbf{p} is not required to be consistent with σ_0 in the above definition,
 344 i.e., an adaptive strategy achieves the best possible outcome from every possible
 345 play prefix (even for those it had no control over when they are constructed).
 346 Also, let us mention that a dual notion can be defined for Player 1.

3.2 Computing Adaptive Strategies

Now, to synthesize an adaptive strategy, we need to monitor the bad moves of the opponent at runtime by keeping track of the best value that can be enforced from the current play prefix. To do that, using the idea of automata-based runtime verification [6], we construct multiple parity automata to monitor the bad moves of the opponent and then we synthesize adaptive strategies by using a reduction to parity games (see [18] for definitions).

Given an rLTL game $\mathcal{G} = (\mathcal{A}, \varphi)$ with $\mathcal{A} = (V, E, \lambda)$, we proceed as follows:

1. We construct a generalized (non-deterministic) Büchi automata \mathcal{A}^b such that $L(\mathcal{A}^b) = \{w \in (2^{\mathcal{P}})^\omega \mid \mathcal{V}(w, \varphi) \geq b\}$ for all $b \in \mathbb{B}_4$.
2. We determinize each \mathcal{A}^b to obtain a deterministic parity automaton \mathcal{C}^b with the same language.
3. For each b , we construct a parity game \mathcal{G}^b by taking the product of the arena \mathcal{A} and the parity automaton \mathcal{C}^b .
4. We solve the above parity games \mathcal{G}^b [10], yielding, for each truth value b , a finite-state strategy for the original game \mathcal{G} with value b (if one exists).
5. We combine all these winning strategies for Player 0 computed in the last step to obtain an adaptive strategy σ for Player 0.

Let us now explain each step in more detail.

Step 1. We construct the generalized non-deterministic Büchi automata \mathcal{A}^b such that $L(\mathcal{A}^b) = \{w \in (2^{\mathcal{P}})^\omega \mid \mathcal{V}(w, \varphi) \geq b\}$ for all $b \in \mathbb{B}_4$. By Theorem 1, the automaton \mathcal{A}^b has $n = 2^{O(|\varphi|)}$ states and $k = O(|\varphi|)$ accepting sets.

Step 2. We determinize each \mathcal{A}^b to get a deterministic parity automaton $\mathcal{C}^b = (Q^b, 2^{\mathcal{P}}, q_0^b, \delta^b, \Omega^b)$ with $O(2^{O(n \log n)})$ states and $2n$ colors [32].

Step 3. We construct the (unlabelled) product arena $\mathcal{A}^b = (V^b, E^b)$ of the arena $\mathcal{A} = (V, E, \lambda)$ and the parity automaton \mathcal{C}^b such that $V^b = V \times Q^b$, $V_i^b = V_i \times Q^b$ for $i \in \{0, 1\}$, and

$$((v, q), (v', q')) \in E^b \text{ if and only if } (v, v') \in E \text{ and } \delta^b(q, \lambda(v)) = q'.$$

The function $\bar{\Omega}^b$ assigns colors to the vertices such that $\bar{\Omega}^b(v, q) = \Omega^b(q)$. The desired parity games are the $\mathcal{G}^b = (\mathcal{A}^b, \bar{\Omega}^b)$ with $b \in \mathbb{B}_4$.

It is easy to verify that Player 0 wins a play $\rho' = (v_0, q_0^b)(v_1, q_1^b) \dots$ in \mathcal{G}^b if and only if the value of the play $\rho = v_0 v_1 \dots$ in \mathcal{G} is at least b . Furthermore, given a path $\rho = v_0 v_1 \dots v_k$ in \mathcal{A} , there is a unique path of the form $\rho' = (v_0, q_0^b)(v_1, q_1^b) \dots (v_k, q_k^b)$ in \mathcal{A}^b , that is when $q_{i+1}^b = \delta^b(q_i^b, v_i)$ for all $0 \leq i \leq k-1$.

Since winning a play in \mathcal{G}^b is equivalent to the corresponding play in \mathcal{G} satisfying φ with truth value b or greater, we can characterize the enforcement of b in \mathcal{G} by the winning region of Player 0 in \mathcal{G}^b , i.e., the set of vertices from which Player 0 has a winning strategy. This can easily be shown by simulating a winning strategy from (v, q) to extend the play prefix \mathbf{p} and vice versa.

Remark 2. Fix a play prefix \mathbf{p} in the rLTL game \mathcal{G} , and let (v, q^b) be the last vertex of the corresponding play in the parity game \mathcal{G}^b for some b . Then, Player 0 can enforce b from \mathbf{p} if and only if (v, q^b) is in his winning region of \mathcal{G}^b .

389 *Step 4.* We solve the resulting parity games \mathcal{G}^b and determine the winning
 390 regions $\text{Win}(\mathcal{G}^b)$ of Player 0 and uniform memoryless winning strategies σ^b for
 391 Player 0 that are winning from every vertex in the corresponding winning region.
 392 The parity games have $n_p = |V| \cdot 2^{O(n \log n)}$ vertices and $k_p = O(2n)$ colors. Since
 393 $k_p < \lg(n_p)$, these can be solved in time $O(n_p^5)$ [10].

Step 5. Consider the extended rLTL game $\mathcal{G}' = (\mathcal{A}', \varphi)$, where $\mathcal{A}' = (V', E', \lambda')$
 with $V' = V \times Q^{0000} \times \dots \times Q^{1111}$,

$$E' = \{((v_1, q_1^{0000}, \dots, q_1^{1111}), (v_2, q_2^{0000}, \dots, q_2^{1111})) \mid \\ (v_1, v_2) \in E \text{ and } \delta^b(q_1^b, \lambda(v)) = q_2^b \text{ for all } b \in \mathbb{B}_4\},$$

394 and λ' such that $\lambda'(v, q^{0000}, \dots, q^{1111}) = \lambda(v)$ for all $v \in V$ and $q^b \in Q^b$.

395 It is easy to see that there is a one to one correspondence between the plays
 396 in both games \mathcal{G} and \mathcal{G}' . Besides that, the rLTL specification is also the same
 397 in both games. Therefore, computing an adaptive strategy in the game \mathcal{G} is
 398 equivalent to computing one in the game \mathcal{G}' . Now using the analysis given in
 399 Step 3, we have the following in the rLTL game \mathcal{G}' :

- 400 • A vertex v' is in $E_{\geq b} = \{(v, q^{0000}, \dots, q^{1111}) \in V' \mid (v, q^b) \in \text{Win}(\mathcal{G}^b)\}$ if and
 401 only if Player 0 can enforce b from every play prefix in \mathcal{G}' ending in v' .
- 402 • Using these sets, we now define the set $E_{=b}$ of vertices from which the
 403 maximum value Player 0 can enforce is b . Formally, this set is given by

$$404 \quad E_{=b} = \begin{cases} E_{\geq 1111} & \text{if } b = 1111, \\ E_{\geq b} \setminus E_{\geq b+1} & \text{if } b < 1111, \end{cases}$$

405 where $b+1$ is the smallest value bigger than $b < 1111$. Note that the sets $E_{=b}$
 406 form a partition of the vertex set of \mathcal{G}' .

407 Furthermore, it is easy to see that if a play ρ satisfies a parity objective
 408 then every play sharing a suffix with ρ also satisfies the parity objective. Since
 409 the game \mathcal{G}' is a product of parity games and since we have characterized the
 410 enforcement of truth values via the membership in the winning regions of the
 411 parity games (see Remark 2), the next remark follows.

412 *Remark 3.* In the rLTL game \mathcal{G}' , for two play prefixes p_1, p_2 ending in the same
 413 vertex, the following holds: if a memoryless strategy σ for Player 0 enforces a
 414 truth value b from p_1 , then it also enforces the value b from p_2 .

415 Then, we can see that if the token stays in $E_{=b}$ for some b , then Player 0 can
 416 simulate the strategy σ^b for \mathcal{G}^b to enforce the value b in \mathcal{G}' . Therefore, we obtain
 417 a memoryless adaptive strategy σ for Player 0 in the game \mathcal{G}' as follows: for any
 418 vertex $(v, q^{0000}, \dots, q^{1111})$ in $E_{=b}$, we define $\sigma(v, q^{0000}, \dots, q^{1111})$ to be the unique
 419 successor of $(v, q^{0000}, \dots, q^{1111})$ in \mathcal{G}' that corresponds to the successor $\sigma^b(v, q^b)$
 420 of (v, q^b) in \mathcal{G}^b . Thus, σ simulates the strategy σ^b for the largest b such that

the value b can be enforced (which is exactly what σ^b does from such a prefix). Hence, it is an adaptive strategy for Player 0 in \mathcal{G}' .

Finally, using the strategy σ , one can compute a corresponding strategy in the game \mathcal{G} with memory $Q^{0000} \times Q^{0001} \times \dots \times Q^{1111}$, which is used to simulate the positional strategy σ . The resulting finite-state strategy is an adaptive strategy for Player 0 in \mathcal{G} .

Note that the adaptive strategy in \mathcal{G} is of doubly-exponential size in $|V|$ and $|\varphi|$. This upper bound is tight, since there is a doubly-exponential lower bound on the size of winning strategies for LTL games [28], which can be lifted to rLTL games.

Similarly, one can compute an adaptive strategy for Player 1. Hence, an adaptive strategy for both players in an rLTL game can be computed in time $O(n_p^5)$, which is doubly-exponential in the size of the formula.

Theorem 2. *Given an rLTL game, an adaptive strategy of a player can be computed in doubly-exponential time. Moreover, each player has an adaptive strategy with doubly-exponential memory size.*

Note that adaptive strategies enforce the best possible value from the given prefix. This value can be obtained at runtime as follows: Given a play prefix \mathbf{p} ending in some vertex v , let $(q^{0000}, \dots, q^{1111})$ be the state of the automaton implementing the adaptive finite-state strategy computed above is in after the prefix \mathbf{p} . Note that this state has to be tracked to determine the next move the strategy prescribes at prefix \mathbf{p} (in case $v \in V_0$). Then, there is a unique b such that $(v, q^{0000}, \dots, q^{1111}) \in E_{=b}$. Then, the value currently enforced by the adaptive strategy is b , which, by construction, is the maximal one that can be enforced from \mathbf{p} .

4 Strongly Adaptive Strategies

In the previous section, we have argued the importance of adaptive strategies and proved that in every rLTL game both players have an adaptive strategy. Intuitively, such a strategy exploits bad moves of the opponent to always enforce the best truth value possible after a given prefix. However, such a strategy does not necessarily seek out opportunities for the opponent to make bad moves. We argue that this property implies that some adaptive strategies are more desirable than others, which leads us to the notion of strongly adaptive strategies.

In this section, we define strongly adaptive strategies, which are based on a fine-grained analysis of the possibilities a strategy gives the opponent to make bad moves and the resulting outcomes of such bad moves. We show that strongly adaptive strategies do not exist in every rLTL game. This is in stark contrast to adaptive strategies, which always exists. Nevertheless, we give a doubly-exponential time algorithm that decides whether a strongly adaptive strategy exists and, if yes, computes one.

4.1 Bad Moves

We already have used the notion of bad moves in Section 3 in an intuitive, but informal, way. Formally, we say a play $\rho = v_0v_1 \dots$ contains a bad move of Player i at position $j > 0$ if the player can enforce some value b from the prefix $v_0 \dots v_{j-1}$ but can no longer enforce the value b from the prefix $v_0 \dots v_j$. Note that the position j is the target of the bad move. Moreover, note that moving from $v_0 \dots v_{j-1}$ to v_j can only be a bad move for Player i if it is Player i 's turn at v_{j-1} . Also, there must be some other edge from v_{j-1} to a vertex $v \neq v_j$ so that he can still enforce b from $v_0 \dots v_{j-1}v$.

For the example given in Figure 1, we know that Player 1 can enforce the value 0011 from 01 (by moving the token from 01 to 2). Suppose he moves the token from 01 to 4 instead. Then, Player 0 can enforce 0111 by visiting vertex 5. Hence Player 1 can no longer enforce 0011 from 014. Therefore, the move from prefix 01 to vertex 4 made by Player 1 is bad.

Note that if Player 1 makes a bad move from a play prefix \mathbf{p} to vertex v , then the maximum value Player 0 can enforce from $\mathbf{p}v$ is strictly larger than the maximum value he can enforce from \mathbf{p} . Hence, if the maximum value Player 0 can enforce from a play prefix is 1111, then Player 1 can not make any bad move from that prefix. Moreover, since the maximum value Player 0 can enforce from any play prefix can increase at most four times, assuming Player 0 does not make any bad move. Thus, Player 1 can make at most four bad moves against an adaptive strategy because such a strategy does not make any bad moves.

Remark 4. Let σ be an adaptive strategy and \mathbf{p} a play prefix (not necessarily consistent with σ). Then, every (σ, \mathbf{p}) -play $\rho = v_0v_1 \dots$ contains at most four bad moves of Player 1 after \mathbf{p} . Also, if there is no bad move by Player 1 at positions $j_0, j_0 + 1, \dots, j_1$ in ρ , then σ enforces the same truth values from every prefix of the form $v_0 \dots v_j$ with $j_0 - 1 \leq j < j_1$.

Our next example shows that an adaptive strategy does not actively seek out opportunities for the opponent to make bad moves, it just exploits those made.

4.2 Motivating Example

Recall the example given in Figure 1. The strategy for Player 0 given by $\{0 \rightarrow 1; 3 \rightarrow 2; 4 \rightarrow 5\}$ is adaptive: if Player 1 makes a bad move by moving from 1 to 4, then moving from 4 to 5 improves the value of the play to 0111. Such an improvement can only be enforced after the bad move.

Another adaptive strategy for Player 0 is to move along $0 \rightarrow 2$ directly in his first move and then move along $3 \rightarrow 2$ every time. Then, the token can never reach vertex 1. Hence, Player 1 can never make a bad move. However, it also means that there can not be a play with value 0111. By contrast, if Player 0 moves along $0 \rightarrow 1$, there is a chance of getting such plays (when Player 1 makes a bad move of $1 \rightarrow 4$). Therefore, using the earlier strategy of moving the token along $0 \rightarrow 1$, Player 0 might be able to enforce 0111 at some point, but he can never achieve the value 0111 when moving directly to vertex 2.

Similarly, in many games, a player may have two (or more) optimal choices to move the token from some prefix. In such situations, that player should compare the bad moves his opponent can make in both choices and determine the choice in which he can enforce the best value after a bad move has been made by the opponent. To capture this, we refine the notion of adaptive strategies by introducing strongly adaptive strategies, which are, in a sense to be formalized below, the best adaptive strategies.

4.3 Definitions

In this section, we introduce the necessary machinery to define strongly adaptive strategies for Player 0. Throughout this section, we are concerned with ranking adaptive strategies according to the number of bad moves they allow the opponent to make, and on the effect these moves have. As the number of bad moves in one play is bounded by four, this results in at most five truth values, i.e., the one that is enforced before the first bad move, and the ones after each bad move. If Player 1 makes less than four bad moves, we use the symbol $\perp \notin \mathbb{B}_4$ to signify this.

A summary is a five-tuple $(b_0, \dots, b_k, \perp, \dots, \perp) \in (\mathbb{B}_4 \cup \{\perp\})^5$ such that $\perp \neq b_0 < b_1 < \dots < b_k$. The set of all summaries is denoted by \mathcal{S} .

Fix an adaptive strategy σ for Player 0, a play prefix \mathbf{p} not necessarily consistent with σ , and a (σ, \mathbf{p}) -play ρ , and let $0 \leq k \leq 4$ be the number of bad moves by Player 1 after \mathbf{p} . Define $\mathbf{p}_0 = \mathbf{p}$ and let \mathbf{p}_j , for $1 \leq j \leq k$, be the prefix of ρ ending at the position of the j -th bad move. Due to Remark 4, these prefixes contain information about all possible truth values that are enforced by Player 0 from prefixes of ρ . We employ summaries to capture the values a given strategy σ enforces from these prefixes. Formally, for $0 \leq j \leq k$, let b_j be the maximal value that σ enforces from \mathbf{p}_j . As σ is adaptive, these values are strictly increasing. So, we can define the summary $\text{smry}(\sigma, \mathbf{p}, \rho) = (b_0, \dots, b_k, \perp, \dots, \perp)$. Intuitively, the summary collects all information about which truth values the strategy σ enforces after each bad move has been made. If there are less than four bad moves in ρ after \mathbf{p} , then we fill the summary with \perp 's to obtain a vector of length five.

We will use such summaries to compare strategies. To do so, we compare summaries in lexicographic order \leq_{lex} with \perp being the smallest element. In other words, we prefer larger truth values of smaller ones and prefer the opportunity for a bad move over the impossibility of a bad move.

Example 3. Consider again the game in Figure 1. Let σ_1 be the memoryless Player 0 strategy always making the moves $\{0 \rightarrow 1, 3 \rightarrow 2, 4 \rightarrow 5\}$. Then,

$$\text{smry}(\sigma_1, 0, 0145^\omega) = \text{smry}(\sigma_1, 01, 0145^\omega) = (0011, 0111, \perp, \perp, \perp)$$

and $\text{smry}(\sigma_1, 014, 0145^\omega) = (0111, \perp, \perp, \perp, \perp)$ because the play 0145^ω does not contain a bad move of Player 1 after 014. In addition, $\text{smry}(\sigma_1, \mathbf{p}, 01(23)^\omega) = (0011, \perp, \perp, \perp, \perp)$ for every prefix \mathbf{p} of $01(23)^\omega$, as the play does not contain any bad move of Player 1.

Let σ_2 now be the memoryless Player 0 strategy given by $\{0 \rightarrow 2, 3 \rightarrow 2, 4 \rightarrow 5\}$. Then, we have $\text{smry}(\sigma_2, \mathbf{p}, 0(23)^\omega) = (0011, \perp, \perp, \perp, \perp)$ for every prefix \mathbf{p} of $0(23)^\omega$ because the play does not contain bad moves of Player 1.

We continue by listing some simple properties of summaries that are useful later on. Consider the prefixes 0, 01, 014 of 0145^ω in Example 3. The former two have the same summary s , while the summary of the latter is obtained by shifting s to the left. Note that moving from 01 to 4 is a bad move of Player 1, while moving from 0 to 1 is not. By inspecting the definition of play summaries, it is clear that extending plays by bad moves corresponds to a left shift, while Remark 4 implies that the absence of bad moves keeps summaries stable.

To formalize this, we use the following notation: for $s = (b_0, \dots, b_k, \perp, \dots, \perp) \in \mathcal{S}$ with $k > 0$ let $\text{lft}(s) = (b_1, \dots, b_k, \perp, \dots, \perp) \in \mathcal{S}$, i.e., we shift s to the left and fill the last entry with a \perp . As entries in summaries are strictly increasing, we have $\text{lft}(s) >_{\text{lex}} s$ for every s with at least two non- \perp entries.

Remark 5. Let σ be an adaptive strategy for Player 0, let \mathbf{p} be a play prefix, and let $\rho = v_0 v_1 \dots$ be a (σ, \mathbf{p}) -play. Further, let $n = |\mathbf{p}|$, i.e., v_{n-1} is the last vertex of \mathbf{p} , and note that ρ is also a $(\sigma, \mathbf{p}v_n)$ -play.

If ρ has a bad move at position n , then $\text{smry}(\sigma, \mathbf{p}v_n, \rho) = \text{lft}(\text{smry}(\sigma, \mathbf{p}, \rho))$ (reflecting the fact that ρ has one bad move less after $\mathbf{p}v_n$ than after \mathbf{p}), otherwise we have $\text{smry}(\sigma, \mathbf{p}v_n, \rho) = \text{smry}(\sigma, \mathbf{p}, \rho)$. Note that we have kept σ and ρ fixed and just added a vertex to the prefix we consider.

As seen above, a bad move shifts the summary to the left. The following remark shows a dual result, allowing us to determine the summary of a play prefix of length one from the summary of play prefix up to the first bad move. In Example 3, note that the strategy σ_1 (using the edges $\{0 \rightarrow 1, 3 \rightarrow 2, 4 \rightarrow 5\}$) enforces value 0011 from 0, i.e., the first entry of $\text{smry}(\sigma_1, 0, 0145^\omega)$ is 0011. The play 0145^ω has its first bad move of Player 1 at position 2, and the corresponding summary is $\text{smry}(\sigma_1, 014, 0145^\omega) = (0111, \perp, \perp, \perp, \perp)$. Hence, $\text{smry}(\sigma_1, 0, 0145^\omega)$ must be the “concatenation” $(0011, 0111, \perp, \perp, \perp)$ of 0011 and $(0111, \perp, \perp, \perp, \perp)$ (with the last \perp removed). In general, we have the following property.

Remark 6. Let $s = (b_0, \dots, b_k, \perp, \dots, \perp) \in \mathcal{S}$ with $k > 0$ and let v be a vertex. Let σ be an adaptive strategy such that b_0 is the maximal value that σ enforces from v and let ρ be a (σ, v) -play with at least one bad move, and let \mathbf{p} be the prefix of ρ ending at the position of the first bad move. Then, $\text{smry}(\sigma, \mathbf{p}, \rho) = \text{lft}(s)$ if and only if $\text{smry}(\sigma, v, \rho) = s$.

Again, recall Example 3, and consider the plays $\rho_b = 0145^\omega$ (with a bad move by Player 1) and $\rho_n = 01(23)^\omega$ (without a bad move), which are both $(\sigma_1, 0)$ -plays. We have $\text{smry}(\sigma_1, 0, \rho_b) = (0011, 0111, \perp, \perp, \perp)$ and $\text{smry}(\sigma_1, 0, \rho_n) = (0011, \perp, \perp, \perp, \perp)$. Disregarding the \perp ’s the summary of ρ_n can be seen as a strict prefix of the summary of ρ_b . Note that $(0011, \perp, \perp, \perp, \perp) <_{\text{lex}} (0011, 0111, \perp, \perp, \perp)$.

In general, fix a strategy σ , a play prefix \mathbf{p} , and a (σ, \mathbf{p}) -play ρ with $\text{smry}(\sigma, \mathbf{p}, \rho) = (b_0, \dots, b_k, \perp, \dots, \perp)$. Then, for every $k' < k$ there is a (σ, \mathbf{p}) -play ρ' with $\text{smry}(\sigma, \mathbf{p}, \rho') = (b_0, \dots, b_{k'}, \perp, \dots, \perp)$, i.e., any play where Player 1 stops making bad moves after the first k' ones (recall that making bad moves is a choice).

To formalize this, we say that a summary $(b_0, \dots, b_k, \perp, \dots, \perp)$ is a strict prefix of a summary $(b'_0, \dots, b'_{k'}, \perp, \dots, \perp)$ if $k < k'$ and $b_j = b'_j$ for all $0 \leq j \leq k$,

i.e., we only consider non- \perp entries. Now, fix (σ, \mathbf{p}) -plays ρ, ρ' . We say that ρ is (σ, \mathbf{p}) -covered by ρ' if $\text{smry}(\sigma, \mathbf{p}, \rho)$ is a strict prefix of $\text{smry}(\sigma, \mathbf{p}, \rho')$. Also, we say that ρ is a (σ, \mathbf{p}) -uncovered play if there is no (σ, \mathbf{p}) -play ρ' that covers it. When σ and \mathbf{p} are clear from context, we drop them and say that a play is uncovered. In the example, ρ_n is $(\sigma_1, 0)$ -covered by ρ_b , which is $(\sigma_1, 0)$ -uncovered.

Now, we lift summaries from plays to strategies by defining $\text{smry}(\sigma, \mathbf{p})$ as the lexicographical minimum over all $\text{smry}(\sigma, \mathbf{p}, \rho)$ where ρ ranges over (σ, \mathbf{p}) -uncovered plays. Note that if ρ (σ, \mathbf{p}) -covers ρ' , then the summary of ρ is a strict prefix of the summary of ρ' and, therefore, strictly smaller. Our definition of $\text{smry}(\sigma, \mathbf{p})$ discards such plays when computing the minimum, but the information is not lost as it appears as a prefix of a covering play.

In the running example, we have $\text{smry}(\sigma_1, 0) = (0011, 0111, \perp, \perp, \perp)$ and $\text{smry}(\sigma_2, 0) = (0011, \perp, \perp, \perp, \perp)$.

Remark 7. Let σ be an adaptive strategy for Player 0 and let \mathbf{p} be a play prefix. If $\text{smry}(\sigma, \mathbf{p}) = s$ for some $s \in \mathcal{S}$, then there exists a (σ, \mathbf{p}) -uncovered play ρ such that $\text{smry}(\sigma, \mathbf{p}, \rho) = s$.

Finally, we are ready to formalize our intuitive notion of strongly adaptive strategies, i.e., adaptive strategies that seek out opportunities for the opponent to make bad moves. Recall that summaries record the possibility, and the effect, of Player 1 making bad moves. So, we intuitively say a strategy is strongly adaptive if it maximizes the summaries globally.

Recall that a strategy is adaptive if the value it enforces from any possible play prefix is as large as the value any other strategy enforces from that prefix. Analogously, a strategy is strongly adaptive if its summary for every play prefix is as good as the summary from the play prefix for any other strategy.

Definition 2. An adaptive strategy σ_0 is strongly adaptive if $\text{smry}(\sigma_0, \mathbf{p}) \geq_{\text{lex}} \text{smry}(\sigma, \mathbf{p})$ for every adaptive strategy σ and every play prefix \mathbf{p} .

For every play prefix \mathbf{p} , let $\text{smry}(\mathbf{p})$ denote the lexicographical maximum of $\text{smry}(\sigma, \mathbf{p})$ over all adaptive strategies σ for Player 0 in the game \mathcal{G} , i.e.,

$$\text{smry}(\mathbf{p}) = \max_{\sigma} \text{smry}(\sigma, \mathbf{p}),$$

where σ ranges over all adaptive strategies for Player 0.

Note that every strongly adaptive strategy is adaptive by definition, and the first entry of $\text{smry}(\mathbf{p})$ is equal to the maximal value that can be enforced from \mathbf{p} . However, as argued above, not every adaptive strategy is strongly adaptive.

4.4 Existence of Strongly Adaptive Strategies

While strongly adaptive strategies generalize adaptive strategies, there is a catch in the definition: The former may not always exist, whereas the latter always do. For instance, consider the graph given in Figure 3 with initial vertex 0 and the formula $\varphi = \Box p$. It is clear that Player 0 can enforce 0011 from any play




Fig. 3. An rLTL game with no strongly adaptive strategy

628 prefix in $0(10)^*$ by eventually moving to vertex 3. And if at some point, Player 1
 629 makes the bad move $1 \rightarrow 2$, then Player 0 enforces 0111 as the token stays at
 630 vertex 2 forever. However, any adaptive strategy for Player 0 has to eventually
 631 visit vertex 3, unless Player 1 makes a bad move prior.

632 Note that Player 1 can only make a bad move at vertex 1, so visiting 1 once
 633 more when at vertex 0 instead of moving to vertex 3 gives her another chance
 634 to make a bad move. So, to optimize the enforced value under one bad move,
 635 Player 1 should stay in the loop between 0 and 1 forever. However, this is not
 636 the optimal behavior if no bad move occurs, as looping yields a value of 0000,
 637 which is smaller than the value 0011 that is achieved by eventually moving to 3.

638 Formally, for $n \geq 0$, let σ_n be the strategy such that $\sigma_n(0(10)^{n'}) = 1$ for all
 639 $n' < n$ and $\sigma_n(0(10)^{n'}) = 3$ for all $n' \geq n$, i.e., σ_n gives Player 1 n chances to
 640 make a bad move and then moves to 3, thereby preventing him from making a
 641 bad move. Note that each of the σ_n is adaptive, but σ_{n+1} gives Player 0 more
 642 opportunities to make a bad move than σ_n , namely for the prefix $0(10)^n$.

643 Fix some n . There are only two $(\sigma_{n+1}, 0(10)^n)$ -plays, i.e., $0(10)^n 10(34)^\omega$
 644 (Player 1 does not make a bad move) and $0(10)^n 12^\omega$ (Player 1 makes a bad
 645 move). Then, $\text{smry}(\sigma_{n+1}, 0(10)^n, 0(10)^n 10(34)^\omega) = (0011, \perp, \perp, \perp, \perp)$ as well
 646 as $\text{smry}(\sigma_{n+1}, 0(10)^n, 0(10)^n 12^\omega) = (0011, 0111, \perp, \perp, \perp)$. Hence, we conclude
 647 $\text{smry}(\sigma_{n+1}, 0(10)^n) = (0011, 0111, \perp, \perp, \perp)$, as the former is covered by the latter.

648 Towards a contradiction assume there is a strongly adaptive strategy σ . By
 649 definition, we have

$$650 \quad \text{smry}(\sigma, 0(10)^n) \geq_{\text{lex}} \text{smry}(\sigma_{n+1}, 0(10)^n) = (0011, 0111, \perp, \perp, \perp) \quad (1)$$

651 for every n . As we have $\text{smry}(\sigma, 0(10)^n) <_{\text{lex}} (1111, \perp, \perp, \perp, \perp)$ (p does not hold
 652 at vertex 0), σ must give Player 1 the chance to make at least one bad move
 653 after the prefix $0(10)^n$. So, we must have $\sigma(0(10)^n) = 1$, as Player 1 can only
 654 make a bad move at vertex 1.

655 Thus, the play $(01)^\omega$ (with value 0000) is a $(\sigma, 0(10)^n)$ -play for every n , i.e., σ
 656 only enforces 0000 from every such prefix. Hence, the first entry of $\text{smry}(\sigma, 0(10)^n)$
 657 is 0000 for every n . This contradicts Inequality (1). Therefore, σ is not strongly
 658 adaptive, i.e., Player 0 does not have a strongly adaptive strategy in the game.

659 As strongly adaptive strategies do not necessarily exist, we are interested in
 660 the following problem.

661 *Problem 2.* Given an rLTL game, determine whether a strongly adaptive strategy
 662 for Player 0 exists and, if yes, compute one.

4.5 Computing Strongly Adaptive Strategies

We solve Problem 2 for an rLTL game $\mathcal{G} = (\mathcal{A}, \varphi)$ by constructing the parity games \mathcal{G}^b for each b and the extended game $\mathcal{G}' = (\mathcal{A}', \varphi)$ as in the algorithm given in Section 3.2. Recall that Player 0 wins \mathcal{G}^b if and only if he can enforce b in \mathcal{G} and that \mathcal{G}' is the product of the \mathcal{G}^b . As we have described in Step 5 of that algorithm, it is easy to see that solving Problem 2 for the game \mathcal{G} is equivalent to solving the problem for game \mathcal{G}' . Hence, from now on, we only consider \mathcal{G}' and show properties for the game \mathcal{G}' , which we can use later to compute a strongly adaptive strategy in \mathcal{G} . This strategy can then be transformed into a strongly adaptive strategy for \mathcal{G} . In the following, it is often useful to focus on one truth value by equipping \mathcal{G}' with the parity condition of \mathcal{C}_b for some b : a vertex $(v, q_{1111}, \dots, q_{0000})$ has the color that q_b has in \mathcal{C}_b . Thus, \mathcal{G}' equipped with the parity condition of \mathcal{G}^b is equivalent to \mathcal{G}^b .

To decide whether a strongly adaptive strategy exists, we proceed as follows:

1. We first give a characterization of the vertices v of \mathcal{G}' with $\text{smry}(v) = s$ that only uses summaries that are larger than s . This allows us to compute $\text{smry}(v)$ for every vertex v by induction over the summaries.
2. Using the decomposition of \mathcal{G}' into regions with the same summary and the characterization we construct a series of obliging games [14]. In an obliging game, Player 0 has a strong winning condition that has to be satisfied on every play and a weak winning condition that must be satisfiable if Player 1 cooperates. In our case, the strong winning condition requires Player 0 to always enforce the best value that is currently possible and the weak condition requires Player 1 to have a chance to make a bad move (if the summary encodes that this is still possible), i.e., whenever possible, Player 1 is given the chance to make a bad move.
3. Finally, if Player 1 has in all obliging games a strategy satisfying both the strong and the weak condition, then these can be turned effectively into a strongly adaptive strategy, otherwise there is no such strategy.

We first provide a useful lemma showing that a strategy in \mathcal{G}' is strongly adaptive if and only if its summary is history independent, i.e., only depends on the last vertex.

Lemma 1. *A strategy σ for Player 0 in \mathcal{G}' is strongly adaptive if and only if for every play prefix \mathbf{p} ending in vertex v , it holds that $\text{smry}(\sigma, \mathbf{p}) = \text{smry}(v)$.*

As computed in Section 3.2, let $E_{=b}$ be the set of vertices in \mathcal{G}' from which the maximum value Player 0 can enforce is b . Furthermore, for a summary $s \in \mathcal{S}$, let $V_{\geq s}$ denote the set of vertices v in \mathcal{G}' for which $\text{smry}(v) \geq_{\text{lex}} s$. Let $V_{=s}$, $V_{>s}$, and $V_{<s}$ be defined similarly.

Remark 8. Let $s = (b_0, \dots, b_k, \perp, \dots, \perp)$. Then, $V_{=s} \subseteq E_{=b_0}$.

For a vertex set F , let $\text{pre}(F)$ denote the set of vertices from which there is an edge to F . Maybe surprisingly, we do not distinguish between vertices of Player 0 and Player 1, but we will only apply $\text{pre}(F)$ when it is Player 1's turn.

Next, we characterize the sets $V_{=s}$ in terms of the existence of strategies that witness summaries. The key aspects of this characterization is that it only refers to summaries $s' >_{\text{lex}} s$, which will later allow us to compute these sets inductively.

Given a strategy σ for Player 0 in \mathcal{G}' and a play prefix \mathbf{p} , let $\Pi(\sigma, \mathbf{p})$ denote the set of (σ, \mathbf{p}) -plays that do not contain a bad move by Player 1 after \mathbf{p} .

Definition 3. *Let σ be a strategy for Player 0, \mathbf{p} be a play prefix, and $s = (b_0, \dots, b_k, \perp, \dots, \perp)$ a summary. We say that σ is an s -witness from \mathbf{p} if and only if it satisfies the following three properties:*

Enforcing *Every play in $\Pi(\sigma, \mathbf{p})$ satisfies the parity condition of the game \mathcal{G}^{b_0} .*

Thus, a witness has to enforce b_0 unless Player 1 makes a bad move.

Enabling *If $k \geq 1$, there exists a play in $\Pi(\sigma, \mathbf{p})$ that visits $\text{pre}(V_{=\text{lft}(s)})$. Thus, if there is the chance to reach a vertex where Player 1 can make a bad move, then a witness has to visit such a vertex. Note that we require that the bad move leads to a vertex with summary $\text{lft}(s)$, which is the largest summary that can be guaranteed to be reached from \mathbf{p} after a bad move.*

Evading *If $k \geq 1$, then let us define $\text{Ev}(s)$ to be the set of summaries $s' = (b'_0, \dots, b'_k, \perp, \dots, \perp)$ with $b'_0 > b_0$, $s' <_{\text{lex}} \text{lft}(s)$, and such that s' is not a strict prefix of $\text{lft}(s)$. Then, no play in $\Pi(\sigma, \mathbf{p})$ visits $\text{pre}(V_{=s'})$ for any $s' \in \text{Ev}(s)$. Thus, a witness can never reach a vertex where Player 1 can make a bad move to reach a summary that is worse than $\text{lft}(s)$.*

Recall that $\text{lft}(s) >_{\text{lex}} s$ and that $s' \in \text{Ev}(s)$ implies $s' >_{\text{lex}} s$.

Lemma 2. *In the game \mathcal{G}' , for some summary s and for some vertex v , we have $v \in V_{=s}$ if and only if $v \notin V_{>s}$ and there is an s -witness from v .*

We now give a method to compute $V_{=s}$ for each summary $s \in \mathcal{S}$ by induction from the largest to the smallest summary. Since truth values in a summary are strictly increasing, $(1111, \perp, \dots, \perp)$ is the maximal summary. We have $V_{=(1111, \perp, \dots, \perp)} = E_{=1111}$, which we can compute using Tabuada and Neider's result for classical rLTL games (see Section 2). For the inductive step, assume that for a summary $s = (b_0, \dots, b_k, \perp, \dots, \perp)$ the sets $V_{=s'}$ are already computed for every $s' >_{\text{lex}} s$. The set $V_{=s}$ can then be computed using the following algorithm:

1. If $k = 0$, then return $E_{\geq b_0} \setminus V_{>s}$. Here, $E_{\geq b_0}$ can again be computed using Tabuada and Neider's result for classical rLTL games.
2. Now assume $k > 0$. Let \mathcal{A}_s be the subgraph of \mathcal{A}' restricted to the vertex set

$$E_{\geq b_0} \setminus \left(V_{>s} \cup \bigcup_{s' \in \text{Ev}(s)} \text{Reach}_1(V_{=s'}) \right),$$

where $\text{Reach}_1(F)$ denotes the set of vertices of \mathcal{A}' from which Player 1 can force the token to reach F . This set can be computed in linear time (in the number of edges of \mathcal{A}') using standard methods to solve reachability games (see [18] for more details). In the proof of correctness of the algorithm (see Lemma 3) we show that \mathcal{A}_s does not have any terminal vertices.

Also, the sets $V_{=s'}$ for $s' \in \text{Ev}(s)$ are already computed, because the summaries $s' \in \text{Ev}(s)$ are all greater than s .

3. Let $\text{Win}(s)$ be the winning region for Player 0 in the parity game with arena \mathcal{A}_s and coloring as in the game \mathcal{G}^{b_0} . Return the set of vertices in Player 0's winning region $\text{Win}(s)$ from which $\text{pre}(V_{=\text{ft}(s)})$ is reachable in the subgraph of \mathcal{A}' restricted to $\text{Win}(s)$.

Lemma 3. *The algorithm described above computes the sets $V_{=s}$ for $s \in \mathcal{S}$.*

Now, we give a characterization of strongly adaptive strategies in terms of summary witnesses.

Lemma 4. *In the game \mathcal{G}' , a strategy σ is strongly adaptive if and only if it is a $\text{smry}(\mathbf{p})$ -witness from every play prefix \mathbf{p} .*

Now, we show how to decide whether a strategy satisfying the condition given in Lemma 4 exists, i.e., a strategy that is a $\text{smry}(\mathbf{p})$ -witness from every play prefix \mathbf{p} . Furthermore, if such a strategy exists, we compute one. To do so, we present a reduction to another type of game, called *obliging games*. So, before describing the details of the reduction, let us recapitulate the definitions and useful results on obliging games.

Obliging games are two-player games introduced by Chatterjee et al. [14]. They have two winning conditions, S and W , called strong and weak conditions. The objective of Player 0 is to ensure the strong winning condition while allowing Player 1 to cooperate with him to additionally fulfil the weak winning condition. Formally, a strategy σ for Player 0 is *uniformly gracious* if it satisfies the following:

- for every vertex v , every (σ, v) -play is S -winning, and
- for every play prefix \mathbf{p} consistent with σ , there is a W -winning (σ, \mathbf{p}) -play.

We are only interested in parity/Büchi obliging games (i.e., the strong condition is a parity condition, and the weak one is a Büchi condition). The next theorem follows directly from the results by Chatterjee et al. [14].

Theorem 3. *A parity/Büchi obliging game with n vertices and a parity condition with k colors can be reduced to a parity game with $O(n)$ vertices and $O(k)$ colors. Moreover, if Player 0 has a uniformly gracious strategy in such an obliging game, he has a uniformly gracious strategy with a memory of size at most $O(k)$.*

Now, coming back to our problem, we define obliging games \mathcal{G}_s (for each $s \in \mathcal{S}$), which are subgames of \mathcal{G}' , such that a uniformly gracious strategy in \mathcal{G}_s satisfies the properties of an s -witness locally. In particular, the games are defined in way such that the strong condition resembles the Enforcing property, the weak condition resembles the Enabling property, and the restricted vertex set ensures that the Evading property is satisfied.

Definition 4. *Given a summary $s = (b_0, \dots, b_k, \perp, \dots, \perp) \in \mathcal{S}$, let \mathcal{G}_s be the obliging game obtained from \mathcal{G}' as follows:*

- The set of vertices $V(\mathcal{G}_s)$ is the set $V_{=s} \cup \{v_{\text{new}}\}$, where v_{new} is a new vertex that does not belong to V' .

- 786 – The set of edges $E(\mathcal{G}_s)$ contains the following edges:
- 787 • The edges of the game \mathcal{G}' restricted to the vertex set $V_{=s}$.
- 788 • All edges of the form (v, v_{new}) where v is a terminal vertex in the game \mathcal{G}'
- 789 restricted to $V_{=s}$.
- 790 • A self loop on v_{new} .
- 791 – The strong condition S_s is a parity condition such that the color of v_{new} is 0
- 792 and color of any other vertex is same as in \mathcal{G}^{b_0} .
- 793 – If $k = 0$, then there is no weak condition, i.e., W_s is a Büchi condition with
- 794 $F = V(\mathcal{G}_s)$. If $k > 0$, then the weak condition W_s is a Büchi condition with
- 795 $F = \text{pre}(\text{lft}(s)) \cup \{v_{\text{new}}\}$.

796 The following lemma formalizes the connection between uniformly gracious
797 strategies in the obliging games \mathcal{G}_s and strongly adaptive strategies in \mathcal{G}' .

798 **Lemma 5.** *There exists a strongly adaptive strategy in \mathcal{G}' if and only if there*
799 *exists a uniformly gracious strategy in every obliging game \mathcal{G}_s . Given a uniformly*
800 *gracious strategy with finite memory in each obliging game \mathcal{G}_s , one can effectively*
801 *combine these into a strongly adaptive strategy with finite memory in \mathcal{G}' .*

802 Since the game \mathcal{G}' has doubly-exponential size, using Theorem 3, the parity/
803 Büchi obliging games \mathcal{G}_s can be reduced to doubly-exponential-sized parity games.
804 Once we computed a strongly adaptive strategy for \mathcal{G}' , it can then be reduced to
805 a strongly adaptive strategy for the original game \mathcal{G} .

806 Moreover, note that strongly adaptive strategies also have doubly-exponential
807 memory since the obliging games we constructed have doubly-exponential size. By
808 Theorem 3, uniformly gracious strategies in such obliging games require memory
809 of linear size, leading to the following result.

810 **Theorem 4.** *Given an rLTL game, one can decide in doubly-exponential time*
811 *whether Player 0 has a strongly adaptive strategy. If yes, one can compute one*
812 *with doubly-exponential memory in doubly-exponential time.*

813 Note that by dualizing the definitions and the constructions, an analogous
814 result for Player 1 can also be obtained.

815 5 Conclusion

816 We argued that in a reactive system, in addition to correctness, we also need
817 to ensure robustness. To this end, we introduced adaptive strategies for rLTL
818 games that satisfy the specification to a higher degree when the environment is
819 not antagonistic. We also presented a stronger version of adaptive strategies that
820 additionally maximizes the opportunities for the opponent to make bad choices.
821 Finally, we showed that both adaptive and strongly adaptive strategies can be
822 computed in doubly-exponential time. As we know that the classical LTL and
823 rLTL synthesis algorithms also take doubly-exponential time, we conclude that
824 adaptive and strongly adaptive strategies are not harder to compute.

References

1. Almagor, S., Kupferman, O.: Good-enough synthesis. In: Computer Aided Verification, CAV 2020, Part II. LNCS, vol. 12225, pp. 541–563. Springer (2020). https://doi.org/10.1007/978-3-030-53291-8_28
2. Anevlavis, T., Neider, D., Phillippe, M., Tabuada, P.: Evrostos: the rLTL verifier. In: ACM International Conference on Hybrid Systems: Computation and Control, HSCC 2019. pp. 218–223. ACM (2019). <https://doi.org/10.1145/3302504.3311812>
3. Anevlavis, T., Philippe, M., Neider, D., Tabuada, P.: Verifying rLTL formulas: now faster than ever before! In: IEEE Conference on Decision and Control, CDC 2018. pp. 1556–1561. IEEE (2018). <https://doi.org/10.1109/CDC.2018.8619014>
4. Anevlavis, T., Philippe, M., Neider, D., Tabuada, P.: Being correct is not enough: Efficient verification using Robust Linear Temporal Logic. *ACM Trans. Comput. Log.* **23**(2), 8:1–8:39 (2022). <https://doi.org/10.1145/3491216>
5. Baier, C., Katoen, J.: Principles of model checking. MIT Press (2008)
6. Bauer, A., Leucker, M., Schallhart, C.: Runtime verification for LTL and TLTL. *ACM Trans. Softw. Eng. Methodol.* **20**(4) (sep 2011). <https://doi.org/10.1145/2000799.2000800>
7. Bloem, R., Chatterjee, K., Greimel, K., Henzinger, T.A., Hofferek, G., Jobstmann, B., Könighofer, B., Könighofer, R.: Synthesizing robust systems. *Acta Informatica* **51**(3-4), 193–220 (2014). <https://doi.org/10.1007/s00236-013-0191-5>
8. Bloem, R., Chatterjee, K., Henzinger, T.A., Jobstmann, B.: Better quality in synthesis through quantitative objectives. In: Computer Aided Verification, CAV 2009. LNCS, vol. 5643, pp. 140–156. Springer (2009). https://doi.org/10.1007/978-3-642-02658-4_14
9. Bloem, R., Ehlers, R., Jacobs, S., Könighofer, R.: How to handle assumptions in synthesis. In: Workshop on Synthesis, SYNT 2014. EPTCS, vol. 157, pp. 34–50 (2014). <https://doi.org/10.4204/EPTCS.157.7>
10. Calude, C.S., Jain, S., Khoussainov, B., Li, W., Stephan, F.: Deciding parity games in quasipolynomial time. In: ACM SIGACT Symposium on Theory of Computing, STOC 2017. pp. 252–263. ACM (2017). <https://doi.org/10.1145/3055399.3055409>
11. Chatterjee, K., Doyen, L.: Energy parity games. *Theor. Comput. Sci.* **458**, 49–60 (2012). <https://doi.org/10.1016/j.tcs.2012.07.038>
12. Chatterjee, K., Henzinger, T.A.: Assume-guarantee synthesis. In: Tools and Algorithms for the Construction and Analysis of Systems, TACAS 2007, ETAPS 2007. LNCS, vol. 4424, pp. 261–275. Springer (2007). https://doi.org/10.1007/978-3-540-71209-1_21
13. Chatterjee, K., Henzinger, T.A., Jurdzinski, M.: Mean-payoff parity games. In: IEEE Symposium on Logic in Computer Science (LICS 2005). pp. 178–187. IEEE Computer Society (2005). <https://doi.org/10.1109/LICS.2005.26>
14. Chatterjee, K., Horn, F., Löding, C.: Obliging games. In: Gastin, P., Laroussinie, F. (eds.) Concurrency Theory, CONCUR 2010. LNCS, vol. 6269, pp. 284–296. Springer (2010). https://doi.org/10.1007/978-3-642-15375-4_20
15. Dallal, E., Neider, D., Tabuada, P.: Synthesis of safety controllers robust to unmodeled intermittent disturbances. In: IEEE Conference on Decision and Control, CDC 2016. pp. 7425–7430. IEEE (2016). <https://doi.org/10.1109/CDC.2016.7799416>
16. Ehlers, R., Topcu, U.: Resilience to intermittent assumption violations in reactive synthesis. In: International Conference on Hybrid Systems: Computation and Control, HSCC’14. pp. 203–212. ACM (2014). <https://doi.org/10.1145/2562059.2562128>

- 873 17. Fearnley, J., Zimmermann, M.: Playing Muller games in a hurry. *Int. J. Found.*
874 *Comput. Sci.* **23**(3), 649–668 (2012). <https://doi.org/10.1142/S0129054112400321>
- 875 18. Grädel, E., Thomas, W., Wilke, T. (eds.): Automata, Logics, and Infinite Games:
876 A Guide to Current Research [outcome of a Dagstuhl seminar, February 2001],
877 LLNCS, vol. 2500. Springer (2002). <https://doi.org/10.1007/3-540-36387-4>
- 878 19. Majumdar, R., Render, E., Tabuada, P.: A theory of robust omega-regular soft-
879 ware synthesis. *ACM Trans. Embed. Comput. Syst.* **13**(3), 48:1–48:27 (2013).
880 <https://doi.org/10.1145/2539036.2539044>
- 881 20. Mascle, C., Neider, D., Schwenger, M., Tabuada, P., Weinert, A., Zimmermann, M.:
882 From LTL to rLTL monitoring: improved monitorability through robust semantics.
883 In: HSCC '20: 23rd ACM International Conference on Hybrid Systems: Computation
884 and Control. pp. 7:1–7:12. ACM (2020). <https://doi.org/10.1145/3365365.3382197>
- 885 21. Nayak, S.P., Neider, D., Zimmermann, M.: Adaptive strategies for rLTL games. In:
886 HSCC '21: ACM International Conference on Hybrid Systems: Computation and
887 Control. pp. 32:1–32:2. ACM (2021). <https://doi.org/10.1145/3447928.3457210>
- 888 22. Neider, D., Totzke, P., Zimmermann, M.: Optimally resilient strategies
889 in pushdown safety games. In: International Symposium on Mathemat-
890 ical Foundations of Computer Science, MFCS 2020. LIPIcs, vol. 170,
891 pp. 74:1–74:15. Schloss Dagstuhl - Leibniz-Zentrum für Informatik (2020).
892 <https://doi.org/10.4230/LIPIcs.MFCS.2020.74>
- 893 23. Neider, D., Weinert, A., Zimmermann, M.: Synthesizing optimally resilient con-
894 trollers. In: EACSL Annual Conference on Computer Science Logic, CSL 2018.
895 LIPIcs, vol. 119, pp. 34:1–34:17. Schloss Dagstuhl - Leibniz-Zentrum für Informatik
896 (2018). <https://doi.org/10.4230/LIPIcs.CSL.2018.34>
- 897 24. Neider, D., Weinert, A., Zimmermann, M.: Robust, expressive, and quantitative
898 linear temporal logics: Pick any two for free. In: International Symposium on Games,
899 Automata, Logics, and Formal Verification, GandALF 2019. EPTCS, vol. 305, pp.
900 1–16 (2019). <https://doi.org/10.4204/EPTCS.305.1>
- 901 25. Neider, D., Weinert, A., Zimmermann, M.: Robust, expressive, and quantitative
902 linear temporal logics: Pick any two for free. *Information and Computation* p.
903 104810 (2021). <https://doi.org/https://doi.org/10.1016/j.ic.2021.104810>
- 904 26. Pnueli, A.: The temporal logic of programs. In: Symposium on Founda-
905 tions of Computer Science, 1977. pp. 46–57. IEEE Computer Society (1977).
906 <https://doi.org/10.1109/SFCS.1977.32>
- 907 27. Pnueli, A., Rosner, R.: On the synthesis of a reactive module. In: ACM Symposium
908 on Principles of Programming Languages, 1989. pp. 179–190. ACM Press (1989).
909 <https://doi.org/10.1145/75277.75293>
- 910 28. Pnueli, A., Rosner, R.: On the synthesis of an asynchronous reactive module. In:
911 Automata, Languages and Programming, ICALP89. LLNCS, vol. 372, pp. 652–671.
912 Springer (1989). <https://doi.org/10.1007/BFb0035790>
- 913 29. Priest, G.: Dualising intuitionistic negation. *Principia: an international jour-*
914 *nal of epistemology* **13**(2), 165–184 (2009). [https://doi.org/10.5007/1808-](https://doi.org/10.5007/1808-1711.2009v13n2p165)
915 [1711.2009v13n2p165](https://doi.org/10.5007/1808-1711.2009v13n2p165)
- 916 30. Samuel, S., Mallik, K., Schmuck, A., Neider, D.: Resilient abstraction-
917 based controller design. In: HSCC '20: ACM International Conference on
918 Hybrid Systems: Computation and Control. pp. 33:1–33:2. ACM (2020).
919 <https://doi.org/10.1145/3365365.3383467>
- 920 31. Samuel, S., Mallik, K., Schmuck, A., Neider, D.: Resilient abstraction-based con-
921 troller design. In: IEEE Conference on Decision and Control, CDC 2020. pp.
922 2123–2129. IEEE (2020). <https://doi.org/10.1109/CDC42340.2020.9303932>

- 923 32. Schewe, S., Varghese, T.: Tight bounds for the determinisation and complemen-
 924 tation of generalised Büchi automata. In: Automated Technology for Verifica-
 925 tion and Analysis, ATVA 2012. LNCS, vol. 7561, pp. 42–56. Springer (2012).
 926 https://doi.org/10.1007/978-3-642-33386-6_5
- 927 33. Tabuada, P., Caliskan, S.Y., Rungger, M., Majumdar, R.: Towards robustness for
 928 cyber-physical systems. *IEEE Trans. Autom. Control.* **59**(12), 3151–3163 (2014).
 929 <https://doi.org/10.1109/TAC.2014.2351632>
- 930 34. Tabuada, P., Neider, D.: Robust linear temporal logic. In: Conference on Computer
 931 Science Logic, CSL 2016. LIPIcs, vol. 62, pp. 10:1–10:21. Schloss Dagstuhl - Leibniz-
 932 Zentrum für Informatik (2016). <https://doi.org/10.4230/LIPIcs.CSL.2016.10>
- 933 35. Topcu, U., Ozay, N., Liu, J., Murray, R.M.: On synthesizing robust discrete con-
 934 trollers under modeling uncertainty. In: Hybrid Systems: Computation and Control,
 935 HSCC’12. pp. 85–94. ACM (2012). <https://doi.org/10.1145/2185632.2185648>

936 In this appendix, we present the proofs omitted in the main part.

937 A Combining Adaptive Strategies

938 Let us begin by introducing a useful preliminary result: in many of the construc-
939 tions presented below, we need to combine several strategies into a new one while
940 maintaining adaptiveness. The following lemma will be useful to prove this.

941 **Lemma 6.** *Let σ be a strategy for Player 0 in \mathcal{G}' such that for all play prefixes \mathbf{p}
942 and all (σ, \mathbf{p}) -plays ρ , the following are both satisfied:*

- 943 – ρ does not contain a bad move of Player 0 after the play prefix \mathbf{p} .
- 944 – There is an adaptive strategy σ_ρ such that ρ is a $(\sigma_\rho, \mathbf{p}')$ -play for some prefix \mathbf{p}'
945 of ρ .

946 Then, σ is adaptive.

947 *Proof.* Towards a contradiction, suppose σ is a strategy for Player 0 in \mathcal{G}'
948 satisfying the given properties, but is not adaptive. Then, by definition, for some
949 play prefix \mathbf{p} , there exists some strategy σ' that enforces some value b from \mathbf{p} ,
950 but σ does not. That means there exists a (σ, \mathbf{p}) -play ρ which has a value strictly
951 less than b . By the given properties, there exists an adaptive strategy σ_ρ such
952 that ρ is a $(\sigma_\rho, \mathbf{p}')$ -play for some prefix \mathbf{p}' of ρ . Since both \mathbf{p} and \mathbf{p}' are prefixes
953 of ρ , one has to be the prefix of the other. If \mathbf{p}' is a prefix of \mathbf{p} , then ρ is also a
954 $(\sigma_\rho, \mathbf{p})$ -play. As σ_ρ is adaptive, it enforces value b from \mathbf{p} , i.e., we have derived a
955 contradiction to $\mathcal{V}(\rho) < b$.

Now, assume that \mathbf{p} is a prefix of \mathbf{p}' . Since σ' enforces value b from \mathbf{p} and
Player 0 does not make a bad move after prefix \mathbf{p} in the play ρ , Player 0 can
still enforce value b from \mathbf{p}' . Then, by the definition of adaptive strategies, σ_ρ
enforces the value b from \mathbf{p}' (in particular for the $(\sigma_\rho, \mathbf{p}')$ -play ρ), i.e., we have
again derived a contradiction to $\mathcal{V}(\rho) < b$. \square

956 B Proof of Lemma 1

957 We use the following properties to simplify the proof.

958 *Remark 9.*

- 959 1. Let σ be an adaptive strategy for Player 0. Then, σ is strongly adaptive if
960 and only if $\text{smry}(\sigma, \mathbf{p}) = \text{smry}(\mathbf{p})$ for every play prefix \mathbf{p} .
- 961 2. Let σ be an adaptive strategy for Player 0 and \mathbf{p} a play prefix. Then,
962 $\text{smry}(\sigma, \mathbf{p}) = \text{smry}(\mathbf{p})$ if and only if $\text{smry}(\sigma, \mathbf{p}) \geq_{\text{lex}} \text{smry}(\mathbf{p})$.
- 963 3. Let \mathbf{p} be a play prefix. Then, there is a strategy σ for Player 0 such that
964 $\text{smry}(\sigma, \mathbf{p}) = \text{smry}(\mathbf{p})$.

965 Now, let us prove Lemma 1. Recall that we need to prove that a strategy
966 σ for Player 0 in the game \mathcal{G}' is strongly adaptive if and only if for every play
967 prefix \mathbf{p} ending in vertex v , it holds that $\text{smry}(\sigma, \mathbf{p}) = \text{smry}(v)$.

Proof. By Remark 9.1, a strategy σ for Player 0 is strongly adaptive if and only if $\text{smry}(\sigma, \mathbf{p}) = \text{smry}(\mathbf{p})$ for every play prefix \mathbf{p} . Hence, it is enough to show that for any two prefixes \mathbf{p}_1 and \mathbf{p}_2 ending in the same vertex, it holds that $\text{smry}(\mathbf{p}_1) = \text{smry}(\mathbf{p}_2)$. The result then follows by picking $\mathbf{p}_1 = \mathbf{p}$ and $\mathbf{p}_2 = v$.

Suppose, towards a contradiction, and without loss of generality, $\text{smry}(\mathbf{p}_1) <_{\text{lex}} \text{smry}(\mathbf{p}_2)$. Let σ_i for $i \in \{1, 2\}$ be an adaptive strategy that maximizes the summary from \mathbf{p}_i over all strategies. Then, we define the strategy σ' for Player 0 defined as

$$\sigma'(\mathbf{p}) = \begin{cases} \sigma_2(\mathbf{p}_2\mathbf{p}') & \text{if } \mathbf{p} = \mathbf{p}_1\mathbf{p}' \text{ for some (possibly empty) } \mathbf{p}' \\ \sigma_1(\mathbf{p}) & \text{otherwise.} \end{cases}$$

Applying Lemma 6 shows that σ' is adaptive. Hence, $\text{smry}(\sigma', \mathbf{p}_1) = \text{smry}(\sigma_2, \mathbf{p}_2)$ in the game \mathcal{G}' , as σ' behaves after the prefix \mathbf{p}_1 like σ_2 does after the prefix \mathbf{p}_2 . Thus, it holds that

$$\text{smry}(\sigma', \mathbf{p}_1) = \text{smry}(\sigma_2, \mathbf{p}_2) = \text{smry}(\mathbf{p}_2) >_{\text{lex}} \text{smry}(\mathbf{p}_1) = \text{smry}(\sigma_1, \mathbf{p}_1),$$

which contradicts the maximality of σ_1 . \square

C Proof of Lemma 2

Recall that we need to prove that in the game \mathcal{G}' , for some summary s and for some vertex v , we have $v \in V_{=s}$ if and only if $v \notin V_{>s}$ and there is an s -witness from v .

Proof. Fix some $s = (b_0, \dots, b_k, \perp, \dots, \perp) \in \mathcal{S}$ throughout the proof.

Suppose a vertex $v \notin V_{>s}$ has an s -witness σ . We show that v is in $V_{=s}$.

Observe that $v \notin V_{>s}$ implies $\text{smry}(v) \leq_{\text{lex}} s$. Furthermore, since σ is enforcing, every (σ, v) -play containing no bad move of Player 1 has value at least b_0 . Hence, the maximum value Player 0 enforces from v is at least b_0 . Therefore, we obtain

$$(b_0, \perp, \perp, \perp, \perp) \leq_{\text{lex}} \text{smry}(v) \leq_{\text{lex}} s. \quad (2)$$

If $k = 0$, i.e., $s = (b_0, \perp, \dots, \perp)$ then we are done.

So, suppose $k > 0$. For every play prefix \mathbf{p}' ending in $v' \in V_{>s}$, let $\sigma_{\mathbf{p}'}$ be an adaptive strategy such that $\text{smry}(\sigma_{\mathbf{p}'}, \mathbf{p}') = \text{smry}(\mathbf{p}') = \text{smry}(v')$ (the second equality follows from Lemma 1). By Remark 9.3, such a strategy always exists.

We combine these $\sigma_{\mathbf{p}'}$ into a strategy σ_v as follows: for any play prefix \mathbf{p} , $\sigma_v(\mathbf{p}) = \sigma(\mathbf{p})$ if \mathbf{p} does not contain any vertex in $V_{>s}$. Otherwise, $\sigma_v(\mathbf{p}) = \sigma_{\mathbf{p}'}(\mathbf{p})$, where \mathbf{p}' is the minimal prefix of \mathbf{p} containing a vertex of $V_{>s}$, i.e., no strict prefix of \mathbf{p}' contains a vertex in $V_{>s}$. Note that the sets $V_{=s}$ and $V_{>s}$ are disjoint, so this is well-defined. We call σ_v the continuation of σ with $(\sigma_{\mathbf{p}'})_{\mathbf{p}'}$.

Note that σ_v does not make a bad move (of Player 0) in any (σ_v, v) -play, as σ enforces b_0 (the largest value that can be enforced from v due to $v \notin V_{>s}$) and every bad move of Player 1 leading to σ_v simulating an adaptive strategy, which does not make any bad move either. Hence, σ_v is also adaptive by Lemma 6.

1005 We claim that $\text{smry}(\sigma_v, v) \geq_{\text{lex}} s$. This equality implies $\text{smry}(v) \geq_{\text{lex}} \text{smry}(\sigma_v, v) \geq_{\text{lex}}$
 1006 s . Then, we have $\text{smry}(v) = s$, as we have already argued $\text{smry}(v) \leq_{\text{lex}} s$.

1007 So, let us prove $\text{smry}(\sigma_v, v) \geq_{\text{lex}} s$. To this end, we show that $\text{smry}(\sigma_v, v, \rho) \geq_{\text{lex}}$
 1008 s for every (σ_v, v) -uncovered play ρ . Fix such a play.

1009 As $k > 0$ and due to σ being enabling, there is a (σ_v, v) -play ρ_B in which
 1010 Player 1 makes at least one bad move. Due to Remark 6, we can pick ρ_B such
 1011 that $\text{smry}(\sigma_v, v, \rho_B) = s$. Hence, if ρ does not contain any bad moves by Player 1
 1012 (which implies $\text{smry}(\sigma_v, v, \rho) = (b_0, \perp, \dots, \perp)$) then ρ is covered by ρ_B . This
 1013 contradicts our choice of ρ . Thus, we can assume that ρ contains at least one bad
 1014 move of Player 1. Now, by definition of σ_v , the play ρ is consistent with σ up to
 1015 the first bad move of Player 1.

1016 As σ is enforcing, any play $\rho' \in \Pi(\sigma, \mathbf{p})$ is winning w.r.t. the parity condition
 1017 of \mathcal{G}^{b_0} . Hence, the value of ρ' is at least b_0 . Thus, ρ' never visits the vertex
 1018 set $E_{=b'_0}$ for some truth value $b'_0 < b_0$. Note that by Equation (2), $v \in E_{=b_0}$ as
 1019 the maximal value Player 0 can enforce is b_0 . Hence, ρ starts in $E_{=b_0}$ and it leaves
 1020 $E_{=b_0}$ only when Player 1 makes a bad move, which leads to $E_{>b_0}$. More precisely,
 1021 the first bad move of Player 1 in ρ is a move from some vertex v_p in $\text{pre}(V_{=s^*})$
 1022 for some $s^* \in \mathcal{S}$ such that the first entry of s^* is strictly greater than b_0 .

1023 As σ is evading, there are two cases: either $s^* \geq_{\text{lex}} \text{lft}(s)$ or s^* is a strict prefix
 1024 of $\text{lft}(s)$. In the second case, by Remark 6, ρ is covered by the play ρ_B , which
 1025 again contradicts our choice of ρ . In the first case, after the first bad move, the
 1026 play reaches a vertex v^* in $V_{=s^*}$. Let \mathbf{p}^* be the prefix of ρ ending in this vertex
 1027 v^* . Thus, ρ is a $(\sigma_{\mathbf{p}^*}, \mathbf{p}^*)$ -play by construction. There are two subcases: either ρ
 1028 is an $(\sigma_{\mathbf{p}^*}, \mathbf{p}^*)$ -uncovered play and

$$1029 \quad \text{smry}(\sigma_{\mathbf{p}^*}, \mathbf{p}^*, \rho) \geq_{\text{lex}} \text{smry}(\sigma_{\mathbf{p}^*}, \mathbf{p}^*) = \text{smry}(v^*) = s^* \geq_{\text{lex}} \text{lft}(s)$$

1030 or ρ is a $(\sigma_{\mathbf{p}^*}, \mathbf{p}^*)$ -covered play and $\text{smry}(\sigma_{\mathbf{p}^*}, \mathbf{p}^*, \rho)$ is a strict prefix of $\text{smry}(\sigma_{\mathbf{p}^*}, \mathbf{p}^*, \rho')$
 1031 for some $(\sigma_{\mathbf{p}^*}, \mathbf{p}^*)$ -play ρ' .

1032 In the second subcase, due to Remark 6, ρ is also a (σ_v, v) -covered play such
 1033 that $\text{smry}(\sigma_v, v, \rho)$ is a strict prefix of $\text{smry}(\sigma_v, v, \rho')$, which again contradicts
 1034 our choice of ρ . In the first subcase, we obtain $\text{smry}(\sigma_v, v, \rho) \geq s$ by Remark 6,
 1035 which completes the first direction of the proof.

1036 For the other direction, suppose a vertex v belongs to $V_{=s}$. By definition,
 1037 $V_{=s} \cap V_{>s} = \emptyset$, which implies $v \notin V_{>s}$. By Remark 9.3, there exists a strategy σ
 1038 such that $\text{smry}(\sigma, v) = s$.

1039 It remains to be shown that there is an s -witness from v . We actually prove a
 1040 more general result, which will be useful later on: If for some play prefix \mathbf{p} , there
 1041 exists a strategy σ such that $\text{smry}(\sigma, \mathbf{p}) = s$, then σ is an s -witness from \mathbf{p} , i.e.,
 1042 we show the result for arbitrary play prefixes \mathbf{p} .

1043 So, assume we have a strategy σ such that $\text{smry}(\sigma, \mathbf{p}) = s$. Hence, there is
 1044 an (σ, \mathbf{p}) -uncovered play ρ_m with $\text{smry}(\sigma, \mathbf{p}, \rho_m) = s$ and $\text{smry}(\sigma, \mathbf{p}, \rho) \geq_{\text{lex}} s$ for
 1045 every (σ, \mathbf{p}) -uncovered play ρ . We show that the set $\Pi(\sigma, \mathbf{p})$ of (σ, \mathbf{p}) -plays without
 1046 bad moves of Player 1 after \mathbf{p} satisfies the three properties of an s -witness.

1047 The Enforcing property is satisfied by the fact that σ enforces the truth
 1048 value b_0 from \mathbf{p} (as it enforces the first entry of s due to $\text{smry}(\sigma, \mathbf{p}) = s$), which
 1049 implies that the parity condition of \mathcal{G}^{b_0} is satisfied.

Now, assume $k > 0$. Then, ρ_m must contain a bad move by Player 1. Note that the prefix \mathbf{p}' of ρ_m ending at the position before the first bad move ends in $\text{pre}(V_{=\text{lft}(s)})$. So, there is also a play in $\Pi(\sigma, \mathbf{p})$ that visits this set, but does not contain any bad move by Player 1, i.e., an extension of \mathbf{p}' where Player 0 uses σ and Player 1 uses an adaptive strategy for her (which does not make any bad moves). Thus, σ satisfies the Enabling property.

To conclude, assume towards a contradiction, that there is a play in $\Pi(\sigma, \mathbf{p})$ that visits $\text{pre}(V_{=s'})$ for some summary $s' = (b'_0, \dots, b'_{k'}, \perp, \dots, \perp) \in \text{Ev}(s)$, i.e., σ does not satisfy the Evading property. Then, there is a play prefix \mathbf{p}' extending \mathbf{p} and consistent with σ that ends in a vertex v' such that $\text{smry}(\mathbf{p}') = \text{smry}(v') = s'$ (recall Lemma 1).

Then, $\text{smry}(\sigma, \mathbf{p}') \leq_{\text{lex}} s'$. Hence, by Remark 7, there exists a (σ, \mathbf{p}') -uncovered play ρ' with $\text{smry}(\sigma, \mathbf{p}', \rho') \leq_{\text{lex}} s'$. Note that ρ' is also a (σ, \mathbf{p}) -play, as \mathbf{p}' is a (σ, \mathbf{p}) -play prefix by construction. Due to Remark 6, $\text{smry}(\sigma, \mathbf{p}, \rho') \leq_{\text{lex}} (b_0, b'_0, \dots, b'_{k'}, \perp, \dots, \perp) <_{\text{lex}} s$. This is a contradiction to $\text{smry}(\sigma, \mathbf{p}, \rho) \geq_{\text{lex}} s$ for every (σ, \mathbf{p}) -uncovered play ρ . \square

D Proof of Lemma 3

The following remark shows how the maximal summary of a vertex is related to its successor. We use this remark in the next proofs.

Remark 10. Let $v \in V_{=s}$ for $s <_{\text{lex}} (1111, \perp, \dots, \perp)$. If $v \in V'_0$ then

- v has no successor in $V_{>s'}$.
- v has at least one successor in $V_{=s}$,

If $v \in V'_1$ then:

- If v has a successor in $V_{=s'}$ for some $s' <_{\text{lex}} s$ then s' is a strict prefix of s .
- If v has a successor in $V_{=s'}$ for some $s' >_{\text{lex}} s$ then neither of s and $\text{lft}(s)$ is a strict prefix of s' .
- If v does not have a successor in $V_{=s}$, then it has at least one successor in $V_{=\text{lft}(s)}$.

Now, we give the proof for Lemma 3. Recall that we need to prove the our algorithm correctly computes the sets $V_{=s}$.

Proof. As argued earlier, the claim is trivially true for the largest summary, as we have $V_{=(1111, \perp, \dots, \perp)} = E_{=1111}$.

Assuming we already have computed $V_{=s'}$ for every $s' >_{\text{lex}} s$, suppose U is the vertex set computed by the algorithm in that situation. We claim $U = V_{=s}$.

First, we show $U \subseteq V_{=s}$ by showing that each vertex $v \in U$ satisfies the characterization given in Lemma 2. Suppose v is a vertex in U . Excluding $V_{>s}$ in Step 2 ensures that $v \notin V_{>s}$, the first part of the characterization.

If $k = 0$, then since $v \in E_{\geq b_0}$, any adaptive strategy σ for Player 0 enforces b_0 from v . Hence, σ is enforcing. Thus, $v \in V_{=s}$, as the other two properties of an s -witness are trivially satisfied in this case.

If $k > 0$, then by Step 3, there is a path $v_0v_1 \cdots v_k$ from $v = v_0$ to some $v_k \in \text{pre}(V_{=\text{ft}(s)})$ in the arena restricted to $\text{Win}(s)$. Let $\sigma(s)$ be the winning strategy for Player 0 computed in Step 3 and let σ_0 be an adaptive strategy for Player 0 in the game \mathcal{G}' . For $v' \in V_{>s}$, let $\sigma_{v'}$ be the adaptive strategy that maximizes the summary of v' over all adaptive strategies. Now consider the strategy σ such that

$$\sigma(\mathbf{p}) = \begin{cases} v_{i+1} & \text{if } \mathbf{p} = v_0v_1 \cdots v_i \text{ ending in a Player 0 vertex,} \\ \sigma(s)(\mathbf{p}) & \mathbf{p} \text{ is a play prefix in } \text{Win}(s) \text{ but not a prefix of } v_0v_1 \cdots v_k, \\ \sigma_{v'}(v'\mathbf{p}'') & \text{if } \mathbf{p} = \mathbf{p}'v'\mathbf{p}'' \text{ for some play prefix } \mathbf{p}' \text{ in } \text{Win}(s), \\ & v' \in V_{>s}, \text{ and play prefix } \mathbf{p}'', \\ \sigma_0(\mathbf{p}) & \text{otherwise.} \end{cases}$$

1085 Note that σ never makes a bad move and eventually follows an adaptive strategy
 1086 by construction. Hence, it is also adaptive by Lemma 6. Let ρ be a (σ, \mathbf{p}) -play
 1087 from a play prefix \mathbf{p} in $\text{Win}(s)$. If ρ stays in $\text{Win}(s) \subseteq E_{=b_0}$, then it eventually
 1088 follows $\sigma(s)$ and has value at least b_0 . If not, it follows some strategy $\sigma_{v'}$ for
 1089 some $v' \in V_{>s}$ which has value at least b_0 by construction. Hence, σ satisfies the
 1090 Enforcing property.

1091 Moreover, there exists a (σ, v) -play $v_0v_1 \cdots v_k \cdots$ (formed by Player 0 using σ
 1092 after $v_0 \cdots v_k$ and Player 1 using an adaptive strategy after the prefix) showing
 1093 that σ satisfies the Enabling property.

1094 Furthermore, by removing $\bigcup_{s' \in \text{Ev}(s)} \text{Reach}_1(V_{=s'})$ in Step 2, it is also ensured
 1095 that σ satisfies the Evading property. Hence, σ is an s -witness from v , which
 1096 implies $v \in V_{=s}$.

1097 For the other direction, we show that $V_{=s} \subseteq U$ by showing that if a vertex v
 1098 satisfies the characterization given in Lemma 2, then $v \in U$.

1099 Note that since $U \subseteq V_{=s}$, the subgraph \mathcal{A}_s does not have terminal vertices
 1100 by Remark 10. Also, we have $v \notin V_{>s}$ by the first item of the characterization.
 1101 Furthermore, there is an s -witness σ from v .

1102 Hence, by the Enforcing property, σ enforces b_0 from v . Hence, $v \in E_{\geq b_0}$. If
 1103 $k = 0$, then $U = E_{\geq b_0} \setminus V_{>s}$. Thus, $v \in U$ as required.

1104 Now suppose $k > 0$. If $v \in \text{Reach}_1(V_{=s'})$ for some $s' \in \text{Ev}(s)$, then Player 1 has
 1105 a strategy τ that forces the token to reach $V_{=s'}$ from v while only visits vertices in
 1106 $E_{=b_0}$. Hence, there is a (σ, v) -play ρ that visits $\text{pre}(V_{=s'})$ with $s' \in \text{Ev}(s)$. Hence,
 1107 there also exists a (σ, v) -play containing no bad move of Player 1 that visiting
 1108 $\text{pre}(V_{=s'})$. This contradicts σ being evading. Hence, $v \notin \bigcup_{s' \in \text{Ev}(s)} \text{Reach}_1(V_{=s'})$.
 1109 Therefore, we obtain $v \in V_{=s}$.

Now, as σ is enabling, there exists a (σ, v) -play ρ containing no bad move of
 Player 1 that visits $\text{pre}(V_{=\text{ft}(s)})$. As σ is evading, ρ does not visit $\text{Reach}_1(V_{=s'})$
 for any $s' \in \text{Ev}(s)$. Furthermore, by σ being enforcing, since ρ does not contain
 any bad move of Player 1, it stays in the vertex set $\text{Win}(s)$. Hence, $\text{pre}(V_{=\text{ft}(s)})$
 is reachable from v in the graph restricted to $\text{Win}(s)$. Therefore, $v \in U$. \square

1110 E Proof of Lemma 4

1111 Recall that we need to prove that in the game \mathcal{G}' , a strategy σ is strongly adaptive
1112 if and only if it is a $\text{smry}(\mathbf{p})$ -witness from every play prefix \mathbf{p} .

1113 *Proof.* First, consider a strategy σ that is a $\text{smry}(\mathbf{p})$ -witness from every play
1114 prefix \mathbf{p} . Note that σ is adaptive by the Enforcing property. Now we show by
1115 induction over summaries $s \in \mathcal{S}$, from largest to smallest, that $\text{smry}(\sigma, \mathbf{p}) \geq_{\text{lex}} s$
1116 for every play prefix \mathbf{p} ending in $V_{=s}$, which implies that σ is strongly adaptive.

1117 So, for the induction start, we have to consider $s = (1111, \perp, \dots, \perp)$, the
1118 maximal summary. So, let ρ be a (σ, \mathbf{p}) -play such that \mathbf{p} ends in $V_{=s}$. Note that
1119 ρ cannot contain a bad move after the prefix \mathbf{p} , as 1111 is the maximal truth
1120 value, i.e., $\rho \in \Pi(\sigma, \mathbf{p})$. Hence, ρ satisfies the parity condition of \mathcal{G}^{1111} due to
1121 the Enforcing property, i.e., ρ has value 1111. Thus, we have $\text{smry}(\sigma, \mathbf{p}) = s$ as
1122 required.

1123 For the induction step, we consider some $s <_{\text{lex}} (1111, \perp, \dots, \perp)$. The induc-
1124 tion hypothesis yields that $\text{smry}(\sigma, \mathbf{p}) \geq_{\text{lex}} s^*$ for every play prefix \mathbf{p} ending in
1125 $V_{=s^*}$ for some $s^* >_{\text{lex}} s$. Hence, we have $\text{smry}(\sigma, \mathbf{p}') = \text{smry}(\mathbf{p}') = \text{smry}(v')$ (the
1126 last equality follows from Lemma 1) for every play prefix \mathbf{p}' , where $v' \in V_{>s}$ is
1127 the last vertex of \mathbf{p}' .

1128 Now, let $\sigma_{\mathbf{p}'} = \sigma$ for every play prefix \mathbf{p}' ending in $V_{\geq s}$, and let σ' be the
1129 continuation of σ with $(\sigma_{\mathbf{p}'})_{\mathbf{p}'}$. Then, we have $\text{smry}(\sigma', \mathbf{p}) \geq_{\text{lex}} s$ using the same
1130 reasoning as in the proof of Lemma 2 (note that σ satisfies exactly the properties
1131 required for that reasoning). The desired result follows by noticing that σ' is
1132 equal to σ .

1133 For the other direction, let σ be a strongly adaptive strategy. We need to
1134 show that σ is a $\text{smry}(\mathbf{p})$ witness from every play prefix \mathbf{p} .

Due to σ being strongly adaptive, we have $\text{smry}(\sigma, \mathbf{p}) = \text{smry}(\mathbf{p})$ for every
play prefix \mathbf{p} . Hence, by the argument presented in the second direction of the
proof of Lemma 2, we conclude that σ is indeed a $\text{smry}(\mathbf{p})$ -witness from every \mathbf{p} .
□

1135 F Proof Lemma 5

1136 We use the following remarks in the proof.

1137 *Remark 11.* Any play in \mathcal{G}_s containing v_{new} is both S_s and W_s -winning.

1138 *Remark 12.* Let $s \in \mathcal{S}$ and v be a terminal vertex in the game \mathcal{G}' restricted $V_{=s}$.
1139 Then, v satisfies the following:

- 1140 – $v \in V'_1$.
- 1141 – v has no successor in $V_{=s}$.
- 1142 – v has a successor in $V_{=\text{ft}(s)}$.

1143 *Remark 13.* Suppose σ is a strategy of Player 0 in \mathcal{G}' that never makes a move
 1144 from a play prefix ending in $V_{=s}$ to a vertex in $V_{<s}$ for some $s \in \mathcal{S}$. Let \mathbf{p} be a
 1145 play prefix in \mathcal{G}' ending in $V_{=s}$ and ρ be a (σ, \mathbf{p}) -play in \mathcal{G}' . If ρ visits a vertex
 1146 $v' \in V_{=s'}$ after \mathbf{p} for some $s' \in \mathcal{S}$, then one the following holds:

- 1147 – $s = s'$.
- 1148 – $s' >_{\text{lex}} s$ such that s is not a strict prefix of s' .
- 1149 – s' is a strict prefix of s .

1150 Moreover, since there are only finitely many summaries and ρ can not return to
 1151 the same set $V_{=s'}$ after leaving the set, it holds that ρ has a suffix staying in
 1152 $V_{=s'}$ forever for some $s' \in \mathcal{S}$ satisfying one of the above.

1153 Let us now prove the lemma. Recall that we need to show that there exists a
 1154 strongly adaptive strategy in \mathcal{G}' if and only if there exists a uniformly gracious
 1155 strategy in every obliging game \mathcal{G}_s . Moreover, given a uniformly gracious strategy
 1156 with finite memory in each obliging game \mathcal{G}_s , one can effectively combine these
 1157 into a strongly adaptive strategy with finite memory in \mathcal{G}' .

1158 *Proof.* First, assume there exists a strongly adaptive strategy σ in the game \mathcal{G}' .
 1159 Let $s = (b_0, \dots, b_k, \perp, \dots, \perp) \in \mathcal{S}$. We show that σ is a uniformly gracious
 1160 strategy in the obliging game \mathcal{G}_s .

1161 Let ρ be a (σ, \mathbf{p}) -play in \mathcal{G}_s for some play prefix \mathbf{p} ending in $V_{=s}$. We show
 1162 that ρ satisfies the strong winning condition and that there is a (σ, \mathbf{p}) -play ρ'
 1163 that satisfies the weak condition. This implies that σ is uniformly gracious.

1164 If ρ contains v_{new} , then it is both S_s and W_s -winning by Remark 11, i.e., we
 1165 can use $\rho' = \rho$ to finish the argument.

1166 So, now suppose ρ does not contain the vertex v_{new} . Then, ρ is also a (σ, \mathbf{p}) -
 1167 play in the game \mathcal{G}' . Since σ is enforcing, ρ satisfies the parity condition of \mathcal{G}^{b_0} ,
 1168 which implies it also S_s -winning. If $k = 0$, then the weak condition is satisfied by
 1169 every play, i.e., we can again use $\rho' = \rho$ to finish the argument.

1170 Otherwise, i.e., if $k > 0$, by the Enabling property, there exists a (σ, \mathbf{p}) -play ρ'
 1171 in \mathcal{G}' that visits $\text{pre}(\text{lft}(s))$. Let \mathbf{p}' be the minimal prefix of ρ containing a vertex
 1172 in $\text{pre}(\text{lft}(s))$ after \mathbf{p} . We claim that all vertices between \mathbf{p} to \mathbf{p}' are in $V_{=s}$. This
 1173 implies that \mathbf{p}' is also a (σ, \mathbf{p}) -play prefix in \mathcal{G}_s . Then, by iterating this argument
 1174 ad infinitum, we obtain a (σ, \mathbf{p}) -play in \mathcal{G}_s that visits $\text{pre}(\text{lft}(s))$ infinitely often.
 1175 This play satisfies the weak condition.

1176 Now, we only need to prove that all vertices between \mathbf{p} to \mathbf{p}' are in $V_{=s}$. Let
 1177 v be a vertex in \mathbf{p}' after \mathbf{p} . First, note that a strongly adaptive strategy does
 1178 not make a move from a play prefix \mathbf{p}_1 ending in $V_{=s_1}$ to a vertex v_1 in $V_{<s_1}$.
 1179 If it would then every (σ, \mathbf{p}_1) -uncovered play is also a $(\sigma, \mathbf{p}_1 v_1)$ -uncovered play
 1180 and vice versa. This implies that $\text{smry}(\sigma, \mathbf{p}_1)$ and $\text{smry}(\sigma, \mathbf{p}_1 v_1)$ are equal, as
 1181 they are obtained by minimizing over the same set of plays. This contradicts the
 1182 assumption that $v_1 \in V_{<s}$. Hence, by Remark 13, $v \in V_{=s'}$ for some $s' \in \mathcal{S}$ such
 1183 that $s' \geq_{\text{lex}} s$ or s' is a strict prefix of s .

1184 Due to Remark 7, \mathbf{p}' can be extended to a (σ, \mathbf{p}) -uncovered play ρ^* satisfying
 1185 $\text{smry}(\sigma, \mathbf{p}, \rho^*) = s$. Since Player 1 makes $k > 0$ bad moves after \mathbf{p}' in ρ^* (as \mathbf{p}'

1186 is the minimal extension of \mathbf{p} visiting a vertex where Player 1 can make a bad
 1187 move), we also have $\text{smry}(\sigma, \mathbf{p}_v, \rho^*) = s$ for the prefix \mathbf{p}_v of \mathbf{p}' ending in v . Recall
 1188 that either $s' \geq_{\text{lex}} s$ or s' is a strict prefix of s . We show that both $s' >_{\text{lex}} s$
 1189 and s' being a strict prefix of s lead to a contradiction, leaving us only with the
 1190 conclusion $s' = s$ as required.

1191 First, assume we have $s' >_{\text{lex}} s$. Since $\text{smry}(\sigma, \mathbf{p}_v) = s'$, every (σ, \mathbf{p}_v) -
 1192 uncovered play ρ'' satisfies $\text{smry}(\sigma, \mathbf{p}_v, \rho'') \geq_{\text{lex}} s'$. But the (σ, \mathbf{p}_v) -play ρ^* has
 1193 summary $s <_{\text{lex}} s'$. We show that ρ^* is (σ, \mathbf{p}_v) -uncovered, which yields the desired
 1194 contradiction. If ρ^* is (σ, \mathbf{p}_v) -covered by another (σ, \mathbf{p}_v) -play ρ'' , then ρ^* is also
 1195 (σ, \mathbf{p}) -covered by ρ'' , which contradicts the assumption that ρ^* is (σ, \mathbf{p}) -uncovered.

1196 Finally, assume s' is a strict prefix of s . By definition, $\text{smry}(\sigma, \mathbf{p}_v) = s'$ implies
 1197 that there is some (σ, \mathbf{p}_v) -uncovered play ρ'' with $\text{smry}(\sigma, \mathbf{p}_v, \rho'') = s'$. However,
 1198 ρ^* is also a (σ, \mathbf{p}_v) -play and it covers ρ'' , as s' , the summary of ρ'' , is a strict
 1199 prefix of s , the summary of ρ^* .

1200 For the other direction, assume there is a uniformly gracious strategy σ_s for
 1201 every game \mathcal{G}_s . Let σ be the strategy obtained by combining all strategies σ_s
 1202 as follows: for any play prefix \mathbf{p} ending in $V_{=s}$, we have $\sigma(\mathbf{p}) = \sigma_s(\mathbf{p}')$, where \mathbf{p}'
 1203 is the longest suffix of \mathbf{p} which is a σ_s -play in \mathcal{G}_s . It remains to show that, for
 1204 every play prefix \mathbf{p} ending in $V_{=s}$ for some $s = (b_0, \dots, b_k, \perp, \dots, \perp) \in \mathcal{S}$, σ is
 1205 an s -witness from \mathbf{p} . This implies that σ is strongly adaptive by Lemma 4.

1206 First, we show that σ satisfies the Enabling property. If $k = 0$ then the
 1207 property is satisfied trivially. If not, then let \mathbf{p}' be the longest suffix of \mathbf{p} which
 1208 is a σ_s -play in \mathcal{G}_s . Then, every (σ, \mathbf{p}) -play that stays in $V_{=s}$ follows σ_s , i.e., it
 1209 has a suffix that is a (σ_s, \mathbf{p}') -play. Since, σ_s is uniformly gracious, there exists
 1210 a (σ_s, \mathbf{p}') -play ρ^* in \mathcal{G}_s that is W_s -winning, i.e., ρ^* visits $\text{pre}(\text{lft}(s)) \cup \{v_{\text{new}}\}$
 1211 infinitely often. Note that by Remark 11, every predecessor of v_{new} also belongs
 1212 to $\text{pre}(\text{lft}(s))$. Hence, ρ^* visits $\text{pre}(\text{lft}(s))$ at least once. Let $\mathbf{p}'\mathbf{p}^*$ be a prefix of ρ^*
 1213 ending in $\text{pre}(\text{lft}(s))$. Then, there exists a $(\sigma, \mathbf{p}\mathbf{p}^*)$ -play which is also a (σ, \mathbf{p}) -play
 1214 satisfying the Enabling property, i.e., one in which Player 1 does not make a bad
 1215 move.

1216 Now, given a play $\rho \in \Pi(\sigma, \mathbf{p})$ containing no bad move of Player 1 after \mathbf{p} , we
 1217 show that ρ satisfies the Enforcing and the Evading property.

1218 Note that by construction, σ never makes a move from a play prefix ending
 1219 in $V_{=s}$ to a vertex in $V_{<s}$. Hence, by Remark 13, ρ has a suffix that stays in
 1220 $V_{=s'}$ forever for some $s' = (b'_0, \dots, b'_{k'}, \perp, \dots, \perp) \in \mathcal{S}$ such that $s' \geq_{\text{lex}} s$ or s'
 1221 is a strict prefix of s . In any case, $b'_0 \geq b_0$. Furthermore, ρ has a suffix that is
 1222 a $\sigma_{s'}$ -play which is $S_{s'}$ -winning. Hence, it has value at least b'_0 . Therefore, ρ
 1223 satisfies the Enforcing property.

1224 Now, suppose ρ does not satisfy the Evading property and visits some vertex
 1225 $v \in \text{pre}(V_{=s^*})$ for some $s^* = (b_0^*, \dots, b_{k^*}^*, \perp, \dots, \perp) \in \text{Ev}(s)$. Suppose $v \in V_{=s'}$
 1226 for $s' = (b'_0, \dots, b'_{k'}, \perp, \dots, \perp) \in \mathcal{S}$. We claim that $s^* \in \text{Ev}(s')$.

1227 Step 2 of the algorithm to compute $V_{=s}$ and its proof of correctness imply that
 1228 $\text{Reach}_1(V_{s^*})$ and $V_{s'}$ are disjoint. Hence, the facts that v is a vertex of Player 1
 1229 (since there exists a bad move from v to $V_{=s^*}$) and $v \in \text{pre}(V_{=s^*})$, which implies
 1230 $v \in \text{Reach}_1(V_{=s^*})$, yield the desired contradiction.

1231 Now, we only need to prove $s^* \in \text{Ev}(s')$ to conclude the proof. First, note
 1232 that since ρ does not contain a bad move of Player 1 after \mathbf{p} , we have $b'_0 = b_0$,
 1233 which implies $b_0^* > b'_0$. To prove the other two conditions, we consider two cases
 1234 derived as follows: By Remark 13, it holds that $s' \geq_{\text{lex}} s$ or s' is a strict prefix of
 1235 s .

1236 If $s' \geq_{\text{lex}} s$, then $s^* <_{\text{lex}} \text{lft}(s) \leq_{\text{lex}} \text{lft}(s')$ (as $b_0 = b'_0$). Furthermore, if s^* is a
 1237 strict prefix of $\text{lft}(s') \geq_{\text{lex}} \text{lft}(s)$, then either $s^* \geq_{\text{lex}} \text{lft}(s)$ or s^* is a strict prefix
 1238 of $\text{lft}(s)$. This contradicts the fact that $s^* <_{\text{lex}} \text{lft}(s)$ and s^* not being a strict
 1239 prefix of $\text{lft}(s)$.

If s' is a strict prefix of s , then s^* is not a strict prefix of s' (as it is not a
 strict prefix of s). Furthermore, since $s^* <_{\text{lex}} \text{lft}(s)$, either $s^* <_{\text{lex}} \text{lft}(s')$ or $\text{lft}(s')$
 is a strict prefix of s^* . The second case never holds by Remark 10. Therefore, the
 claim is proved. \square