



AALBORG UNIVERSITY
DENMARK

Aalborg Universitet

Transparent Phosphosilicate Glasses Containing Crystals Formed During Cooling of Melts

Liu, S. J.; Zhang, Y. F.; Li, G. R.; He, W.; Yue, Yuanzheng

Publication date:
2011

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):
Liu, S. J., Zhang, Y. F., Li, G. R., He, W., & Yue, Y. (2011). *Transparent Phosphosilicate Glasses Containing Crystals Formed During Cooling of Melts*. Abstract from ICG Annual Meeting 2011 and 1st Hi-Tech International Forum on Glass, Shenzhen, China.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Transparent Phosphosilicate Glasses Containing Crystals Formed During Cooling of Melts

S. J. Liu^{1*}, Y. F. Zhang¹, G. R. Li¹, W. He¹, Y. Z. Yue^{1,2}

¹Key Laboratory of glass & ceramic materials, Shandong Polytechnic University, Jinan, 250353, China

²Section of Chemistry, Aalborg University, DK-9000 Aalborg, Denmark

Effect of P₂O₅-SiO₂ substitution on spontaneous crystallization of SiO₂-Al₂O₃-P₂O₅-Na₂O-MgO melts during cooling was studied by X-ray diffraction, differential scanning calorimetry and scanning electron microscopy. Results show that substitution of P₂O₅ for SiO₂ enhances the structural polymerization of silicate-rich phase in the melts as a result of formation of orthophosphate complexes, and thereby the spontaneous crystallization of cubic Na₂MgSiO₄ is also enhanced during cooling of the melts. In addition, the sizes of the local crystalline and separated glassy domains are smaller than the wavelength of the visible light, and this leads to the transparency of all the obtained glasses.