Aalborg Universitet



## Development of a Basal Insulin Titration System to Support Healthcare Providers in **Treatment of People with Type 2 Diabetes**

Preliminary Results

Thomsen, Camilla H N; Hangaard, Stine; Kronborg, Thomas; Vestergaard, Peter; Heilesen, Ole; Jensen, Morten H

Published in: Digital Health and Informatics Innovations for Sustainable Health Care Systems

DOI (link to publication from Publisher): 10.3233/SHTI240761

Creative Commons License CC BY-NC 4.0

Publication date: 2024

Document Version Publisher's PDF, also known as Version of record

Link to publication from Aalborg University

Citation for published version (APA):

Thomsen, C. H. N., Hangaard, S., Kronborg, T., Vestergaard, P., Hejlesen, O., & Jensen, M. H. (2024). Development of a Basal Insulin Titration System to Support Healthcare Providers in Treatment of People with Type 2 Diabetes: Preliminary Results. In *Digital Health and Informatics Innovations for Sustainable Health Care* Systems (Vol. 316, pp. 1735-1736), IOS Press, https://doi.org/10.3233/SHTI240761

#### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
  You may not further distribute the material or use it for any profit-making activity or commercial gain
  You may freely distribute the URL identifying the publication in the public portal -

#### Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from vbn.aau.dk on: February 08, 2025

Digital Health and Informatics Innovations for Sustainable Health Care Systems J. Mantas et al. (Eds.) © 2024 The Authors. This article is published online with Open Access by IOS Press and distributed under the terms of the Creative Commons Attribution Non-Commercial License 4.0 (CC BY-NC 4.0).

doi:10.3233/SHTI240761

# Development of a Basal Insulin Titration System to Support Healthcare Providers in Treatment of People with Type 2 Diabetes: Preliminary Results

Camilla H. N. THOMSEN<sup>a,b,1</sup>, Stine HANGAARD<sup>a,b</sup>, Thomas KRONBORG<sup>a,b</sup>, Peter VESTERGAARD<sup>b,c</sup>, Ole HEJLESEN<sup>a</sup> and Morten H. JENSEN<sup>a,d</sup>

<sup>a</sup>Department of Health Science and Technology, Aalborg University, Denmark <sup>b</sup>Steno Diabetes Center North Denmark, Aalborg, Denmark <sup>c</sup>Department of Endocrinology, Aalborg University Hospital, Denmark <sup>d</sup>Data Science, Novo Nordisk A/S, Søborg, Denmark

**Abstract.** The study aims to develop a system for insulin titration in type 2 diabetes to assist primary healthcare providers. Usability testing with end-users is ongoing.

Keywords. Basal insulin titration, type 2 diabetes, decision support system

#### 1. Introduction

Titration of insulin in people with type 2 diabetes (T2D) is a complex and challenging process for many primary healthcare providers affected by clinical inertia [1]. Thus, 30-50% of people treated with insulin remain in suboptimal glycemic control six months after initiating basal insulin. This emphasizes the necessity for simpler and more accessible methods for insulin titration in primary care to facilitate better treatment outcomes [2,3]. The present study, therefore, aims to develop a decision support system for primary healthcare providers in insulin titration of people with T2D.

#### 2. Methods

System development followed two phases utilizing usability engineering principles. In phase one, initial requirements were established in a workshop with three domain experts possessing clinical guideline knowledge, leading to creation of a prototype. This prototype featured a retrospective graph of insulin doses and fasting glucose levels, and a test environment to simulate glycemic effects of dose changes before prescribing. Users could also prescribe doses and consult clinical guidelines. The prototype underwent heuristic evaluation [4] by technical experts, informing improvements for a second version. Phase two involved usability testing with healthcare providers, monitored by an eye tracker, to assess effectiveness, efficiency, satisfaction, and workflow disruptions.

<sup>&</sup>lt;sup>1</sup> Corresponding Author: Camilla H. N. THOMSEN; E-mail: chnt@hst.aau.dk.

## 3. Results

Heuristic evaluation of the first iteration of the prototype was carried out by eleven usability experts, identifying a total of 57 distinct violations, mainly focusing on the understandability of the insulin dose slider and graph together with a general observation of data overload on the main interface. In Figure 1 the first and second iteration of the prototype is seen. At the time of writing, the second iteration of the prototype is undergoing usability testing with healthcare providers.



Figure 1. Comparison of the initial prototype (left) and the refined version after heuristic feedback (right).

## 4. Discussion

The development of a system must prioritize usability to enhance the likelihood of user acceptance; thus, an iterative approach involving both technical experts and potential end-users is essential. However, it is crucial to carefully consider the number of participants providing input in each iteration to ensure findings are generalizable, as such input can be highly influenced by inter-person variability [5].

## 5. Conclusions

The study will identify key requirements for a decision support system amid at helping primary healthcare providers titrate basal insulin for people with T2D, potentially streamlining the process, empowering providers, and improving treatment outcomes.

### References

- Kuritzky L, Reid TS, Wysham CH. Practical Guidance on Effective Basal Insulin Titration for Primary Care Providers. Clin Diabetes 2019;37:368–76. DOI:10.2337/cd18-0091.
- [2] Polonsky WH, Arsenault J, Fisher L, Kushner P, Miller EM, Pearson TL, et al. Initiating insulin: How to help people with type 2 diabetes start and continue insulin successfully. Int J Clin Pract 2017;71.DOI:10.1111/ijcp.12973.
- [3] Mehta R, Goldenberg R, Katselnik D, Kuritzky L. Practical guidance on the initiation, titration, and switching of basal insulins: a narrative review for primary care. Annals of Medicine 2021;53:999. DOI:10.1080/07853890.2021.1925148.
- [4] Jakob Nielsen. Enhancing the explanatory power of usability heuristics. Proceedings of the SIGCHI conference on Human Factors in Computing Systems [Internet]. 1994; Available from: https://www.nngroup.com/articles/ten-usability-heuristics/
- [5] Alroobaea R, Mayhew PJ. How many participants are really enough for usability studies? 2014 Science and Information Conference, 2014, p. 48–56. DOI:10.1109/SAI.2014.6918171.

1736