



AALBORG UNIVERSITY
DENMARK

Aalborg Universitet

A New Transferable Inter-Atomic Potential for Borosilicate Glasses

Wang, Mengyi; Smedskjær, Morten Mattrup; Mauro, John C.; Bauchy, Mathieu

Publication date:
2018

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Wang, M., Smedskjær, M. M., Mauro, J. C., & Bauchy, M. (2018). *A New Transferable Inter-Atomic Potential for Borosilicate Glasses*. Abstract from 2018 Glass and Optical Materials Division Annual Meeting, San Antonio, Texas, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

(GOMD-S1-021-2018) A New Transferable Inter-Atomic Potential for Borosilicate Glasses

M. Wang¹; M. M. Smedskjaer²; J. C. Mauro³; M. Bauchy^{*1}

1. University of California, Los Angeles, Civil and Environmental Engineering Department, USA 2. Aalborg University, Denmark 3. Pennsylvania State University, USA

Molecular dynamics simulations of borosilicate glasses are notoriously challenging due to various coordination states exhibited by boron atoms, which can be 3- or 4-fold coordinated. Here, we present a new empirical force-field for modified borosilicate glasses. Although the potential retains a simple formulation (2-body interactions, fixed partial charges, constant parameters), it is found to offer an excellent transferability to a wide range of compositions, from silicate to borate glasses. The evolution of the coordination number of boron atoms upon varying glass compositions is well reproduced.