



AALBORG UNIVERSITY
DENMARK

Aalborg Universitet

Structural Design of Mechanically and Chemically Resistant Glasses

Plenary Talk

Smedskjær, Morten Matstrup

Publication date:
2018

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Smedskjær, M. M. (2018). *Structural Design of Mechanically and Chemically Resistant Glasses: Plenary Talk*. Abstract from 2nd Nordic Conference on Ceramic and Glass Technology, Roskilde, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Structural Design of Mechanically and Chemically Resistant Glasses

Morten M. Smedskjær

Department of Chemistry and Bioscience, Aalborg University, Aalborg, Denmark

Lithium aluminoborate glasses exhibit very high resistance to cracking under contact loading,^{1,2} but low hardness and poor chemical durability in aqueous media. On the other hand, alkaline earth aluminoborate glasses feature improved chemical resistance and hardness, but lower resistance to cracking.³ Here, we investigate the possibility to simultaneously improve the mechanical and chemical resistance of aluminoborate glasses by mixing alkali and alkaline earth modifiers. We study the mixed Li/Ba and Li/Mg aluminoborate glasses, since Li⁺ and Ba²⁺ have different charge and size but similar modifier field strength (charge to size ratio), while Mg²⁺ has the highest field strength among these modifiers due to its small size. The two glass series thus give insights into the competitive effects of modifier charge and size on glass structure, mechanical properties, and dissolution rates in acidic, neutral, and basic solutions.⁴ In order to access different structural roles of the modifier cations, we also study the effect of varying the aluminum-to-boron ratio in glasses with Li, Na, and Mg modifiers.⁵ The structural origins of the trends in chemical and mechanical properties are discussed based on ¹¹B and ²⁷Al solid state NMR spectroscopy measurements.

[1] K. Januchta, R.E. Youngman, A. Goel, M. Bauchy, S.L. Logunov, S.J. Rzoska, M. Bockowski, L.R. Jensen, M.M. Smedskjaer, *Chem. Mater.* **29**, 5865-5876 (2017).

[2] K. Januchta, M. Bauchy, R.E. Youngman, S.J. Rzoska, M. Bockowski, M.M. Smedskjaer, *Phys. Rev. Mater.* **1**, 063603 (2017).

[3] K.F. Frederiksen, K. Januchta, N. Mascaraque, R.E. Youngman, M. Bauchy, S.J. Rzoska, M. Bockowski, M.M. Smedskjaer, *J. Phys. Chem. B* **122**, 6287-6295 (2018).

[4] N. Mascaraque, K.F. Frederiksen, K. Januchta, R.E. Youngman, M. Bauchy, M.M. Smedskjaer, *J. Non-Cryst. Solids* **499**, 264-271 (2018).

[5] N. Mascaraque, K. Januchta, K.F. Frederiksen, R.E. Youngman, M. Bauchy, M.M. Smedskjaer, *J. Am. Ceram. Soc.* (2018). DOI: 10.1111/jace.15969