



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Compositional Dependency of Inelastic Dissipation Mechanisms During Scratching in CAS Glasses

Kazembeyki, M.; Soman, S.; Mauro, J. C.; Smedskjær, Morten Mattrup; Bauchy, M.; Hoover, C. G.

Publication date:
2021

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Kazembeyki, M., Soman, S., Mauro, J. C., Smedskjær, M. M., Bauchy, M., & Hoover, C. G. (2021). *Compositional Dependency of Inelastic Dissipation Mechanisms During Scratching in CAS Glasses*. Abstract from 14th Pacific Rim Conference on Ceramic and Glass Technology, Vancouver, Canada.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Compositional Dependency of Inelastic Dissipation Mechanisms During Scratching in CAS Glasses

M. Kazembeyki¹ ; S. Soman¹ ; J. C. Mauro⁴ ; M. M. Smedskjaer³ ; M. Bauchy² ; C. G. Hoover^{*1}

1. Arizona State University, School of Sustainable Engineering and the Built Environment, USA
2. University of California Los Angeles, CIVIL AND ENVIRONMENTAL ENGINEERING, USA
3. Aalborg University, Denmark
4. Pennsylvania State University, USA

Understanding and controlling scratch resistance in glasses is of great importance, as this can be one of the limiting factors in glass applications. Thanks in part to the wide use of glasses that humans interact with, such as the screens for portable/smart electronic devices, resistance to scratch induced damage has become a primary concern. Previous studies have shown that glasses dissipate energy on smaller scales partially through densification, shear flow and cracking. In this study, we focus on the scratch resistance of a family of Calcium Aluminosilicate (CAS) glasses whose composition follows $x\text{CaO}+x\text{Al}_2\text{O}_3+(100-2x)\text{SiO}_2$, where 'x' is in mol%. We performed a series of instrumented scratch tests on the nano scale using a conospherical probe. The scratch hardness (Hs) was obtained by dividing the work of lateral deformation by the total deformed volume. In addition, an Atomic Force Microscope was used to map the surface after the elastic deformation was recovered. Although Hs did not exhibit a significant evolution with respect to SiO₂ content, the energy dissipated by inelastic mechanisms showed a strong compositional dependency, also evidenced by pile-up volumes and changes in the depth of the scratch trough AFM scans.