



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Improved cooking stoves as an eco-friendly practice for reducing fuel-wood and CO2 emission: A case of Meghauri, Chitwan, Nepal

Chand, Rupa; Rijal, Kedar; Sapkota, Ramesh Prasad

Published in:
Nepal Journal of Environmental Science

Publication date:
2014

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):
Chand, R., Rijal, K., & Sapkota, R. P. (2014). Improved cooking stoves as an eco-friendly practice for reducing fuel-wood and CO2 emission: A case of Meghauri, Chitwan, Nepal. *Nepal Journal of Environmental Science*, 2, 57-61.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Improved cooking stoves as an eco-friendly practice for reducing fuel-wood and CO₂ emission: A case of Megghauli, Chitwan, Nepal

R Chand^{1*}, K Rijal², RP Sapkota^{2,3}

¹GoldenGate International College, Tribhuvan University, Kathmandu, Nepal

²Central Department of Environmental Science, Tribhuvan University, Kathmandu, Nepal

³Amrit Campus, Tribhuvan University, Kathmandu, Nepal

Abstract

The energy demand is ever increasing with the growing population with increased consumption and living standard. In the developing country like Nepal, traditional sources of energy such as fuel-wood, dung and agriculture residues are still in use. Such a traditional energy sources and cooking practices have several environmental and health implications. The present study was carried out in Megghauli Village Development Committee of Chitwan districts in which attempts have been made to assess the status of Improved Cooking Stoves (ICS) and its contribution in reducing firewood consumption, carbon dioxide (CO₂) emission that help saving time and lessening women drudgery in household work and ultimately reducing climate change impacts. Moreover, health status of the people was also undertaken. For the purpose, household survey method was applied for gathering the information. The results showed that ICS to be more efficient compared to the traditional cooking stoves. The average firewood consumption for household purpose prior to installation of ICS was found to be 310.62 kg/month which reduced to 253 kg/month, i.e. 57.62 kg less in a month. This helped to reduce CO₂ emission by an average value of 105.44 kg/month. It has also been reported that there was substantial (262 hours in a year) reduction in time consumption for household work. However, yet higher number of people (11.63%) was found suffering from respiratory and eye diseases probably due to biomass burning and other labor based works.

Key Words: Biomass, Carbon Dioxide Emission, Climate Change, Improved Cooking Stoves, Respiratory Problems

Introduction

The energy demand in the world is steadily increasing and the much of the demand is fulfilled with non-renewable energy such as coal, gas and oil. However, traditional sources of energy are still in use for domestic (cooking and heating) purposes in developing countries. Nevertheless, having a greater role of fossil fuel burning in industrialized and developed countries for climate change, the biomass burning particularly for household purpose is also contributing for Green House Gases emission and causing climate change (World Bank, 2010). Furthermore, forest degradation is an utmost result from biomass burning or use of traditional energy resource in rural areas of the developing countries, which finally deplete the sinking area for emitted CO₂. The net global deforestation rate has been averaged 7.3 million hectares a year, from 2000 to 2005, contributing about 5 giga tons of CO₂ per year emissions (World Bank, 2010).

Nepal relies heavily on traditional energy resources, as no significant deposit of fossil fuel are available (CRT/N, 2005). Lack of fossil fuel deposition and a smaller amount of hydro-electricity generation has compelled to use biomass resource such as firewood, animal dung and agricultural residue, which accounts for 87.1%. In totality, firewood occupies about 78% of the total energy consumption (WECS, 2010). With increasing population and fuel price of commercial energy, there is an increase in demand for firewood in the country, as it is cheaper and easy to obtain.

Reduction of CO₂, increased carbon sequestration and carbon substitution are the major activities for mitigating the impact of climate change. Among others, adoption of eco-friendly practices such as use of Improved Cooking Stoves (ICS) are supportive for reducing climate change impacts and also benefitted to the vulnerable rural people and women

*Corresponding author, email address: 1chandrupa.env@hotmail.com

household workers to adapt with climate change and reduce CO₂ emission. ICS is becoming one of the widely adopted rural technologies in some rural parts of the Nepal (Khanal & Bajracharya, 2010). Women are mainly responsible for cooking activities and collecting firewood. Hence, greater efficiency of ICS (15-25%) and saving of fuel-wood help reducing the women dr udgeryof women, since ICS cuts down their cooking time and hardship in collecting firewood (CRT/N, 2000).

Materials and Methods

Study area

Chitwan district covers an area of 2218 km² and lies within the Siwalik belt in the Western Development Region of Nepal. This district is rich in cultural diversity and ethnicity, having diverse geography and tropical monsoon climate. The Chitwan National Park lies toward south central Nepal, which spreads over 932 km² and surrounded by Buffer Zone (BZ) area of 750 km². The BZ area is bounded by Narayani-Rapti River system in North and West, between South-Eastern boundary of the park and the international boundary of India.

The present study was carried out in Meghauri VDC of Chitwan district which lies within the Buffer Zone area of Chitwan National Park (Fig. 1). In totality, it covers an area of 30.46 km². Its access is 26 km south from Narayanghat city. Total number of households in this VDC is 3,086 and total population is 14,149 consisting male 6,341 and female 7,808 (CBS, 2012).

Data collection and analysis

Primary and secondary information were collected from field visit, published and unpublished data resources, so as to get more qualitative output. In response to get the first hand data field survey was conducted on 15 - 20 July, 2010. During field visit, the ICS installed houses were listed with the help of key informant such as ICS promoter, VDC chairperson and BZ management chairperson. In totality, 900 households were found with ICS installation in their kitchens for cooking.

Household questionnaire survey was done for gathering the primary information and simple random sampling technique was used to select the sampling households. In order to determine the sample size, a simple formula given by Arkin and Colton (1963) was used; which can be represented as;

$$\text{Sample Size (n)} = \frac{NZ^2 P(1-P)}{Nd^2 + Z^2 P(1-P)}$$

Where,

n= Sample size (68)

N= Total number of households (900)

Z= Confidence interval (at 95 % level, Z= 1.96)

P= Estimated population proportion (0.05)

d = Errors of limit of 5 % (0.05)

A total of 86 ICS user households were visited for the survey. The questionnaires were prepared by accompanying the issues of socio-economic behavior of the inhabitants, energy consumption, health status and perception of local people




Fig. 1 Location of Meghauri VDC, Chitwan

toward climate change. The questionnaire forms were filled by the researcher interviewing with household heads or/and female respondents. The data obtained from the household survey were analyzed by using Microsoft Excel 2010. The reduction in CO₂ emission has been calculated by using the conversion factor for 1 kg of dry firewood emit 1.83 kg of CO₂ (IPCC, 1996).

Results and Discussion

Socio-economic condition

The most (98.84%) of the family in the study area were found to be Hindu, followed by a few Buddhist (1.16%). Among the ethnic groups, Brahmin, Chhetri, Mahato, Gurung, Tharu, Rai, Magar and Newar were the major ethnic groups. The average family size was found to be six, with single family type. Water and sanitation condition was observed to be satisfactory where almost all family were found to have toilet facility. The average household income was found to be about NRs. 11,500. Furthermore, almost every family has communication facilities like mobile/telephone, television, radio and others.

Energy use for cooking and lighting purpose

All the surveyed households in the study area were found to be using firewood for cooking and heating purposes. However, preference of people was found to be gradually changing from traditional sources of energy to cleaner sources of energy like Liquefied Petroleum Gas (LPG) (22.09%), kerosene (2.32%), biogas (1.16%), and electricity (10.46%) for domestic purposes. Similarly, nearly 94.18% of the surveyed households were found to use electricity, while 5.82% were found to be using kerosene for lighting purpose. At present, the preference for clean energy sources has been increasing which might be due to inconvenient availability of traditional fuel-wood, decreasing forest resources, as well as increasing income level. This means the energy consumption pattern is shifting from traditional to modern sources. In addition, awareness about environment friendly techniques leads people to use more efficient and modified traditional system such as ICS, biogas, bio-briquette, etc. which help in reducing firewood, saving time, effort and money. The Tinjure-Milke-Jaljale, high hill of eastern rural part of Nepal, shows that intervention of ICS appreciably reduced firewood consumption from a household to 4.5 million ton per year from 8.14 million ton per year which is 45% diminution of fuel wood. Consequently reduced volume of firewood has been supporting in reducing the CO₂ emission. There is reduction of CO₂ emission from 14.9 million ton per household per year to 8.42 million ton per household per year. It has also been revealed that after using ICS technology, each household is contributing about 1.52 million ton carbon to sink in the community or natural forest in study area (Khanal & Bajracharya, 2010). Likewise, in the




Fig. 2 Reduction in firewood consumption

present study, there is significant reduction of firewood consumption and CO₂ reduction which support in leveling off the CO₂ concentration in atmosphere which is major component of climate change. Furthermore, intervention of ICS technology also helps to sink carbon in forest which helps to mitigate climate change.

Similarly, respondents agree that, ICS is one of the efficient, convenient, clean and time saving stove which help in reducing household drudgery for cleaning the kitchen, washing utensils, collecting firewood from distant area as well as it is good in appearance than the traditional stove. It is also one of the most likeable technologies because of use of firewood as means of fuel-wood can be obtained locally, needs low investment and is easy to install than the other alternative technologies. Despite various advantages of using ICS, it seems to be not preferred by few people. This might be due to some technical problem such as its modified structure and financial investment during installation and maintenance period which is somewhat difficult without prior knowledge and experience. Therefore, it requires adequate consideration while designing and developing the ICS and training for repair and maintenance.

Reduction in firewood consumption

It has been found that average firewood consumption by a family was 310.62 kg/month prior to the application of ICS, which was reduced to 253 kg/month after adopting it (Table 1). It shows that the ICS helped to save 57.62 kg/month firewood (Fig. 2). This means, about 3.727 million tons of firewood consumed by each household in a year was reduced to 3.036 million ton after ICS installation which is equivalent to 0.6914 million ton saving of firewood. Regarding the preference of people, nearly 73.68% showed their preference for ICS, 25% preferred traditional and 1.32% has no preference.

Table 1 Reduction of firewood and CO₂ emission from ICS adoption

Features	Firewood requirement (kg/month/HH)	CO ₂ Emission (kg/month/HH)	Reduction in CO ₂ emission (million ton/HH)	Reduction in CO ₂ emission from 900 HH (million ton/yr)
Before ICS installation	310.62	568.43		
After ICS installation	253	462.99	1.265	1138.5

Reduction of CO₂ emission

Prior to the application of ICS, CO₂ emission from a household was calculated about 568.43 kg/month which however was found to decrease to 462.99 kg/month. Equally this helped to reduce CO₂ by an average value of 105.44 kg/month. It gives a value of 1.265 million ton of reduction in CO₂ emission from an ICS installed household in a year. In totality, it helped to reduce 1143 million ton of CO₂ from 900 ICS installed houses in Megghauli VDC. Correspondingly, it shows about 18.55% of the CO₂ emission decreased from these houses (Table 1).

Time saving for household work

From the present study, it has been found that in an average a woman spent 5 hours 15 minutes per day for household work as cooking for family, washing pots and cleaning the kitchen prior to using ICS, which was reduced to 4 hours 32 minutes per day for the same task after ICS installation. It means, about 43 minutes in a day was saved. In average, it helped to save 262 hours in a year which they could use in women empowering activities as well as taking care of them such as taking proper hygienic activities on daily basis.


Health status

About 11.63% people in the study area were found to be suffering from respiratory (40% asthma, 20% bronchitis, 20% throat infection and others) and eye diseases, 6.98% stomach pain, 5.81% headache and 11.63% others. In the present study, women were found to be greater in proportion

suffering from respiratory diseases than the men which may be due to their prolonged exposure during cooking or indoor activities. Exposure to indoor air pollution, especially particulate matters, from the combustion of biofuels has been attributed as a causal agent of respiratory diseases in developing countries (Chen et al., 1990). Likewise, a well, non-smoking women who have cooked on biomass stoves for many years exhibit a higher prevalence of chronic lung disease (Parikh, 2007).

Perspectives of local people for climate change

In the present study, the majority (91%) of the respondents expressed that they were experiencing the climate change and its impact on their daily livelihood. They reported high temperature range (difference in hotness), change in precipitation pattern, more intense heat and cold waves respectively during summer and winter. The result shows that 80% respondents stated change in temperature and more than 90% respondents reported rainfall variability. The problems associated with rainfall variability are untimely and late monsoon, no or less winter rainfall as well as high intense rainfall for short time. Furthermore, about 40% respondents said that the incidents of drought has been increasing which has been attributed to untimely, unusual and less rainfall over past few years. Similarly, more than 80% respondents shared that they experienced increasing number of invasive pests and insects in compared to the previous years in their farmyard. The emergence of new pests and diseases made farmer to use high dose of pesticides. Likewise, 18.60% respondents reported loss of their crops and livestock due to flood and drought (Fig. 3).

**Fig. 3** Respondents response toward climate change

Conclusion

The installation of ICS, an eco-friendly technology, in Megghauli VDC has positively contributed to socio-economic and environmental situation. The use of ICS has resulted in the substantial reduction in firewood consumption and CO₂ emission in the household level. In addition, the reduced consumption of firewood reduced work burden with respect to time taken for collecting fuel from distant source and provided free time especially for women. Considerably, the study provides the benefits of using ICS, health status and the peoples' perspective toward climate change in the area.

Acknowledgements

The authors would like to acknowledge Central Department of Environmental Science, Tribhuvan University for their support during entire period of the research. The authors extend special gratitude for Gender, Energy and Water Network (GEWNet) managed by Centre for Rural Technology, Nepal (CRT/N) for financial support. Similarly, the authors are thankful to Mr. Kapil Singh and Mr. Govind Lamichhane for their help during field visit and lab work.

References

- Arkin, H., & Colton, R.R. (1963). *Tables for statisticians*. New York, Barnes & Noble.
- CBS (2012). *National Population and Housing Census 2011* (National Report). Government of Nepal, National Planning Commission Secretariat, Central Bureau of Statistics, Kathmandu, Nepal.
- Chen, B.H., Hong, C.J., Pandey, M.R., Smith, K.R., (1990). *Indoor Air Pollution in Developing Countries*. World Health Statistics Quarterly 43, 127-138.
- CRT/N (2000). *Improved Cook Stove (ICS) Development: A Case from Nepal*. Centre for Rural Technology, Nepal Tripureshwor, Kathmandu, Nepal.
- CRT/N (2005). *National Energy Situation Survey Report Nepal – Focus on Renewable Energy & Poverty Reduction*. Submitted to International Network for Sustainable Energy (INFORSE).
- IPCC (1996). *Climate Change 1995. The Science of Climate Change*. In: J.T. Houghton *et al* (Editors), Contribution of Working Group I to the Second Assessment Report of the Intergovernmental Panel on Climate Change [Watson, R.T., *et al.*, (eds)]. Cambridge University Press: Cambridge, UK and New York, NY, USA.
- Khanal, R.C. and Bajracharya, L. (2010). *Improved Cooking Stove (ICS) and Its Impact on Firewood Consumption and Reducing Carbon Dioxide Emission: A Case Study from TMJ Area, Nepal*. International Union for Conservation of Nature, Nepal.
- Parikh, J. (2007). *Mainstreaming Gender into Energy Policies in India, Where Energy is Women's Business*. ENERGIA-the International Network on Gender and Sustainable Energy- in Asia, 92-95.
- IPCC (1996). *Climate Change 1995. The Science of Climate Change*. In: J.T. Houghton *et al.* (Editors), Contribution of Working Group I to the Second Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, New York.
- WECS (2010). *Energy Sector Synopsis Report 2010*. Water and Energy Secretariat, Kathmandu, Nepal.
- World Bank (2010). *World Development Report: Development and Climate Change*. The World Bank, Washington, DC.